AUTHOR INDEX

VOLUME 49, 1977

ARS = Anaesthetic Research Society Papers
C = Correspondence
E = Editorial
R = Book Review

ABOULEISH, E. and SCHENLE, I. A. Efficacy of antacid therapy, (*C*) 394
ADAMS, J. G. *Paediatric Anaesthesia Case Studies*, (*R*) 397
ADAMS, L. *see* SIMPSON, P., (*ARS*) 186
AFONJA, A. O. *see* ELEGBELEYE, O. O., (*C*) 391
AGARWAL, G. and SIKH, S. S. Awareness during anaesthesia, 835
AHNEFELD, F. W., BERGMANN, H., BURRI, C., DICK, W., HALMÁGYI, M. and RUGHEIMER, E. *Klinische Anästhesiologie und Intensivtherapie, Vol. 10: Notfallmedizin*, (*R*) 91
AHNEFELD, F. W., BURRI, C., DICK, W. and HALMÁGYI, M., *Parenteral Nutrition*, (*R*) 91
AKIYAMA, H. *see* MUKAI, S., 379
AL-ABRAK, M. H. *see* BUSHMAN, J. A., 575
ALBIN, M. S. *see* NEWFIELD, PHILLIPA, (*C*) 193
ALI, M. M. *see* CHILD, D. A., 179
ALLAN, R. B. *see* MOUDGIL, G. C., 97
ALLEN, P. J. and DOWNING, J. W. A prospective study of hepatocellular function after repeated exposures to halothane or enflurane in women undergoing radium therapy for cervical cancer, 1035
ALLEN, P. J. *see* DOWNING, J. W., 473
ALLISON, S. P. Metabolic aspects of intensive care, 689
ALPER, M. H. *see* DATTA, S., 625
ANGEL, A. and BLAKE, K. I. Frequency of discharge of thalamic reticular cells and thalamic relay cell responses to afferent input during spontaneous fluctuations in "anaesthetic depth" in the rat, (*ARS*) 1169
ANGIBOUST, R. *see* LABORIT, G., 805
AOCHI, O. *see* TSUDA, T., 965
APPLEYARD, T. N. *see* WATKINS, J., (*C*) 953
ARENSON, HELENA M. and MOHAPATRA, S. Evaluation of electrical impedance plethysmography for the non-invasive measurement of blood flow, (*ARS*) 185
ARROW, F. C. *see* SMITH, T. G. C., (*ARS*) 509
ASBURY, A. J. and HANCOX, A. J. The evaluation and improvement of an anti-pollution system, 439
ASKILL, S. *see* BUSHMAN, J. A., 575; ENDERBY, D. H., 561, 567
AUSTIN, J. C. *see* CLEATON-JONES, P., 223; NELSON, T. E., 169

BABINGTON, P. C. B. *see* BAKER, A. B., 1207
BABINSKY, M. *see* SMITH, R. B., (*C*) 193
BAGSHAW, R. J. and COX, R. H. Baroreceptor control of regional haemodynamics during halothane anaesthesia in the dog, 535
BAGSHAW, R. J., COX, R. H. and CAMPBELL, K. B. Sodium nitroprusside and regional arterial haemodynamics in the dog, 735
BAHL, C. P. A new extradural space indicator, (*C*) 392
BAILEY, C. P. *see* WARDLEY-SMITH, B., (*ARS*) 187
BAKER, A. B., BABINGTON, P. C. B., COLLISS, J. E. and COWIE, R. W. Effects of varying inspiratory flow waveform and time in intermittent positive pressure ventilation. I: Introduction and methods, 1207
BAKER, A. B., COLLISS, J. E. and COWIE, R. W. Effects of varying inspiratory flow waveform and time in intermittent positive pressure ventilation. II: Various physiological variables, 1221
BAKER, A. B., COWIE, R. W. and COLLISS, J. E. Effects of varying inspiratory flow waveform and time in intermittent positive pressure ventilation. III: Blockade of the autonomic nervous system, 1223
BALI, I. M., NAYAK, M. M. and DUNDEE, J. W. The effect of induction agents on cerebrospinal fluid pressure, (*ARS*) 1169
BALMER, H. G. R. and WYTE, S. R. Antagonism of ketamine by physostigmine, (*ARS*) 510
BANKS, D. *see* CLEATON-JONES, P., 223
BARAKA, A. Suxamethonium–neostigmine interaction in patients with normal and atypical cholinesterase, 479
BARAKA, A. and MUALLEM, M. Oxygen jet ventilation for microlaryngoscopic procedures, (*C*) 194
BARNES, A. *see* LEE, C., 485, 555
BARNES, P. and BIRDI, H. An assessment of the Gapmeter Lab Kit, 277
BARNES, P. K., BROWNE, C. H. W. and CONWAY, C. M. The work of ventilating semi-closed anaesthetic rebreathing systems, (*ARS*) 1173
BARNES, P. K. *see* SEELEY, H. F., 107; CONWAY, C. M., 1245
BARRATT, R. S. *see* ROBINSON, J. S., 745
BASTA, J. W., NIEDJADLIK, K. and PALLARES, V. Autonomic hyperreflexia: intraoperative control with pentolinium tartrate, 1087
BASTRON, R. D. *see* DEUTSCH, S. *Anesthesia and the Kidney*, (*R*) 842
BAULD, H. W., BUCHAN, A. S. and SWAINSON, C. P. The effect of anaesthesia and respiration on plasma potassium in renal failure, (*C*) 839
BEHR, G. *see* MEHTA, S., 589
BELCHER, R. *see* THOMPSON, J. M., (*ARS*) 1171
BELLVILLE, J. W. *see* WENDER, R. H., 907
BENGTSSON, I. M., MAGNO, R. and WICKSTRÖM, I. Ebstein's anomaly—anaesthetics problems, 501
BENGTSSON, I., MAGNO, R. and WICKSTRÖM, I. Ebstein's anomaly—anaesthetic problems, (*C*) 954
BENNETT, D., CAIN, P. A., ELLIS, F. R., LOUIS, C. F. and STANTON, M. Calcium and magnesium contents of malignant hyperpyrexia-susceptible human muscle, 979
BENNETT, E. J. *see* SALEM, M. R., 901
BENNETT, M. J. *see* HORAN, B. F., 1179
BENNETTS, F. E. Automatic ventilation during bronchoscopy: experience with a Bird Mark 2 ventilator, 1061
BERGMANN, H. *see* AHNEFELD, F. W., (*R*) 91
BERRY, M. *see* JONES, J. G., (*ARS*) 189
BEVAN, D. R. *see* GAMMANPILA, S., 199
BHUDI, R. *see* GAMMANPILA, S., 199
BIRDI, H. *see* BARNES, P., 277
BLACK, G. W., JOHNSTON, H. M. L. and SCOTT, M. G. Clinical impressions of enflurane, 875
BLACK, G. W. *see* TONER, W., 871
BLAKE, K. I. *see* ANGEL, A., (*ARS*) 1169
BLEWETT, M. C. *see* MAPLESON, W. W., (*ARS*) 184

BLOGG, C. E. and DOLVIN, M. P. Apparently empty oxygen cylinders, (*C*) 87
BORG, I. *see* ZEDERFELDT, B., 467
BORTZ, J. *see* RUBIN, J., 1005
BOSMA, J. F. and SHOWACRE, J. editors. *Development of Upper Respiratory Anatomy and Function: Implications for Sudden Infant Death Syndrome*, (*R*) 195
BOYLE, P. and PARBROOK, G. D. The interrelation of personality and postoperative factors, 259
BOYS, J. E. Analgesia in labour, (*C*) 841
BROADBENT, M. P. *see* SEED, R. F., (*ARS*) 183
BROCK, LORD, SKINNER, J. M. and MANDERS, J. T. The importance of peripheral vasoconstriction in influencing body temperature and the part played by certain environmental factors: the effect of inhaled gases, 755
BROCK-UTNE, J. G. *see* BULEY, R. J. R., 1009; RUBIN, J., 1005
BROWN, S. E. and VASS, A. C. R. An extradural service in a district general hospital, 243
BROWNE, C. H. W. *see* BARNES, P. K., (*ARS*) 1173
BRUCKNER, J. B. *Anaesthesiology and Resuscitation*, Vol. 99: "Inhalationsanaesthesie mit Ethrane"—"Inhalational Anaesthesia with Ethrane", (*R*) 93
BRYCE-SMITH, R. *see* OSTLERE, G., (*R*) 94
BUCHAN, A. S. *see* BAULD, H. W., (*C*) 839
BUCHANAN, N. and VAN DER WALT, L. A. The binding of thiopentone to kwashiorkor serum, 247
BUCKLEY, F. P. *see* TUCKER, G. T., 237; SCOTT, D. B., 917; WILSON, J., (*C*) 90
BUCKLEY, P. and SCOTT, D. B. Fazadinium—a new formulation, (*C*) 191
BULEY, R. J. R., DOWNING, J. W., BROCKUTNE, J. G. and CUERDEN, C. Right versus left lateral tilt for Caesarean section, 1009
BULEY, R. *see* DOWNING, J. W., 473
BURGESS, G. E. *see* HEDLEY-WHITE, J., (*R*) 398
BURN, N. *see* LEWIS, D. G., (*ARS*) 1174
BURRI, C. *see* AHNEFELD, F. W., (*R*) 91
BUSH, G. H. and NORMAN, J. The perinatal period, (*E*) 1
BUSH, G. H. *see* VIVORI, E., 51
BUSHMAN, J. A., ENDERBY, D. H., AL-ABRAK, M. H. and ASKILL, S. Closed circuit anaesthesia, 575
BUSHMAN, J. A. *see* ENDERBY, D. H., 561, 567

CAIN, P. A. and ELLIS, F. R. Anaesthesia for patients susceptible to malignant hyperpyrexia, 941
CAIN, P. A. *see* BENNETT, D., 979; ELLIS, F. R., (*ARS*) 514
CAMPBELL, D. Immediate hospital care of the injured, 673
CAMPBELL, D. *see* NORRIS, W., (*R*) 522
CAMPBELL, K. B. *see* BAGSHAW, R. J., 737
CAMPKIN, T. V. *see* PHILLIPS, G., 163
CARSTENS, J., MACNAB, G. M. and KEW, M. C. Hepatitis-B virus infection in anaesthetics, 887
CASALI, H. *see* FIGALLO, E. M., 1159
CATRON, D. G. *The Anesthesiologist's Handbook*. (2nd edn), (*R*) 844
CESTONE, K. J., RYAN, W. P. and LOVING, C. D. Anaesthetic gas evacuator for paediatric use, (*C*) 281
CHAKRABARTI, M. K., SELMAN, B. J. and WHITWAM, J. G. A spirometer for the continuous measurement of expired tidal volume, 83
CHAKRABARTI, M. K. *see* LOH, K., 309; SCOTT, A., (*ARS*) 513; SCOTT, M. K., 227; SYKES, M. K., 293, 301
CHALLEN, P. D. *see* DARWISH, A. K., (*C*) 192
CHAMBERLAIN, J. H., SEED, R. G. F. L. and CHUNG, D. C. W. Effect of thiopentone on myocardial function, 865
CHAMBERLAIN, J. H. *see* SEED, R. F., 401
CHAND, S. *see* HALSEY, M. J., (*ARS*) 510
CHANG, J.-L. *see* NEWFIELD, PHILLIPA, (*C*) 193
CHARI, J. *see* MEHTA, S., 589
CHARY, V. N. *see* GARG, O. P., 71
CHESTNUT, J. *see* NEWFIELD, PHILIPPA, (*C*) 193
CHILCOAT, R. T. *see* MAPLESON, W. W., (*ARS*) 184
CHILD, D. A. and ALI, M. M. A hazard of the Pollard endotracheal tube, 179
CHUNG, D. C. W. *see* CHAMBERLAIN, J. H., 865
CLARK, R. G. *see* ROWLANDS, B. J., 781
CLARKE, R. S. J. *see* MIRAKHUR, R. K., 825; SAMUEL, I. O., 927
CLEATON-JONES, P., AUSTIN, J. C., BANKS, D., VIEIRA, E. and KAGAN, E. Effect of intermittent exposure to a low concentration of nitrous oxide in haemopoiesis in rats, 223
COHEN, P. J. *see* HIRSHMAN, C. A., 957
COLD, G. Intraventricular pressure waves and their significance in the prognosis of head injury, (*C*) 393
COLE, P. *see* SIMPSON, P., (*ARS*) 186
COLE, P. V. *see* KRAPEZ, J. R., (*ARS*) 513; VESEY, C. J., (*C*) 395
COLE, W. J. *see* SALAMONSEN, R. F., 387
COLLINS, V. J. *Principles of Anesthesiology*. 2nd edn, (*R*) 843
COLLISS, J. E. *see* BAKER, A. B., 1207, 1221, 1223
COLVIN, M. P. *see* BLOGG, C. E., (*C*) 87
CONNER, J. T. *see* WENDER, R. H., 907
CONWAY, C. M. χ^2 Test, (*C*) 1175
CONWAY, C. M., SEELEY, H. F. and BARNES, P. K. Spontaneous ventilation with the Bain anaesthetic system, 1245
CONWAY, C. M. *see* BARNES, P. K., (*ARS*) 1173; SEELEY, H. F., 107
COOPER, S. *see* TUCKER, G. T., 237; WILDSMITH, J. A. W., 461
CORALL, I. M., KNIGHTS, K. M. and STRUNIN, L. Enflurane (Ethrane) anaesthesia in man, 881
CORALL, I. M., KNIGHTS, K. and STRUNIN, L. Metabolism of enflurane in man, (*ARS*) 188
CORALL, I. M., WARD, M. E., PAGE, J. and STRUNIN, L. Conditions for tracheal intubation following fazadinium and pancuronium, 615
CORMACK, R. S. Awareness during endotracheal intubation, (*C*) 1175
CORMACK, R. S., MILLEDGE, J. S. and HANNING, C. D. Respiratory effects and amnesia after premedication with morphine or lorazepam, 351
COVINO, B. G. *see* LITTLEWOOD, D. G., 75; SCOTT, D. B., 917; TUCKER, G. T., 237; WILDSMITH, J. A. W., 461
COWIE, R. W. *see* BAKER, A. B., 1207, 1221, 1223
COX, R. H. *see* BAGSHAW, R. J., 535, 737
CRAWFORD, J. S. Obstetrics, analgesia and anaesthesia, 19
CRAWFORD, J. S. S.I. units, (*C*) 951
CRAWLEY, B. E. *see* DUNMILL, R. P. H., (*R*) 1071
CRAWLEY, J. C. W. *see* JONES, J. G., (*ARS*) 189
CROCKER, J. S. *see* DATTA, S., 625
CUERDEN, C. *see* BULEY, R. J. R., 1009
CULLEN, B. G. *see* DUNCAN, P. G., 345
CWIK, J. C. *see* LUND, P. C., 457

DAHLGREN, B.-E. Influence of methoxyflurane–nitrous oxide analgesia during childbirth on renal and hepatic function, 1271
DARWISH, A. K. and CHALLEN, P. D. Unexplained death during anaesthesia, (*C*) 192
DATTA, S., CROCKER, J. S. and ALPER, M. H. Muscle pain following administration of suxamethonium to pregnant and non-pregnant patients undergoing laparoscopic tubal ligation, 625
DAVIE, I. T. *see* DRUMMOND, G. B., 151
DAVIES, D. D. *see* DOUGLAS, R. B., (*ARS*) 1173

DAVIES, J. M. and ROSEN, M. Intramuscular diazepam in labour, 601
DAVIS, F. M., PARIMELAZHAGAN, K. N. and HARRIS, E. A. Thermal balance during cardiopulmonary bypass with moderate hypothermia in man, 1127
DAVIS, P. D. and SHAW, A. The British Standard for automatic ventilators, (*C*) 519
DENBOROUGH, M. A. *see* NELSON, T. E., 169
DESMONTS, J. M., LE HOUELLEUR, J., REDMOND, P. and DUVALDESTIN, P. Anaesthetic management in patients with phaeochromocytoma, 991
DEUTSCH, S. *see* BASTRON, R. D., (*R*) 842
DICK, W. *see* AHNEFELD, F. W., (*R*) 91
DINMORE, P. Combined use of trimetaphan and sodium nitroprusside, (*C*) 1070
DLUZEWSKI, A. R. *see* HALSEY, M. J., (*ARS*) 510
DOENICKE, A., GROTE, B. and LORENZ, W. Blood and blood substitutes, 681
DOLAN, A. M. *see* HILL, D. W., (*R*) 92
DOREY, F. *see* WENDER, R. H., 907
DOUGLAS, R. B. and DAVIES, D. D. The use of the constant volume whole body plethysmograph to investigate the bronchoactivity of a number of anaesthetics and analgesics, (*ARS*) 1173
DOWNING, J. W. General anaesthesia for Caesarean section, (*C*) 392
DOWNING, J. W. χ^2 Test, (*C*) 1175
DOWNING, J. W., JEAL, D. E., ALLEN, P. J. and BULEY, R. I.v. doxapram hydrochloride and pulmonary complications after lower abdominal surgery, 473
DOWNING, J. W., LEARY, W. P. and WHITE, E. S. Buprenorphine: a new potent long-acting synthetic analgesic. Comparison with morphine, 251
DOWNING, J. W. *see* ALLEN, P. J., 1035; BULEY, R. J. R., 1009; RUBIN, J., 1005
DRUMMOND, G. B., DAVIE, I. T. and SCOTT, D. B. Naloxone: dose-dependent anatagonism of respiratory depression by fentanyl in anaesthetized patients, 151
DRUMMOND, G. B. and LITTLEWOOD, D. G. Respiratory effects of extradural analgesia after lower abdominal surgery, 999
DRUMMOND, G. B. and MILNE, A. C. Oxygen therapy after thoracotomy, 1093
DRUMMOND, G. B. and WRIGHT, D. J. Oxygen therapy after abdominal surgery, 789
DRUMMOND, G. B., WILDSMITH, J. A. W. and MASSON, A. H. B. The influence of inspired oxygen concentration on the efficiency of oxygenation during halothane anaesthesia, (*ARS*) 183
DRUMMOND, G. B. *see* SCOTT, D. B., 917
DUBOIS, M., SAVEGE, T. M. and SCOTT, D. F. Assessment of long-term recovery from short duration anaesthesia using the cerebral function monitor, (*ARS*) 186
DUFFIN, J. and THOMAS, C. T. *Physics for Anaesthetists*, (*R*) 94
DUNCAN, J. A. T. Intubation of the trachea in the conscious patient, 619
DUNCAN, P. G. and CULLEN, B. F. Neutrophil chemotaxis and anaesthesia, 345
DUNDEE, J. W. and LILBURN, J. K. Attenuation of cardiostimulatory effects of ketamine by labetalol, (*ARS*) 1171
DUNDEE, J. W., LILBURN, J. K., NAIR, S. G. and GEORGE, K. A. Studies of drugs given before anaesthesia. XXVI: Lorazepam, 1047
DUNDEE, J. W. *see* BALI, I. M., (*APS*) 1169; GRAINGER, D. J., 257; MIRAKHUR, R. K., 825; SAMUEL, I. O., 927, 935; TONER, W., 871
DUNNETT, I. A. R. Awareness during endotracheal intubation, 491
DUNNILL, R. P. H. and CRAWLEY, B. E. *Clinical and Resuscitation Data*, (*R*) 1072
DUTHIE, A. M. and WHITE, J. F. Cardiac arrest temperature: the effect of ethyl alcohol and carbon dioxide on baboons, 551
DUVALDESTIN, P. *see* DESMONTS, J. M., 991

EBERLEIN, H. J. *see* PATSCHKE, D., 525
EDWARDS, J. C. *see* WALTERS, F. J. M., (*ARS*) 1170
EDWARDS, JENNIFER M. *see* ROBERTS, K. D., (*R*) 91
ELEGBELEYE, O. O. and AFONJA, A. O. Ventilatory response to carbon dioxide in sickle-cell disease, (*C*) 391
ELLIS, F. R., CAIN, P. A. and HARRIMAN, D. G. F. Multifactorial inheritance of malignant hyperpyrexia susceptibility (MHS), (*ARS*) 514
ELLIS, F. R. and ZWANA, S. L. V. A study of body temperatures of anaesthetized man in the Tropics, 1123
ELLIS, F. R. *see* BENNETT, D., 979; CAIN, P. A., 941
EMBRO, W. J. *see* MALAGODI, M. H., 121
ENDERBY, D. H., ASKILL, S. and BUSHMAN, J. A. Investigation of some aspects of atmospheric pollution by anaesthetic gases. I: Diffusion of halothane across plastic and rubber tubes, 561
ENDERBY, D. H., BUSHMAN, J. A. and ASKILL, S. Investigation of some aspects of atmospheric pollution by anaesthetic gases. II: Aspects of adsorption and emission of halothane by different charcoals, 567
ENDERBY, D. H. *see* BUSHMAN, J. A., 575
ERIKSEN, S., HOMMELGÅRD, P. and VIDEBAEK, J. Changes in myocardial performance induced by pancuronium and gallamine in hypercapnic and hypocapnic dogs, 1199
EVANS, J. M., HOGG, M. I. J. and ROSEN, M. Correlation of alveolar P_{CO_2} estimated by infra-red analysis and arterial P_{CO_2} in the human neonate and the rabbit, 761
EVANS, J. M., HOGG, M. I. J. and ROSEN, M. Measurement of carbon dioxide output, alveolar carbon dioxide concentration and alveolar ventilation in the neonate, 453
EVANS, MARGARET *see* HOLDSWORTH, J. D., (*C*) 520
EVANS, P. J. D., RUYGROK, P., SEELYE, E. R. and HARRIS, E. A. Does sodium nitroprusside improve tissue oxygenation during cardiopulmonary bypass? 799

FARINA, J. and RAUSCHER, L. A. Anaesthesia and Huntington's chorea, 1167
FEELEY, T. W. *see* HEDLEY-WHITE, J., (*R*) 398
FEINGOLD, A. and HOLADAY, D. A. The pharmacokinetics of metabolism of inhalation anaesthetics. *A simulation study*, 155
FIGALLO, E. M., CASALI, H., MCKENZIE, R., TANTISIRA, B., WADHWA, R. K. and TAYLOR, F. H. Ketamine as the sole anaesthetic agent for laparoscopic sterilization, 1159
FINK, B. R. editor. *Molecular Mechanisms of Anesthesia* (*Progress in Anesthesiology*), Vol. 1, (*R*) 397
FISHER, M. Blood volume replacement in acute anaphylactic cardiovascular collapse related to anaesthesia, 1023
FISHER, M. Hypersensitivity to intravenous anaesthetic agents, (*C*) 87
FITCH, W. Sodium nitroprusside and the cerebral circulation, (*E*) 400
FOËX, P. *see* HORAN, B. F., (*ARS*) 187, 1179
FOZARD, J. R. and MANFORD, M. L. M. A controlled clinical trial of oral droperidol and droperidol plus diazepam for premedication in children, 1147
FOZARD, J. R., MANFORD, M. L. M. and HARRIS, R. Suxamethonium pains and electromyograph recordings in children, 1057

FREY, R. *Anaesthesiology and Resuscitation*, Vol. 97: "Die Alkoholvergiftung"—"Alcoholic Poisoning", (*R*) 93
FURGANG, F. A. and SOHN, J. J. The effect of thiopentone on enflurane-induced corticol seizures, 127

GAGE, P. W. *see* TORDA, T. A., 771
GALE, G. D. *see* GALLOON, S., 1265; WASSENAAR, W., 605
GALLOON, S., GALE, G. D. and LANCEE, W. J. Comparison of lorazepam and diazepam as premedicants, 1265
GALLOON, S. *see* WASSENAAR, W., 605
GAMMANPILA, S., BEVAN, D. R. and BHUDU, R. Effect of positive and negative expiratory pressure on renal function, 199
GANNON, R. T. *see* LUND, P. C., 457
GARG, O. P., PANDE, S. K., SHAH, S. K., JHA, B. K., GATTANI, S. K. and CHARY, V. N. Use of compressed air in a continuous flow anaesthetic machine, 71
GARROD, L. P., SENECA, H., JAWETZ, E. and FERERES, J. editors. *Antibiotics and Chemotherapy—Present Diagnosis and Treatment of Septicaemia*, (*R*) 195
GASSER, J. C. Interaction between morphine and doxapram, (*C*) 952
GATTANI, S. K. *see* GARG, O. P., 71
GAWLEY, T. H. *see* GRAINGER, D. J., 257
GEORGE, K. A. *see* DUNDEE, J. W., 1047
GIBBS, C. P. and NOEL, S. C. Response of arterial segments from gravid human uterus to multiple concentrations of lignocaine, 409
GIBSON, R. M. *see* TURNER, J. M., 419
GIDDINGS, A. E. B. *see* ROWLANDS, B. J., 781
GILLIES, I. D. S., PETRIE, A., MORGAN, M. and SYKES, M. K. Analysis of possible factors influencing Pa_{O_2} and $(Pa_{O_2} - Pa_{O_2})$ in patients awaiting operation, 427
GILSTON, A. S.I. units, (*C*) 394
GILSTON, A. Ebstein's anomaly—anaesthetic problems, (*C*) 954
GIRLING, D. K. *see* WHITBY, J. D., (*C*) 282
GISSECKE, A. H. editor. *Clinical Anaesthesia—Anaesthesia for the Surgery of Trauma*, (*R*) 1071
GJESSING, J. and TOMLIN, P. J. An unusual solvent, (*C*) 954
GLEN, J. B. A technique for the laboratory evaluation of the speed of onset of i.v. anaesthesia, 545
GLOVER, W. J. Management of cardiac surgery in the neonate, 59
GOAT, V. A. *see* GWILT, D. J., 341
GOODING, J. M. and TAVAKOLI, M. Inability to remove the metal stylet from a central venous catheter, (*C*) 396
GRAINGER, D. J., GAWLEY, T. H. and DUNDEE, J. W. Anidoxime: a clinical trial of an oral analgesic agent, 257
GRANT-WHYTE, H. *Between Life and Death*, (*R*) 842
GREEN, C. J. *see* WARDLEY-SMITH, B., (*ARS*) 187
GREENBERG, M. *see* RUBIN, J., 1005
GREER, J. R. Calibration of pneumotachographs, (*C*) 721
GREGORETTI, S. M. and PLEUVRY, B. J. Interactions between morphine and doxapram in the rabbit and mouse, 323
GROTE, B. *see* DOENICKE, A., 681
GWILT, D. J. and GOAT, V. A. Small animal ventilation using a co-axial circuit, 341

HAEGER, K. *see* ZEDERFELDT, B., 467
HALL, G. M., LUCKE, J. N. and LISTER, D. Fatal hyperthermia in the Pietrain pig associated with the infusion of α-adrenergic agonists, (*ARS*) 509
HALL, G. M., LUCKE, J. N. and LISTER, D. Porcine malignant hyperthermia. V: Fatal hyperthermia in the Pietrain pig associated with the infusion of α-adrenergic agonists, 855
HALLIDAY, M. M., MACDONALD, I. and MACGREGOR, M. H. G. Gas chromatographic determination of Ostwald solubility coefficients for cyclopropane, halothane and trichloroethane (tricholoroethylene), 413
HALMÁGYI, M. *see* AHNEFELD, F. W., (*R*) 91
HALSEY, M. J., CHAND, S., DLUZEWSKI, A. R., JONES, A. J. and WARDLEY-SMITH, B. S. Olfactory thresholds: detection of operating room contamination, (*ARS*) 510
HALSEY, M. J. *see* WARDLEY-SMITH, B., (*ARS*) 187
HAMILTON, A. G. S.I. units, (*C*) 951
HAMILTON, W. K. *see* HORAN, B. F., 1189
HANCOX, A. J. *see* ASBURY, A. J., 439
HANEL, H. K. and VIBY-MOGENSEN, J. The inhibition of serum cholinesterase by urea, 1251
HANNING, C. D. *see* CORMACK, R. S., 351
HARRIMAN, D. G. F. *see* ELLIS, F. R., (*ARS*) 514
HARRIS, E. A. *see* DAVIS, F. M., 1107; EVANS, P. J. D., 799
HARRIS, R. *see* FOZARD, J. R. 1057
HARRISON, G. G. The prophylaxis of malignant hyperthermia by oral dantrolene in swine, 315
HARTHOORN, A. M. *The Chemical Capture of Animals. A Guide to the Chemical Restraint of Wild and Captive Animals*, (*R*) 1072
HARVEY, W. *An Anatomical Disputation Concerning the Movement of the Heart and Blood in Living Creatures*, (*R*) 1071
HATA, N. *see* NISHINO, T., 331
HEATH, M. L. *see* HESTER, J. B., 595
HEDLEY-WHITE, J., BURGESS, G. E., FEELEY, T. W. and MILLER, M. G. *Applied Physiology of Respiratory Care*, (*R*) 398
HEINONEN, J. and TAKKUNEN, O. Bradycardia during antagonism of pancuronium-induced neuromuscular block, 1109
HESTER, J. B. and HEATH, M. L. Pulmonary acid aspiration syndrome: should prophylaxis be routine ? 595
HEY, E. Resuscitation at birth, 25
HIBBARD, B. M. and ROSEN, M. The management of severe pre-eclampsia and eclampsia, 3
HILL, A. E. *see* SCOTT, A., (*ARS*) 513
HILL, A. E. G. *see* SYKES, M. K., 285
HILL, D. W. *Physics Applied to Anaesthesia*. 3rd edn, (*R*) 844
HILL, D. W. and DOLAN, A. M. *Intensive Care Instrumentation*, (*R*) 92
HINDMARSH, J. T. *see* ROWLANDS, B. J., 781
HIROKATA, Y. *see* NAKAMURA, S., 1239
HIRSHMAN, C. A., MCCULLOUGH, R. E., COHEN, P. J. and WEILL, J. V. Depression of hypoxic ventilatory response by halothane, enflurane and isoflurane in dogs, 957
HITCHINGS, G. M. *see* PHILLIPS, G., 163
HOGG, M. I. J., WIENER, P. C., ROSEN, M. and MAPLESON, W. W. Urinary excretion and metabolism of pethidine and norpethidine in the newborn, 891
HOGG, M. I. J. *see* EVANS, J. M., 453, 761
HOGUCHI, H. *see* TSUDA, T., 965
HOLADAY, D. A., *see* FEINGOLD, A., 155
HOLDSWORTH, J. D., EVANS, MARGARET, and ROULSTON, R. G. Efficacy of antacid therapy, (*C*) 520
HOLLAND, R. Death associated with anaesthesia, (*C*) 840
HOLMES, C. MCK. Supplementation of general anaesthesia with narcotic analgesics, (*C*) 518
HOMMELGÅRD, P. *see* ERIKSEN, S., 1199
HONDA, Y. *see* NISHINO, T., 331
HONIGSBERGER, L. *see* THOMPSON, J. M., (*ARS*) 1171
HORAN, B. F., PRYS-ROBERTS, C., FOËX, P. and ROBERTS, J. G. Interaction of isoflurane anaesthesia, beta-receptor blockade and blood loss in the dog, (*ARS*) 187
HORAN, B. F., PRYS-ROBERTS, C., HAMILTON, W. K. and ROBERTS, J. G. Haemodynamic responses to enflurane anaesthesia and hypovolaemia in the dog, and their modification by propranolol, 1189

HORAN, B. F., PRYS-ROBERTS, C., ROBERTS, J. G., BENNETT, M. J. and FOËX, P. Haemodynamic responses to isoflurane anaesthesia and hypovolaemia in the dog and their modification by propranolol, 1179
HOVELL, B. C. Comparison of buprenorphine, pethidine and pentazocine for the relief of pain after operation, 913
HOWARD, P. J. *see* TONER, W., 871
HUGHES, R., INGRAM, G. S. and PAYNE, J. P. Potency and duration of action of dimethyl tubocurarine, (*C*) 638
HUGHES, R. and PAYNE, J. P. The enhancement of neuromuscular block by neostigmine, (*ARS*) 1172
HULANDS, G. H. *see* JONES, J. G., (*ARS*) 189
HULL, C. J. and SIBBALD, A. Accurate measurement of tidal and minute volumes by pneumotachography, (*ARS*) 188
HULL, C. J. and SIBBALD, A. Calibration of pneumotachographs, (*C*) 721
HULL, C. J. and SIBBALD, A. Ear lobe analgesimetry—a new method, (*ARS*) 1170
HULL, C. J. *see* MCLEOD, K., (*ARS*) 185; VAN BEEM, H. B. H., (*ARS*) 1172
HUNTER, A. R. *Neurosurgical Anaesthesia* (2nd edn), (*R*) 1176
HUNTER, A. R. Pipe-line accident, (*C*) 281
HURTIG, J. B. *see* SYKES, M. K., 293, 301
HUTTON, P. *see* THOMPSON, J. M., (*ARS*) 1171

INGRAM, G. S. *see* HUGHES, R., (*C*) 638
IWANE, T. *see* SHIMOJI, K., 1081

JACOBS, H. K. *see* SALEM, M. R., 901
JANSSENS, W. J. *see* MULDOON, S. M. 211
JEAL, D. E. A method of controlled ventilation with a circle-absorber breathing system, 273
JEAL, D. E. Extradural injections, (*C*) 954
JEAL, D. E. *see* DOWNING, J. W., 473
JERUSALEM, S. *see* SCHAER, H., 495
JHA, B. K. *see* GARG, O. P., 71
JOHNSTON, A. O. B. *see* ROWLANDS, B. J., 781
JOHNSTON, H. M. L. *see* BLACK, G. W., 875
JONES, A. J. *see* HALSEY, M. J., (*ARS*) 510
JONES, C. J. *see* ROBERTSON, G. S., 133
JONES, J. G., BERRY, M., CRAWLEY, J. C. W., HULANDS, G. H. and MINTY, B. D. The effects of aspirated liquids on lung permeability in rabbits, (*ARS*) 189

KAGAN, E. *see* CLEATON-JONES, P., 223
KAMRA, G. L. *see* SINGH, C. V., (*C*) 639
KANAYAMA, T. *see* SUZUKI, H., 1117
KANGAS, L., KANTO, J. and MANSIKKA, M. Nitrazepam premedication for minor surgery, 1153
KANTER, S. F. *see* SAMUELS, S. I., 265
KANTO, J. *see* KANGAS, L., 1153
KATZ, R. L. editor. *Muscle Relaxants, Monographs in Anesthesiology*, Vol. 3, (*R*) 92
KATZ, R. L. *see* LEE, C., 485, 555; WENDER, R. H., 907
KEERI-SZANTO, M. Supplementation of general anaesthesia with narcotic analgesics, (*C*) 517
KELLY, S. S. and ROBERTS, D. V. The effect of age on the safety factor in neuromuscular transmission in the isolated diaphragm of the rat, 217
KENYON, D. *see* MEHTA, S., 589
KERR, A. R. Anaesthesia with profound hypotension for middle ear surgery, 447
KEW, M. C. *see* CARSTENS, J., 887
KIKUCHI, H. *see* MUKAI, S., 379
KIVALO, I. and SAARIKOSKI, S. Placental transmission of atropine at full-term pregnancy, 1017
KLAIN, M. *see* SMITH, R. B., (*C*) 193
KNIGHTS, K. M. *see* CORALL, I. M., 881; STRUNIN, L., 609
KNIGHTS, K. *see* CORALL, I. M. (*ARS*) 188
KOLMER, H. H. B. Pharmacokinetic models: simple or complex? (*C*) 89
KRAPEZ, J. R., VESEY, C. J. and COLE, P. V. The effects of sodium nitroprusside on the oxygen capacity and P_{50} of human blood, (*ARS*) 513
KRAUNAK, P., PLEUVRY, B. J. and REES, J. M. H. *In vitro* study of interactions between i.v. anaesthetics and neuromuscular blocking agents, 765
KRUSZYNA, H. *see* SMITH, R. P., (*C*) 395
KUDO, T. *see* OYAMA, T., 983
KUNIYOSHI, K. *see* SUZUKI, H., 1117
KURAMOTO, T. and TAKAHASHI, M. Cell cycle in mouse intestinal crypts during halothane or nitrous oxide anaesthesia, 1075
KWIK, R. S. H. Infantile lobar emphysema, 633

LABORIT, G., ANGIBOUST, R. and PAPIN, J. P. A study of eye movement for assessing recovery from anaesthesia, 805
LACK, J. A. Calculation of oxygen concentration in air, (*C*) 640
LAMPLUGH, G., MATTHEWS, H. R. and RICHARDSON, J. C. Anaesthetic management of thoracotomy in the presence of chronic carbon dioxide retention, 505
LANCEE, W. J. *see* GALLOON, S., 1265; WASSENAAR, W., 605
LANGFITT, T. W., MCHENRY, L. C., jr, REIVICH, M. and WOLLMAN, H. editors. *Cerebral Circulation and Metabolism*, (*R*) 93
LATTO, I. P. and WALDRON, B. A. Anaesthesia for Caesarean section, 371
LAWLER, P. G. and WHITE, D. C. The measurement of oxygen uptake during anaesthesia, (*ARS*) 511
LEARY, W. P. *see* DOWNING, J. W., 251
LEE, C., BARNES, A., YANG, E. and KATZ, R. L. Neuromuscular facilitation during train-of-four and tetanic stimulation in healthy volunteers: observations with half-refractory responses, 555
LEE, C., MOK, M. S., BARNES, A. and KATZ, R. L. Absence of "recurarization" in patients with demonstrated prolonged neuromuscular block, 485
LEE, H. A. The management of acute renal failure following trauma, 697
LEE, J. F. and BRYCE-SMITH, R. editors. *Practical Regional Analgesia 1976* (Monographs in Anaesthesiology, Vol. 5), (*R*) 397
LE HOUELLEUR, J. *see* DESMONTS, J. M., 991
LEWIS, D. G. and BURN, N. Alveolar deadspace during artificial ventilation, (*ARS*) 1174
LIBAN, J. B. and LIBAN, S. R. A new blade for blind endotracheal intubation, 1279
LIBAN, S. R. *see* LIBAN, J. B., 1279
LILBURN, J. K. *see* DUNDEE, J. W., 1047, (*ARS*) 1171
LIPPMANN, M. and MOK, M. S. Tracheal cylindroma: anaesthetic management, 383
LIPPMANN, M. and MOK, M. S. Tracheal cylindroma: anaesthetic management, (*C*) 951
LIPPMANN, M., MOK, M. S. and WASSERMAN, K. Anaesthetic management for children with alveolar proteinosis using extracorporeal circulation, 173
LISTER, D. see HALL, G. M., (*ARS*) 509, 855.
LISTER, J. Surgical emergencies in the newborn, 43
LITTLEWOOD, D. G., SCOTT, D. B., WILSON, J. and COVINO, B. G. Comparative anaesthetic properties of various local anaesthetic agents in extradural block for labour, 75

LITTLEWOOD, D. G. *see* DRUMMOND, G. B., 999; SCOTT, D. B., 917
LITTLEWOOD, D. *see* TUCKER, G. T., 237
LOH, L., SYKES, M. K. and CHAKRABARTI, M. K. The effects of halothane and ether on the pulmonary circulation in the innervated perfused cat lung, 309
LOH, L. *see* SYKES, M. K., 285
LORENZ, W. *see* DOENICKE, A., 681
LOUIS, C. F. *see* BENNETT, D., 979
LOVING, C. D. *see* CESTONE, K. J., (*C*) 281
LUCKE, J. N. Malignant hyperthermia in a parturient Poland China sow, (*C*) 1070
LUCKE, J. N. *see* HALL, G. M., (*ARS*) 509, 855
LUMLEY, J. *see* MORGAN, M., 233
LUND, P. C., CWIK, J. C., GANNON, R. T. and VASSALLO, H. G. Etidocaine for Caesarean section—effects on mother and baby, 457
LUNN, J. N. *see* MAPLESON, W. W., (*ARS*) 184; SAVAIRA, R. A., 115

MCCULLOUGH, R. E. *see* HIRSHMAN, C. A., 957
MACDONALD, I. *see* HALLIDAY, M. M., 413
MCDOWALL, D. G. *see* MAEKAWA, T., (*ARS*) 515; TURNER, J. M., (*C*) 394, 419
MACGREGOR, D. M. *see* ROBERTSON, G. S., 133
MACGREGOR, M. H. G. *see* HALLIDAY, M. M., 413
MACHELL, E. S. Tracheal cylindroma: anaesthetic management, (*C*) 951
MACKENZIE, J. E. Determination of MAC for halothane, cyclopropane and ether in the rabbit, 319
MCKENZIE, R. *see* FIGALLO, E. M., 1159
MCLEOD, K., RYAN, D. W., WATSON, M. J. and HULL, C. J. The pharmacokinetics of incremental doses of pancuronium, (*ARS*) 185
MCLEOD, K. *see* VAN BEEM, H. B. H., (*ARS*) 1172
MACNAB, G. M. *see* CARSTENS, J., 887
MACNAUGHTON, F. I. Fibreoptic bronchoscopy, (*C*) 1069
MAEKAWA, T., MCDOWALL, D. G. and OKUDA, Y. Oxygen tension on the brain surface during hypotension: trimetaphan hypotension compared with haemorrhagic hypotension, (*ARS*) 515
MAGNO, R. *see* BENGTSSON, I., (*C*) 501, 954
MAHAJAN, S. *see* MARX, G. F., 831
MAIER, C. *see* SCHAER, H., 495
MAIVALD, P. *see* NEWFIELD, PHILIPPA, (*C*) 193
MALAGODI, M. H., MUNSON, E. S. and EMBRO, W. J. Relation of etidocaine and bupivacaine toxicity to rate of infusion in rhesus monkeys, 121
MANDERS, J. T. *see* BROCK, LORD, 755
MANFORD, M. L. M. *see* FOZARD, J. R., 1057, 1147
MANNERS, J. M. *see* WALTERS, F. J. M., (*ARS*) 1170
MANSIKKA, M. *see* KANGAS, L., 1153
MAPLESON, W. W. Pharmacokinetic models: simple or complex? (*C*) 88
MAPLESON, W. W., CHILCOAT, R. T., BLEWETT, M. C. and LUNN, J. N., Analysis of the thoracic electrical impedance waveform for estimation of cardiac output, (*ARS*) 184
MAPLESON, W. W. *see* HOGG, M. I. J., 891; SAVAIRA, R. A., 115
MARTIKAINEN, P. *see* MATTILA, M. A. K., 1041
MARTIN, M. A. *see* VALENTINE, B. H., 81
MARUYAMA, M. *see* SHIMOJI, K., 1081
MARX, G. F., MAHAJAN, S. and MICLAT, M. N. Correlation of biochemical data with Apgar scores at birth and at one minute, 831
MASSON, A. H. B. *see* DRUMMOND, G. B., (*ARS*) 183
MASUKO, K. *see* SHIMOJI, K., 1081
MATSUKI, M. *see* SHIMOJI, K., 1081
MATTHEWS, H. R. *see* LAMPLUGH, G., 505
MATTILA, M. A. K., MARTIKAINEN, P. and SÄILÄ, KRISTIINA. Flunitrazepam compared with Althesin as an induction agent in balanced anaesthesia, 1041
MEHTA, S., BEHR, G., CHARI, J. and KENYON, D. A passive method of disposal of expired anaesthetic gases, 589
MICLAT, M. N. *see* MARX, G. F., 831
MILLEDGE, J. S. *see* CORMACK, R. S., 351
MILLER, G. J. and SERJEANT, G. R. Ventilatory response to carbon dioxide in sickle-cell disease, (*C*) 391
MILLER, M. G. *see* HEDLEY-WHITE, J., (*R*) 398
MILNE, A. C. *see* DRUMMOND, G. B., 1093
MINTY, B. D. *see* JONES, J. G., (*ARS*) 189
MIRAKHUR, R. K. Use of air in a continuous flow anaesthetic machine, (*C*) 520
MIRAKHUR, R. K., DUNDEE, J. W. and CLARKE, R. S. J. Glycopyrrolate–neostigmine mixture for antagonism of neuromuscular block: comparison with atropine–neostigmine mixture, 825
MIRANDA, D. R. Access for extradural block in unmovable patients, (*C*) 518
MOHAPATRA, S. *see* ARENSON, HELENA M., (*ARS*) 185
MOIR, D. D. *Obstetric Anaesthesia and Analgesia*, (*R*) 842
MOK, M. S. *see* LEE, C., 485; LIPPMANN, M., 173, 383, (*C*) 951
MOLES, T. M. Planning for major disasters, 643
MORGAN, M., LUMLEY, J. and WHITWAM, J. G. Respiratory effects of etomidate, 233
MORGAN, M. *see* GILLIES, I. D. S., 427
MORIO, M. *see* MUKAI, S., 379
MOSTERT, J. W. Death associated with anaesthesia, (*C*) 840
MOSTERT, J. W. The uptake of halothane, (*C*) 89
MOUDGIL, G. C., ALLAN, R. B., RUSSELL, R. J. and WILKINSON, P. C. Inhibition by anaesthetic agents of human leucocyte locomotion towards chemical attractants, 97
MUALLEM, M. *see* BARAKA, A., (*C*) 194
MUKAI, S., KIKUCHI, H., AKIYAMA, H. and MORIO, M. Management of anaesthesia in an infant with an anomalous lung arising from the oesophagus, 379
MULDOON, S. M., JANSSENS, W. J., VERBEUREN, T. J. and VANHOUTTE, P. M. Alpha-adrenergic blocking properties of droperidol on isolated blood vessels of the dog, 211
MUNSON, E. S. *see* MALAGODI, M. H., 121

NAHRWOLD, M. L. *see* STROUT, C. D., (*C*) 722
NAIR, S. G. *see* DUNDEE, J. W., 1047
NAKAGAWA, H. *see* SUZUKI, H., 1117
NAKAMURA, S., SHIN, T., HIROKATA, Y. and SHIGEMATSU, A. Inhibition of mitochondrial respiration by sodium nitroprusside and the mechanism of cyanide liberation, 1239
NAKAMURA, S. *see* SHIN, T., 847
NAPHADE, R. W. and SHETTI, R. N. Use of neostigmine after snake bite, 1065
NAYAK, M. M. *see* BALI, I. M., (*ARS*) 1169
NELSON, T. E., AUSTIN, K. L. and DENBOROUGH, M. A. Screening for malignant hyperpyrexia, 169
NEWFIELD, PHILIPPA, CHESTNUT, J., CHANG, J.-L., MAIVALD, P. and ALBIN, M. S. General anaesthesia for neurosurgery, (*C*) 193
NIEDJADLIK, K. *see* BASTA, J. W., 1087
NIEDZIALKOWSKA, T. *see* RUTKOWSKI, B., 629
NISHINO, T., HATA, N., SAKAKIBARA, Y. and HONDA, A. Effect of acute administration of sodium bicarbonate on respiration in the presence of hyperoxia, 331
NOEL, S. C. *see* GIBBS, C. P., 409
NORMAN, J. Learning and teaching in anaesthesia, (*E*) 197

NORMAN, J. Opiates, receptors and endorphins, (*E*) 524
NORMAN, J. Trauma and immediate care, (*E*) 641
NORMAN, J. *see* BUSH, G. H., (*E*) 1; NOTT, M., (*ARS*) 512
NORRIS, W. and CAMPBELL, D. *A Nurse's Guide to Anaesthetics, Resuscitation, and Intensive Care*, 6th edn, (*R*) 522
NOTT, M. R. *see* WALTERS, F. J. M., 707
NOTT, M., WALTERS, F. and NORMAN, J. A comparison of the Lack and Bain semi-closed circuits in spontaneous respiration, (*ARS*) 512
NUNN, J. F. Anaesthesia and infection, (*E*) 283

OGAWA, S. *see* SUZUKI, H., 1117
OKUDA, Y. *see* MAEKAWA, T., (*ARS*) 515
OSTLERE, G. and BRYCE-SMITH, R. *Anaesthetics for Medical Students*, (*R*) 94
OTTO, J. *see* RUTKOWSKI, B., 629
OYAMA, T., TOYOTA, M., SHINOZAKI, Y. and KUDO, T. Effects of morphine and ketamine anaesthesia on plasma concentrations of luteinizing hormone, testosterone and cortisol in man, 983

PAGE, J. *see* CORALL, I. M., 615
PALLARES, V. *see* BASTA, J. W., 1087
PALM, T. Evaluation of peripheral arterial pressure on the thumb following radial artery cannulation, 819
PANDE, S. K. *see* GARG, O. P., 71
PAPIN, J. P. *see* LABORIT, G., 805
PARBROOK, G. D. *see* BOYLE, P., 259
PARIMELAZHAGAN, K. N. *see* DAVIS, F. M., 1127
PARSONS, R. S. *see* SEED, R. F., (*ARS*) 183
PATSCHKE, D., EBERLEIN, H. J., TARNOW, J. and ZIMMERMANN, G. Antagonism of morphine with naloxone in dogs: cardiovascular effects with special reference to the coronary circulation, 525
PAYMASTER, N. J. Analgesia after operation, 1139
PAYNE, J. P. *see* HUGHES, R., (*C*) 638, (*ARS*) 1172
PETRIE, A. *see* GILLIES, I. D. S., 527
PHILLIPS, G., HITCHINGS, G. M. and CAMPKIN, T. V. Arterial pressure studies during carotid angiography, 163
PHILLIPS, G. and TOMLIN, P. J. Arterial oxygen tensions in elderly and in injured elderly patients, (*ARS*) 514
PHILLIPS, N. V. *see* VALENTINE, B. H., 81
PLEUVRY, B. J. *see* GREGORETTI, S. M., 323; KRAUNAK, P., 765
POLLARD, B. J. The Pollard endotracheal tube, (*C*) 1069
POWELL, D. *see* TURNER, J. M., 419
PRYS-ROBERTS, C. New wine in old bottles, (*E*) 845
PRYS-ROBERTS, C. *see* HORAN, B. F., (*ARS*) 187, 1179, 1189

RAHLFS, V. M. *see* SCHULTE-STEINBERG, O., 1027
RAUSCHER, L. A. *see* FARINA, J., 1167
REDMOND, P. *see* DESMONTS, J. M., 991
REES, J. M. H. *see* KRAUNAK, P., 765
REGENSBURGER, D. *Anaesthesiology and Resuscitation*, Vol. 101. *Changes in myocardial perfusion and contents of arterial blood during extracorporeal circulation with blood*, (*R*) 521
RICHARDSON, J. C. *see* LAMPLUGH, G., 505
ROBERTS, D. V. *see* KELLY, S. S., 217
ROBERTS, J. G. *see* HORAN, B. F., (*ARS*) 187, 1179, 1189
ROBERTS, K. D. and EDWARDS, JENNIFER M. *Paediatric Intensive Care*, (*R*) 91
ROBERTSON, G. S., MACGREGOR, D. M. and JONES, C. J. Evaluation of doxapram for arousal from general anaesthesia in outpatients, 133
ROBINSON, J. S., THOMPSON, J. M. and BARRATT, R. S. Inadvertant contamination of anaesthetic circuits with halothane, 745
ROBINSON, J. S. *see* THOMPSON, J. M., (*ARS*) 1171
RODDIE, I. C. and WALLACE, W. F. M. *Multiple Choice Questions in Human Physiology*, (*R*) 1072
ROLLASON, W. N. Cardiac arrhythmias during outpatient dental anaesthesia, (*C*) 637
ROSEN, M. *see* DAVIES, J. M., 601; EVANS, J. M., 453, 761; HIBBARD, B. M., 3; HOGG, M. I. J., 891
ROULSTON, R. G. *see* HOLDSWORTH, J. D., (*C*) 520
ROWLANDS, B. J., GIDDINGS, A. E. B., JOHNSTON, A. O. B., HINDMARSH, J. T. and CLARK, R. G. Nitrogen-sparing effect of different feeding regimes in patients after operation, 781
RUBIN, J., BROCK-UTNE, J. G., GREENBERG, M., BORTZ, J. and DOWNING, J. W. Laryngeal incompetence during experimental "relative analgesia" using 50% nitrous oxide in oxygen, 1005
RUGHEIMER, E. *see* AHNEFELD, F. W., (*R*) 91
RUSSELL, R. J. *see* MOUDGIL, G. C., 97
RUTKOWSKI, B., NIEDZIALKOWSKA, T. and OTTO, J. Electrical stimuation in chronic low-back pain, 629
RUYGROK, P. *see* EVANS, P. J. D., 799
RYAN, D. W. Preoperative serum cholinesterase concentration in chronic renal failure, 945
RYAN, D. W. *see* MCLEOD, K., (*ARS*) 185
RYAN, W. P. *see* CESTONE, K. J., (*C*) 281

SAARIKOSKI, S. *see* KIVALO, I., 1017
SAARNIVAARA, L. Comparison of thiopentone, Althesin and ketamine for otolaryngological surgery in children, 363
SÄILÄ, KRISTIINA *see* MATTILA, M. A. K., 1041
SAKAKIBARA, Y. *see* NISHINO, T., 331
SALAMONSEN, R. F. and COLE, W. J. Effect of polarity on the response of the flame ionization detector to halothane, 387
SALEM, M. R., TOYAMA, T., WONG, A. Y., JACOBS, H. K. and BENNETT, E. J. Haemodynamic responses to antagonism of tubocurarine block with atropine–neostigmine mixture in children, 901
SAMUEL, I. O., CLARKE, R. S. J. and DUNDEE, J. W. Some circulatory and respiratory effects of morphine in patients without pre-existing cardiac disease, 927
SAMUEL, I. O., UNNI, V. K. N. and DUNDEE, J. W. Peripheral vascular effects of morphine in patients without pre-existing cardiac disease, 935
SAMUELS, S. I. and KANTER, S. F. Anaesthesia for major surgery in a patient with a transplanted heart, 265
SANTO, G. D. *Biotransformation of Local Anesthetics, Adjuvants and Adjunct Agents*. (*International Anesthesiology Clinics*, Vol. 13, No. 4 (1975).) (*R*) 91
SARAIVA, R. A., WILLIS, B. A., STEWARD, A., LUNN, J. N. and MAPLESON, W. W. Halothane solubility in human blood, 115
SAVEGE, T. M. *see* DUBOIS, M., (*ARS*) 186
SCHAER, H., STEINMANN, B., JERUSALEM, S. and MAIER, C. Rhabdomyolysis induced by anaesthesia with intraoperative cardiac arrest, 495
SCHEHL, D. *see* WENDER, R. H., 907
SCHENLE, I. A. *see* ABOULEISH, E., (*C*) 394
SCHIJATSCHKY, M. M. *Life-threatening Emergencies in the Dental Practice*, (*R*) 196
SCHUH, F. T. Potency and duration of action of dimethyl tubocurarine, (*C*) 637
SCHUH, F. T. Serum cholinesterase: effect on the action of suxamethonium following administration to a patient with cholinesterase deficiency, 269

SCHULTE-STEINBERG, O. and RAHLFS, V. W. Spread of extradural analgesia following caudal injection in children, 1027
SCOPES, J. W. Management of respiratory distress syndrome, 35
SCOTT, A., HILL, A. E. and CHAKRABARTI, M. K. The cardiovascular effects of positive airway pressure in normal dogs, (*ARS*) 513
SCOTT, D. B. Analgesia in labour, 11
SCOTT, D. B. Analgesia in labour, a reply, (*C*) 841
SCOTT, D. B. Death associated with anaesthesia, (*E*) 95
SCOTT, D. B., LITTLEWOOD, D. G., DRUMMOND, G. B., BUCKLEY, P. F. and COVINO, B. G. Modification of the circulatory effects of extradural block combined with general anaesthesia by the addition of adrenaline to lignocaine solutions, 917
SCOTT, D. B. *see* BUCKLEY, P., (*C*) 191; DRUMMOND, G. B., 151, LITTLEWOOD, D. G., 75; TUCKER, G. T., 237; WILDSMITH, J. A. W., 46
SCOTT, D. *Understanding E.E.G.*, (*R*) 1176
SCOTT, D. F. *see* DUBOIS, M., (*ARS*) 186
SCOTT, M. G. *see* BLACK, G. W., 875: TONER, W., 871
SCOTT, R. M., WHITWAM, J. G. and CHAKRABARTI, M. K. Evidence of a role for the peripheral chemoreceptors in the ventilatory response to doxapram in man, 227
SEED, R. F., BROADBENT, M. P., PARSONS, R. S. and YATES, A. K. *In vivo* Po_2 monitoring after open heart surgery, (*ARS*) 183
SEED, R. F. and CHAMBERLAIN, J. H. Myocardial stimulation by pancuronium bromide, 401
SEED, R. F. and WEDLEY, J. R. Tracheal intubation with a Robertshaw tube via a tracheostomy, (*C*) 639
SEED, R. G. F. L. *see* CHAMBERLAIN, J. H., 865
SEELEY, H. F., BARNES, P. K. and CONWAY, C. M. Controlled ventilation with the Mapleson D system. *A Theoretical and Experimental Study*, 107
SEELEY, H. F. *see* CONWAY, C. M., 1245
SEELYE, E. R. *see* EVANS, P. J. D., 799
SELMAN, B. J. *see* CHAKRABARTI, M. K., 83
SERJEANT, G. R. *see* MILLER, G. J., (*C*) 391
SHAH, S. K. *see* GARG, O. P., 71
SHANKS, C. A. *see* SOMOGYI, A. A., 1103
SHAW, A. *see* DAVIS, P. D., (*C*) 519
SHETTI, R. N. *see* NAPHADE, R. W., 1065
SHIGEMATSU, A. *see* NAKAMURA, S., 1239; SHIN, T., 847
SHIMIZU, H. *see* SHIMOJI, K., 1081
SHIMOJI, K., MATSUKI, M., SHIMIZU, H., IWANE, T., TAKAHASHI, R. and MARAYAMA, M. Low-frequency, weak extradural stimulation in the management of intractable pain, 1081
SHIN, T., NAKAMURA, S. and SHIGEMATSU, A. Macro-autoradiographic study of the distribution and excretion of ^{14}C-pentobarbitone in rats pretreated with phenobarbitone, 847
SHIN, T. *see* NAKAMURA, S., 1239
SHINOZAKI, Y. *see* OYAMA, T., 983
SHIRLEY, A. W. *see* SMITH, G., 65
SIBBALD, A. *see* HULL, C. J., (*ARS*) 188, (*C*) 721, (*ARS*) 1170; VAN BEEM, M. B. H., 1172
SIKH, S. S. *see* AGARWAL, G., 835
SIMPSON, P., ADAMS, L., COLE, P. and VESEY, C. The metabolism and toxicity of sodium nitroprusside, (*ARS*) 186
SIMPSON, P. J. *see* VESEY, C. J., (*C*) 395
SINGH, C. V. and KAMRA, G. L. Difficulty in intubation, (*C*) 639
SIPPONEN, J. *see* TIGERSTEDT, I., 1133
SITHAMPARANADARAJAH, R. *see* THOMPSON, J. M., (*ARS*) 1171
SKINNER, J. M. *see* BROCK, LORD, 755
SMITH, G. and SHIRLEY, A. W. Failure to demonstrate effect of trace concentrations of nitrous oxide and halothane in psychomotor performance, 65
SMITH, G. *see* WISHART, H. Y., 1259
SMITH, R. B., BABINSKI, M. and KLAIN, M. Anaesthesia for fibreoptic bronchoscopy, (*C*) *193*
SMITH, R. P. and KRUSZYNA, H. Nitroprusside and cyanide, (*C*) 395
SMITH, T. G. C., ARROW, F. C. and WEHBY, M. E. An assessment of anaesthesia with pentazocine and diazepam for cystoscopy, (*ARS*) 509
SMYTH, G. E. A heated artificial lung, (*C*) 952
SNOOK, R. Transport of the injured patient, 651
SNOWDON, S. L. An adaptation of the Mapleson "E" circuit for controlled ventilation, (*ARS*) 512
SOHN, J. J. *see* FURGANG, F. A., 127
SOMOGYI, A. A., SHANKS, C. A. and TRIGGS, E. J. Disposition kinetics of pancuronium bromide in patients with total biliary obstruction, 1103
SPENCE, A. A. Anaesthesia in Africa, (*E*) 733
SPENCE, A. A. Towards better communication, (*E*) 955
SPENCE, A. A. World Congress of Intensive Care, (*E*) 1073
SPENCER, R. *see* WHITTAKER, MARY, (*C*) 393
SPIERDIJK, J., FELDMAN, S. A. and MATTIE, H. editors. *Anaesthesia and Pharmacology*, (*R*) 521
STANTON, M. *see* BENNETT, D., 979
STEEL, G. C. Reaction to Althesin, (*C*) 89
STEINMAN, B. *see* SCHAER, H., 495
STEPHEN, W. I. *see* THOMPSON, J. M., (*ARS*) 1171
STEWARD, A. *see* SARAIVA, R. A., 115
STEWART, R. D. The training of paramedical personnel, 659
STROUT, C. D. and NAHRWOLD, M. L. Gas chromatographic measurement of halothane, (*C*) 722
STRUNIN, J. M. *see* STRUNIN, L., 609
STRUNIN, L., STRUNIN, J. M., KNIGHTS, K. M. and WARD, M. E. Metabolism of ^{14}C-labelled alphaxalone in man, 609
STRUNIN, L. *see* CORALL, I. M., (*ARS*) 188, 615, 881
STURROCK, J. Lack of mutagenic effect of halothane or chloroform on cultured cells using the azaguanine test system, 207
STURROCK, J. E. No mutagenic effect of enflurane on cultured cells, 777
SUPPAN, P. Feed-back monitoring in anaesthesia. IV: The indirect measurement of arterial pressure and its use for the control of halothane administration, 141
SUZUKI, H., YAKARI, S., KANAYAMA, T., MAKAGAWA, H., OGAWA, S., KUNIYOSHI, K. and TAI, K. Neuromuscular effects of i.a. infusion of lignocaine in man, 1117
SWAINSON, C. P. *see* BAULD, H. W., (*C*) 839
SYKES, M. K., erratum, 642
SYKES, M. K., HILL, A. E. G., LOH, L. and TAIT, A. R. Evaluation of a new method for the continuous measurement of the distribution of the blood flow between the two lungs, 285
SYKES, M. K., HURTIG, J. B., TAIT, A. R. and CHAKRABARTI, M. K. Reduction of hypoxic pulmonary vasoconstriction during diethyl ether anaesthesia in the dog, 293
SYKES, M. K., HURTIG, J. B., TAIT, A. R. and CHAKRABARTI, M. K. Reduction of hypoxic pulmonary vasoconstriction in the dog during administration of nitrous oxide, 301
SYKES, M. K., *see* GILLIES, I. D. S., 427; LOH, L., 309

TAIT, A. R. *see* SYKES, M. K., 285, 293, 301
TAKAHASHI, M. *see* KURAMOTO, T., 1075
TAKAHASHI, R. *see* SHIMOJI, K., 1081
TAKKUNEN, O. *see* HEINONEN, J., 1109
TAKUMI, Y. *see* TSUDA, T., 965
TAMMISTO, T. *see* TIGERSTEDT, I., 1133

TANTISIRA, B. *see* FIGALLO, E. M., 1159
TARNOW, J. *see* PATSCHKE, D., 525
TAVAKOLI, M. *see* GOODING, J. M., (*C*) 396
TAYLOR, F. H. *see* FIGALLO, E. M., 1159
THOMAS, C. T. *see* DUFFIN, J., (*R*) 94
THOMAS, V. J. E., THURLOW, A. C. and THOMAS, W. J. W. Cardiac arrhythmias during outpatient dental anaesthesia, (*C*) 637
THOMAS, W. J. W. *see* THOMAS, V. J. E., (*C*) 637
THOMPSON, J. M., ROBINSON, J. S., SITHAMPARANADARAJAH, R., HUTTON, P., BELCHER, R., STEPHEN, W. I. and HONIGSBERGER, L. The effectiveness of active scavenging in relationship to contaminant threshold values, (*ARS*) 1171
THOMPSON, J. M. *see* ROBINSON, J. S. ,745
THURLOW, A. C. *see* THOMAS, V. J. E., (*C*) 637
TIGERSTEDT, I., SIPPONEN, J., TAMMISTO, T. and TURUNEN, M. Comparison of nefopam and pethidine in post-operative pain, 1133
TOMLIN, P. J. Changes in aortic blood velocity during anaesthesia and major surgery in man, (*ARS*) 1170
TOMLIN, P. J. *see* GJESSING, J., (*C*) 954; PHILLIPS, G., (*ARS*) 514
TONER, W., HOWARD, P. J., SCOTT, M. G., BLACK, G. W. and DUNDEE, J. W. Estimation of blood enflurane concentrations by gas–liquid chromatography, 871
TORDA, T. A. and GAGE, P. W. Postsynaptic effect of i.v. anaesthetic agents at the neuromuscular junction, 771
TOYAMA, T. *see* SALEM, M. R., 901
TOYOTA, M. *see* OYAMA, T., 983
TRICKEY, D. L. *Self Assessment of Current Knowledge of Anesthesiology*, (*R*) 195
TRIGGS, E. J. *see* SOMOGYI, A. A., 1103
TSUDA, T., HOGUCHI, H., TAKUMI, Y. and AOCHI, O. Optimum humidification of air administered to a tracheostomy in dogs, 965
TUCKER, G. T., COOPER, S., LITTLEWOOD, D., BUCKLEY, F. P., COVINO, B. G. and SCOTT, D. B. Observed and predicted accumulation of local anaesthetic agents during continuous extadural anaesthesia, 237
TUCKER, G. T. *see* WILDSMITH, J. A. W., 461
TURNER, J. M. and MCDOWALL, D. G. Intraventricular pressure waves and their significance in the prognosis of head injury, (*C*) 394
TURNER, J. M., POWELL, D., GIBSON, R. M. and MCDOWALL D. G. Intracranial pressure changes in neurosurgical patients during hypotension induced with sodium nitroprusside or trimetaphan, 419
TURUNEN, M. *see* TIGERSTEDT, I., 1133

UNNI, V. K. N. *see* SAMUEL, I. O., 935

VALENTIN, N. Ayre's T-piece and pollution, (*C*) 953
VALENTINE, B. H., MARTIN, M. A. and PHILLIPS, N. V. Collapse during operation following i.v. ergometrine, 81
VAN BEEM, H. B. H., MCLEOD, K., HULL, C. J., SIBBALD, A. and WATSON, M. J. The pharmacodynamics of pancuronium, (*ARS*) 1172
VAN DER WALT, L. A. *see* BUCHANAN, N., 249
VANHOUTTE, P. M. *see* MULDOON, S. M., 211
VASS, A. C. R. *see* BROWN, S. E., 243
VASSALLO, H. G. *see* LUND, P. C., 457
VERBEUREN, T. J. *see* MULDOON, S. M., 211
VESEY, C. J., COLE, P. V. and SIMPSON, P. J. Nitroprusside and cyanide, (*C*) 395
VESEY, C. J. *see* KRAPEZ, J. R., (*ARS*) 513
VESEY, C. *see* SIMPSON, P., (*ARS*) 186
VIBY-MOGENSEN, J. *see* HANEL, H. K., 1251
VIDEBAEK, J. *see* ERIKSEN, S., 1199
VIEIRA, E. *see* CLEATON-JONES, P., 223
VIVORI, E. and BUSH, G. H. Modern aspects of the management of the newborn undergoing operation, 51

WACHSTEIN, J. *Anaesthesia and Recovery Room Techniques*, (*R*) 397
WADHWA, R. K. *see* FIGALLO, E. M., 1159
WALDRON, B. A. *see* LATTO, I. P., 371
WALLACE, W. F. M. *see* RODDIE, I. C., (*R*) 1072
WALTERS, F. J. M., MANNERS, J. M. and EDWARDS, J. C. β-Blockade during induction of anaesthesia: comparison of two groups of patients with severe coronary artery disease, (*ARS*) 1170
WALTERS, F. J. M. and NOTT, M. R. The hazards of anaesthesia in the injured patient, 707
WALTERS, F. *see* NOTT, M., (*ARS*) 512
WARD, A. M. *see* WATKINS, J., (*C*) 953
WARD, M. E. *see* CORALL, I. M., 615; STRUNIN, L., 609
WARDLEY-SMITH, B., BAILEY, C. P., GREEN, C. J. and HALSEY, M. J. High pressure and i.v. anaesthesia, (*ARS*) 187
WARDLEY-SMITH, B. S. *see* HALSEY, M. J., (*ARS*) 510
WASSENAAR, W., LANCEE, W. J., GALLOON, S. and GALE, G. D. The measurement of anxiety in the pre-surgical patient, 605
WASSERMAN, K. *see* LIPPMANN, M., 173
WATKINS, J., WARD, A. M. and APPLEYARD, T. N. Changes in peripheral blood leucocytes following i.v. anaesthesia and surgery, (*C*) 953
WATSON, M. J. *see* MCLEOD, K., (*ARS*) 185
WEDLEY, J. R. *see* SEED, R. F., (*C*) 639
WEHBY, M. E. *see* SMITH, T. G. C., (*ARS*) 509
WEIL, J. V. *see* HIRSHMAN, C. A., 957
WEISENBERG, M. editor. *Clinical and Experimental Perspectives*, (*R*) 843
WENDER, R. H., CONNER, J. T., BELLVILLE, J. W., SCHEHL, D., DOREY, F. and KATZ, R. L. Comparison of i.v. diazepam and hydroxyzine as surgical premedicants, 907
WEST, J. B. *Ventilation/Blood Flow and Gas Exchange*, (*R*) 1071
WHITBY, J. D. and GIRLING, D. K. Awareness during anaesthesia, (*C*) 282
WHITE, D. C. *see* LAWLER, P. G., (*ARS*) 511
WHITE, E. S. *see* DOWNING, J. W., 251
WHITE, J. F. *see* DUTHIE, A. M., 551
WHITTAKER, MARY, SPENCER, R. and SEARLE, J. Plasma cholinesterase and malignant hyperthermia, (*C*) 393
WHITWAM, J. G. *see* CHAKRABARTI, M. K., 83; MORGAN, M., 233; SCOTT, R. M., 227
WICKSTRÖM, I. *see* BENGTSSON, I. M., 501, (*C*) 954
WIENER, P. C. *see* HOGG, M. I. J., 891
WILDSMITH, J. A. W., TUCKER, G. T., COOPER, S., SCOTT, D. B. and COVINO, B. G. Plasma concentrations of local anaesthetics after interscalene brachial plexus block, 461
WILDSMITH, J. A. W. *see* DRUMMOND, G. B., (*ARS*) 183
WILKINSON, P. C. *see* MOUDGIL, G. C., 97
WILLIAMS, T. I. R. *see* WISHART, H. Y., 1259
WILLIS, B. A. *see* SARAIVA, R. A., 115
WILSON, J., WRIGHT, D. J. and BUCKLEY, F. P. The hydrolysis of suxamethonium in blood, (*C*) 90
WILSON, J. *see* LITTLEWOOD, D. G., 75
WISHART, H. Y., WILLIAMS, T. I. R., and SMITH G. A comparison of the effect of three anaesthetic techniques on postoperative arterial oxygenation in the elderly, 1259
WONG, A. Y. *see* SALEM, M. R., 901
WORTHLEY, L. I. G. The rational use of i.v. hydrochloric acid in the treatment of metabolic alkalosis, 811

WRIGHT, D. J. *see* DRUMMOND, G. B., 789; WILSON, J., (*C*) 90
WYATT, R. Methohexitone, (*C*) 88
WYTE, S. R. *see* BALMER, H. G. R., (*ARS*) 510

YAKARI, S. *see* SUZUKI, H., 1117
YANG, E. *see* LEE, C., 555
YATES, A. K. *see* SEED, R. F., (*ARS*) 183
YOUNG, J. A. and CROCKER, D. editors. *Principles and Practice of Respiratory Therapy*, 2nd edn, (*R*) 94

ZEDERFELDT, B., BORG, I. and HAEGER, K. Efficacy and tolerance of Flunixin (Sch 14714) in the treatment of postoperative pain, with observations on the methodology of postoperative pain studies, 467
ZIMMERMANN, G. *see* PATSCHKE, D., 525
ZWANA, S. L. V. *see* ELLIS, F. R., 1123

SUBJECT INDEX

Abdominal injuries, problems in diagnosis of, following major accidents, CAMPBELL, D., 673
Accident departments, preparation at, for coping with major disasters, MOLES, T. M., 643
Accident flying squads, value of, in immediate care following major disasters, NORMAN, J., (*E*) 641
Acid-aspiration syndrome, occurrence of, during obstetric anaesthesia, CRAWFORD, J. S., 19
——, prophylaxis of pulmonary, HESTER, J. B., *et al.*, 595
Acid–base balance, need for improvement in, before surgery for diaphragmatic hernia in the neonate, LISTER, J., 43
Acid–base state, comparison of effects of pancuronium and gallamine on, in hypercapnic and hypocapnic dogs, ERIKSEN, S., *et al.*, 1199
——, necessity for analysis of arterial blood to ascertain correction required of, during blood transfusion, DOENICKE, A., *et al.*, 681
Acidosis, treatment of respiratory and metabolic, in the neonate, SCOPES, J. W., 35
Acupuncture, treatment of pain, CHAITOW, L., (*R*) 521
Adrenaline, comparison of cardiovascular effects of extradural blockade with lignocaine alone and with, SCOTT, D. B., *et al.*, 917
——, effect of addition of, to plasma concentrations of various local anaesthetic agents following brachial block, WILDSMITH, J. A. W., *et al.*, 461
α-Adrenergic agonists, association of, with fatal porcine malignant hyperthermia, HALL, G. M., *et al.*, 855
α-Adrenergic blockade, properties of droperidol in, of isolated blood vessels of the dog, MULDOON, S. [illegible] *et al.*, 211
α-Adrenergic blocking agents, fatal hyperthermia in Pietrain pigs associated with infusion of, HALL, G. M., *et al.*, (*ARS*) 509
β-Adrenergic blockade, comparison of effects of, on two groups of patients during coronary artery bypass, WALTERS, F. J. M., *et al.*, (*ARS*) 1170
Age, effect of, in middle ear surgery following use of pentolinium tartrate, KERR, A. R., 447
——, effect of, on Pa_{O_2} and $(PA_{O_2} - Pa_{O_2})$ in pre-operative patients, GILLIES, I. D. S., *et al.*, 427
——, effect of, on arterial oxygen tensions in elderly and injured elderly patients, PHILLIPS, G., *et al.*, (*ARS*) 514
——, effect of, on spread of extradural analgesia following caudal injection in children, SCHULTE-STEINBERG, O., *et al.*, 1027
——, effect of, on the neuromuscular transmission safety factor in the isolated diaphragm of the rat, KELLY, S. S., *et al.*, 217
Air, comparison of inhalation of dried and humidified, during tracheostomy in dogs, TSUDA, T., *et al.*, 965
——, use of, in a continuous flow anaesthetic machine, MIRAKHUR, R. K., (*C*) 520
Alcoholic poisoning, anaesthesiology and resuscitation, FREY, R., (*R*) 93
Alcuronium, comparison of frequency of bradycardia during antagonism of neuromuscular blockade induced by pancuronium, tubocurarine or, HEINONEN, J., *et al.*, 1109
Alkalosis, effect of metabolic, induced by sodium bicarbonate on respiratory response to carbon dioxide, NISHINO, T., *et al.*, 331
——, use of i.v. hydrochloric acid in treatment of metabolic, WORTHLEY, L. I. G., 811
Alphaxalone, metabolism of ^{14}C-labelled, in man, STRUNIN, L., *et al.*, 609
Althesin, antagonized by pressure in intravenous anaesthesia in the rat, WARDLEY-SMITH, B., *et al.*, (*ARS*) 187
——, comparison of effects of flunitrazepam and, as an induction agent in balanced anaesthesia, MATTILA, M. A. K., *et al.*, 1041
——, comparison of effects of ketamine, propanidid, methohexitone and, on interaction between suxamethonium and pancuronium in the isolated rat phrenic diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, comparison of postsynaptic effects of thiopentone, pentobarbitone, propanidid, diazepam, ketamine and, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, incidence of hypersensitivity to, FISHER, M., (*C*) 87
——, metabolism of, in man, STRUNIN, L., *et al.*, 609
——, reactions to different doses of, in abnormal patients, STEEL, G. C., (*C*) 89
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
——, use of, for ENT surgery in children, SAARNIVAARA, L., 363
Alveolar–arterial pressure difference, analysis of possible factors influencing, and arterial oxygen tension in preoperative patients, GILLIES, I. D. S., *et al.*, 427
Alveolar carbon dioxide concentration, measurement of, carbon dioxide output and alveolar ventilation in the neonate, EVANS, J. M., *et al.*, 453
Alveolar gases, analysis showing relationships between, during controlled ventilation using Mapleson D system, SEELEY, H. F., *et al.*, 107
Alveolar P_{CO_2}, Beckman LB-2 infra-red analyser for correlation of arterial P_{CO_2} and, in the human neonate and the rabbit, EVANS, J. M., *et al.*, 761
Alveolar proteinosis, anaesthetic management for children with, using extracorporeal circulation, LIPPMANN, M., *et al.*, 173
Alveolar ventilation, measurement of, carbon dioxide output and alveolar carbon dioxide concentration in the neonate, EVANS, J. M., *et al.*, 453
Amnesia, incidence of, following lorazepam compared with morphine, CORMACK, R. S., *et al.*, 351
Anaesthesia, and analgesia for obstetrics, MOIR, D. D., (*R*) 842
——, *Anaesthesia and Pharmacology*, SPIERDIJK, J., *et al.* editors, (*R*) 521
——, *Anaesthesia and Recovery Room Techniques*, WACHSTEIN, J., (*R*) 397
——, *Anesthesia and the Kidney*, BASTRON, R. D., (*R*) 842
——, an evaluation of doxapram for arousal from general, ROBERTSON, G. S., *et al.*, 133
——, antagonism of morphine, with naloxone in dogs, PATSCHKE, D., *et al.*, 525
——, assessment of long-term recovery following short duration, DUBOIS, M., *et al.*, (*ARS*) 186
——, awareness during, AGARWAL, G., *et al.*, 835
——, awareness during very light, WHITBY, J. D., *et al.*, (*C*) 282
——, β-blockade during induction of, in severe coronary artery disease, WALTERS, F. J. M., *et al.*, (*ARS*) 1170

Anaesthesia, body temperature during general, in the Tropics, ELLIS, F. R., *et al.*, 1123
——, changes in aortic blood velocity during, for major surgery, TOMLIN, P. J., (*ARS*) 1170
——, changes in peripheral blood leucocytes following intravenous, WATKINS, J., *et al.*, (*C*) 953
——, comparison of effects of halothane and nitrous oxide on cell cycle in duodenal and jejunal crypts in mice, KURAMOTO, T., *et al.*, 1075
——, comparison of flunitrazepam and Althesin as induction agents in balanced, MATTILA, M. A. K., *et al.*, 1041
——, comparison of pancuronium and methylprednisolone in patients susceptible to malignant hyperpyrexia, CAIN, P. A., *et al.*, 941
——, comparison of specialist training facilities for, in Ghana, Kenya and South Africa, (*E*) 733
——, complications following obstetric, CRAWFORD, J. S., 19
——, continuous flow, GARG, O. P., *et al.*, 71
——, control of autonomic hyperreflexia during surgery in quadraplegic or paraplegic patients, BASTA, J. W., *et al.*, 1087
——, death associated with, SCOTT, D. B., (*E*) 95
——, effect of, on plasma potassium in renal failure, BAULD, H. W., *et al.*, (*C*) 839
——, feed-back monitoring in, SUPPAN, P., 141
——, for Caesarean section, LATTO, I. P., *et al.*, 371
——, for major surgery in a cardiac transplanted patient, SAMUELS, S. I., *et al.*, 265
——, for neurosurgery, HUNTER, A. R., (*R*) 1176
——, for the surgery of trauma, GISSECKE, A. H., editor, (*R*) 1071
——, hazards of, in the injured patient, WALTERS, F. J. M., *et al.*, 707
——, influence of inspired oxygen concentrations on oxygenation during halothane, DRUMMOND, G. B., *et al.*, (*ARS*) 183
——, legal aspects in Australia of death associated with, HOLLAND, R., (*C*) 840
——, legal aspects in Sweden of death associated with, MOSTERT, J. W., (*C*) 840
——, legal aspects of death associated with, EDITORIAL COMMENT, (*C*) 841
——, measurement of oxygen uptake during, LAWLER, P. G., *et al.*, (*ARS*) 511
——, measurements of eye movement for assessing recovery following, LABORIT, G., *et al.*, 805
——, molecular mechanisms of, FINK, B. R. editor, (*R*) 397
——, need for improvement in learning and teaching in, NORMAN, J., (*E*) 197
——, new approach to closed circuit, BUSHMAN, J. A., *et al.*, 575
——, physics applied to, HILL, D. W., (*R*) 844
——, principles of, COLLINS, V. J., (*R*) 843
——, recovery room techniques following, ADAMS, J. G., (*R*) 397
——, technique for evaluation of speed of onset of intravenous, in mice, GLEN, J. B., 545
——, unexplained death during, DARWISH, A. K., *et al.*, (*C*) 192
——, use of naloxone as antagonist to respiratory depression caused by fentanyl administered during and after, DRUMMOND, G. B., *et al.*, 151
——, use of profound hypotension for middle-ear surgery, KERR, A. R., 447
——, *Anaesthesiology and Resuscitation*, Vol. 101. *Changes in myocardial perfusion and contents of arterial blood during extracorporeal circulation with blood*, REGENSBURGER, D., (*R*) 521
——, *Anaesthesiology and Resuscitation*, Vol. 97: "*Die Alkoholvergiftung*"—"*Alcoholic Poisoning*", FREY, R., (*R*) 93
Anaesthesia, *Anaesthesiology and Resuscitation*, Vol. 99: "Inhalationsanaesthesie mit Ethrane"—"Inhalational Anaesthesia with Ethrane", BRUCKNER, J. B., (*R*) 93
Anaesthetic agents, assessment of pentazocine and diazepam for cystoscopy, SMITH, T. G. C., *et al.*, (*ARS*) 509
——, baroreceptor control of regional haemodynamics during halothane anaesthesia in the dog, BAGSHAW, R. J., *et al.*, 535
——, clinical impressions of enflurane, BLACK, G. W., *et al.*, 875
——, comparative investigation of bronchoactivity of several analgesics and, using plethysmography, DOUGLAS, R. B., *et al.*, (*ARS*) 1173
——, comparison of hypoxic ventilatory response of dogs to halothane, enflurane and isoflurane, HIRSHMAN, C. A., *et al.*, 957
——, comparison of thiopentone and ketamine for awareness during endotracheal intubation, DUNNETT, I. A. R., 491
——, comparison of various local, in extradural blockade during labour, LITTLEWOOD, D. G., *et al.*, 75
——, conflicting evidence of predisposition to infection caused by various, NUNN, J. F., (*E*) 283
——, detection of contamination by, by olfaction, HALSEY, M. J., *et al.*, (*ARS*) 510
——, determination of MAC values in the rabbit for various, MACKENZIE, J. E., 319
——, duration of local effect of suxamethonium, WILSON, J., *et al.*, (*C*) 90
——, effect of diethyl ether on hypoxic pulmonary vasoconstriction in the dog, SYKES, M. K., *et al.*, 293
——, effects of etidocaine on mother and baby in Caesarean section, LUND, P. C., *et al.*, 457
——, effect of halothane compared with ether on the pulmonary circulation in the innervated perfused cat lung, LOH, L., *et al.*, 309
——, effects of halothane and thiopentone on chemotactic stimulation, DUNCAN, P. G., *et al.*, 345
——, effects of lorazepam compared with morphine on respiration and amnesia, CORMACK, R. S., *et al.*, 351
——, effects of nitrous oxide on hypoxic pulmonary vasoconstriction in the dog, SYKES, M. K., *et al.*, 301
——, effects of thiopentone on mycocardial function in dogs, CHAMBERLAIN, J. H., *et al.*, 865
——, effect on awareness and dreaming of various, supplemented by enflurane during Caesarean section, DOWNING, J. W., (*C*) 392
——, estimation of blood enflurane concentrations by gas–liquid chromatography, TONER, W., *et al.*, 871
——, evaluation of chemotactic stimulation during halothane and thiopentone, DUNCAN, P. G., *et al.*, 345
——, hesitancy of British pharmaceutical industry to introduce enflurane because of risk of side-effects, PRYS-ROBERTS, C., (*E*) 845
——, hypersensitivity to various intravenous, FISHER, M., (*C*) 87
——, inhibition by, of human leucocyte locomotion towards chemical attractants, MOUDGIL, G. C., *et al.*, 97
——, lack of mutagenic effects of halothane and chloroform in cultured hamster fibroblasts, STURROCK, J., 207
——, measurement of Ostwald solubility coefficients for cyclopropane, halothane and trichloroethene using gas chromatography, HALLIDAY, M. M., *et al.*, 413
——, metabolism and physiological effects of enflurane, CORALL, I. M., *et al.*, 881
——, nitrous oxide with controlled ventilation the agent of choice in neonatal anaesthesia, VIVORI, E., *et al.*, 51
——, plasma concentrations of pancuronium in patients with total biliary obstruction, SOMOGYI, A. A., *et al.*, 1103

Anaesthetic agents, pressure requirements of various intravenous, WARDLEY-SMITH, B., *et al.*, (*ARS*) 187
——, reactions to different doses of Althesin in abnormal patients, STEEL, G. C., (*C*) 89
——, supplementation of general anaesthesia with narcotic analgesics, KEERI-SZANTO, M., (*C*) 517
——, use of ketamine for laparoscopic sterilization, FIGALLO, E. M., *et al.*, 1159
——, use of nitrous oxide–narcotic and of nitrous oxide–halothane for patients with Huntington's chorea, FARINA, J., *et al.*, 1167
Anaesthetic complications, potential, associated with the acutely injured patient, WALTERS, F. J. M., *et al.*, 707
Anaesthetic death, legal aspects associated with, EDITORIAL COMMENT, (*C*) 841
——, legal aspects in Australia associated with, HOLLAND, R., (*C*) 840
——, legal aspects in Sweden associated with, MOSTERT, J. W., (*C*) 840
——, possible inheritance factor in malignant hyperpyrexia susceptibility and subsequent, ELLIS, F. R., *et al.*, (*ARS*) 514
"Anaesthetic depth", frequency of discharge of thalamic reticular cells and thalamic relay cell responses to afferent input during spontaneous fluctuations in, in the rat, ANGEL, A., *et al.*, (*ARS*) 1169
Anaesthetic equipment, adaptation of Mapleson "E" circuit for controlled ventilation, SNOWDON, S. L., (*ARS*) 512
——, a new extradural space indicator, BAHL, C. P., (*C*) 392
——, accurate measurement of tidal and minute volumes by pneumotachography, HULL, C. J., *et al.*, (*ARS*) 188
——, analysis of controlled ventilation with Mapleson D system, SEELEY, H. F., *et al.*, 107
——, assessment of Beckman LB-2 infra-red analyser for correlation of alveolar P_{CO_2} and arterial P_{CO_2} in the human neonate and the rabbit, EVANS, J. M., *et al.*, 761
——, assessment of the Gapmeter Lab Kit series of flowmeters, BARNES, P., *et al.*, 277
——, atmospheric pollution resulting from halothane diffusion through the walls of plastic and rubber tubing, ENDERBY, D. H., *et al.*, 561
——, calibration of pneumotachographs, GREER, J. R., (*C*) 721
——, comparison of Lack and Bain anaesthetic systems, NOTT, M., *et al.*, (*ARS*) 512
——, comparison of work of ventilating of three semi-closed rebreathing systems, BARNES, P. K., *et al.*, (*ARS*) 1173
——, contamination of, caused by leakage of halothane, ROBINSON, J. S., *et al.*, 745
——, continuous airway pressure measurements during fibreoptic bronchoscopy, SMITH, R. B., *et al.*, (*C*) 193
——, controlled ventilation using a circle-absorber breathing system, JEAL, D. E., 273
——, evaluation and improvement of an anti-pollution system in current use in theatre, ASBURY, A. J., *et al.*, 439
——, gas blockage fault in full oxygen cylinder, BLOGG, C. E., *et al.*, (*C*) 87
——, gas evacuator for paediatric use, CESTONE, K. J., *et al.*, (*C*) 281
——, hazard of Pollard endotracheal tube, CHILD, D. A., *et al.*, 179
——, inability to remove metal stylet from central venous catheter, GOODING, J. M., *et al.*, (*C*) 396
——, indirect measurement of arterial pressure using photoelectric pulse monitor under halothane, SUPPAN, P., 141
——, measurement of Ostwald solubility coefficients for cyclopropane, halothane and trichloroethene using gas chromatography, HALLIDAY, M. M., *et al.*, 413
Anaesthetic equipment, modification of Ayre's T-piece for prevention of pollution. VALENTIN, N., (*C*) 953
——, modification of Pollard endotracheal tube obviating hazard during use, POLLARD, B. J., (*C*) 1069
——, necessity for use of Magill non-cuffed rubber tracheal tube in a patient with calcification of the intra-spinous ligament and fusion of atlanto-occipital joint, SINGH, C. V., *et al.*, (*C*) 640
——, need for British Standard for automatic ventilators, DAVIS, P. D., *et al.*, (*C*) 519
——, need for British standard for tubing and spigots in pipeline for anaesthetic gases, HUNTER, A. R., (*C*) 281
——, new approach to closed circuit anaesthesia, BUSHMAN, J. A., *et al.*, 575
——, new blade for blind endotracheal intubation, LIBAN, J. B., *et al.*, 1279
——, passive method for removal of expired anaesthetic gases, MEHTA, S., *et al.*, 589
——, Rees modification of Ayre's T-piece the system of choice for neonatal anaesthesia, VIVORI, E., *et al.*, 51
——, system for measurement of oxygen uptake during anaesthesia, LAWLER, P. G., *et al.*, (*ARS*) 511
——, use of air in a continuous flow machine, MIRAKHUR, R. K., (*C*) 520
——, use of Bain anaesthetic system for spontaneous ventilation, CONWAY, C. M., *et al.*, 1245
——, use of Bird Mark 2 for automatic ventilation during bronchoscopy, BENNETTS, F. E., 1061
——, use of a spirometer for continuous measurement of expired tidal volume, CHAKRABARTI, M. K., *et al.*, 83
——, use of Cerebral Function Monitor for assessment of long-term recovery following short duration anaesthesia, DUBOIS, M., *et al.*, (*ARS*) 186
——, use of compressed air in a continuous flow machine, GARG, O. P., *et al.*, 71
——, use of oxygen-jet ventilation during microlaryngoscopy, BARAKA, A., *et al.*, (*C*) 194
——, use of pneumatic cuff on the thumb for evaluation of peripheral arterial pressure following radial cannulation, PALM, T., 819
——, use of Robertshaw tube for tracheal intubation during thoracotomy, SEED, R. F., *et al.*, (*C*) 639
——, use of standard, for ventilation of rats, GWILT, D. J., *et al.*, 341
——, valuable use of nasogastric tube for ventilation following major accidents, CAMPBELL, D., 673
——, value of Doppler monitoring in neurosurgery, NEWFIELD, PHILIPPA, *et al.*, (*C*) 193
Anaesthetic gases, passive method for disposal of waste, MEHTA, S., *et al.*, 589
Anaesthetic management, case histories of, in two patients with Huntington's chorea, FARINA, J., *et al.*, 1167
——, case history of, during excision of tracheal cylindroma, LIPPMANN, M., *et al.*, 383
——, case history of, during pneumonectomy for congenital anomaly in an infant, MUKAI, S., *et al.*, 379
——, case report of, during thoracotomy in chronic carbon dioxide retention, LAMPLUGH, G., *et al.*, 505
——, case report of, in infantile lobar emphysema, KWIK, R. S. H., 633
——, for children with alveolar proteinosis, LIPPMANN, M., *et al.*, 173
——, of patients with phaeochromocytoma, DESMONTS, J. M., *et al.*, 991
——, of tracheal cylindroma, MACHELL, E. S., (*C*) 951
——, of tracheal cylindroma, a reply, LIPPMANN, M., *et al.*, (*C*) 951
——, problems in, during major surgery in a cardiac transplanted patient, SAMUELS, S. I., *et al.*, 265
——, problems of, in Ebstein's anomaly, GILSTON, A., (*C*) 954

Anaesthetic management, problems of, in Ebstein's anomaly, a reply, BENGTSSON I., *et al.*, (*C*) 954
Anaesthetic system, for measurement of alveolar gases in the neonate, EVANS, J. M., *et al.*, 453
Anaesthetic technique, case report of problems associated with, in a patient with Ebstein's anomaly, BENGTSSON, I. M., *et al.*, 501
——, comparison of effects of three, on postoperative oxygenation in the elderly, WISHART, H. Y., *et al.*, 1259
——, extracorporeal circulation for anaesthetic management in children with alveolar proteinosis, LIPPMANN, M., *et al.*, 173
——, for identification of brachial plexus perivascular space, MIRANDA, D. R., (*C*) 721
——, for "one-shot" extradural anaesthesia, JEAL, D. E., (*C*) 954
——, importance of, in obviating awareness during nitrous oxide anaesthesia, AGARWAL, G., *et al.*, 835
——, indications for use of droperidol and fentanyl in Ebstein's anomaly, BENGTSSON, I. M., *et al.*, 501
——, tracheal intubation conditions following administration of fazadinium and pancuronium, CORALL, I. M., *et al.*, 615
——, tracheal intubation methods in conscious patients, DUNCAN, J. A. T., 619
——, use of an occlusion method for determination of MAC values in the rabbit, MACKENZIE, J. E., 319
——, use of nitrous oxide–oxygen for general anaesthesia of the injured patient, WALTERS, F. J. M., *et al.*, 707
——, use of radioisotope in new method for continuous measurement of distribution of blood flow between the two lungs in dogs, SYKES, M. K., *et al.*, 285
——, without cardiopulmonary bypass for excision of tracheal cylindroma, LIPPMANN, M., *et al.*, 383
Anaesthetics, comparison of various, for ENT surgery in children, SAARNIVAARA, L., 363
——, *Anaesthetics for Medical Students*, OSTLERE, G., *et al.*, (*R*) 94
——, nurse's guide to, resuscitation and intensive care, NORRIS, W., *et al.*, (*R*) 522
Anaesthetist, risk to, of infection with hepatitis B, CARSTENS, J., *et al.*, 887
——, role of, in immediate care following major injuries, NORMAN, J., (*E*) 641
——, role of, in the hospital accident team in immediate care of critically injured patients, CAMPBELL, D., 673
——, value to African countries of short-term secondment of competent, as trainers, (*E*) 733
Analeptic agents, interactions between morphine and doxapram in the rabbit and mouse, GREGORETTI, S. M., *et al.*, 323
Analgesia, and anaesthesia for obstetrics, MOIR, D. D., (*R*) 842
——, comparison of buprenorphine, pethidine and pentazocine for postoperative, HOVELL, B. C., 913
——, comparison of effects of nefopam and pethidine in postoperative pain, TIGERSTEDT, I., *et al.*, 1133
——, comparison of efficacy of meptazinol, pentazocine and pethidine for postoperative, PAYMASTER, N. J., 1139
——, complications following, in obstetrics, CRAWFORD, J. S., 19
——, contraindication for use of naloxone after morphine anaesthesia in dogs, PATSCHKE, D., *et al.*, 525
——, efficacy of diazepam with and without pethidine for, in labour, DAVIES, J. M., *et al.*, 601
——, in labour, BOYS, J. E., (*C*) 841
——, in labour, a reply, SCOTT, D. B., (*C*) 841
——, influence of methoxyflurane–nitrous oxide, on renal function during childbirth, DAHLGREN, B.-E., 1271
——, need for increased understanding of the mechanisms producing, NORMAN, J., (*E*) 523
Analgesia, practical regional, LEE, J. A., *et al.* editors, (*R*) 397
——, respiratory effects of extradural, following lower abdominal surgery, DRUMMOND, G. B., *et al.*, 999
——, resulting from low-frequency, weak extradural stimulation, SHIMOJI, K., *et al.*, 1081
——, spread of extradural, following caudal injection in children, SCHULTE-STEINBERG, O., *et al.*, 1027
——, study of laryngeal incompetence during experimental relative, in dental treatment, RUBIN, J., *et al.*, 1005
Analgesics, antagonism of ketamine side-effects by physostigmine, BALMER, H. G. R., *et al.*, (*ARS*) 510
——, clinical trial of anidoxime a new, GRAINGER, D. J., *et al.*, 257
——, comparative investigation of bronchoactivity of several anaesthetic agents and, using plethysmography, DOUGLAS, R. B., *et al.*, (*ARS*) 1173
——, effects of etidocaine on mother and baby in Caesarean section, LUND, P. C., *et al.*, 457
——, efficacy and tolerance postoperatively of Flunixin, a new, ZEDERFELDT, B., *et al.*, 467
——, efficacy of buprenorphine compared with morphine, DOWNING, J. W., *et al.*, 251
——, lifting device for administration of extradural block in unmovable patients, MIRANDA, D. R., (*C*) 518
——, need for, following ENT surgery in children, SAARNIVAARA, L., 363
——, supplementation of general anaesthesia with narcotic, KEERI-SZANTO, M., (*C*) 517
——, supplementation of general anaesthesia with narcotic, a reply, HOLMES, C. MCK., (*C*) 518
——, use of, during labour, SCOTT, D. B., 11
Analgesimetry, new method for estimation of pain threshold using ear lobe, HULL, C. J., *et al.*, (*ARS*) 1170
An Anatomical Disputation Concerning the Movement of the Heart and Blood in Living Creatures, HARVEY, W., (*R*) 1071
Anaphylactoid reactions, to methohexitone, WYATT, R., (*C*) 88
——, to plasma substitutes, DOENICKE, A., *et al.*, 681
Anatomy, historical textbook, of, concerning the movement of the heart and blood in living creatures, HARVEY, W., (*R*) 1071
Angiography, studies of arterial pressure during carotid, PHILLIPS, G., *et al.*, 163
Anidoxime, O-(4-methoxyphenyl-carboxyl)-3-diethyl-aminopropriophenone oxime, clinical trial of a new oral analgesic agent, GRAINGER, D. J., *et al.*, 257
Antacid therapy, comparison of sodium citrate and magnesium trisilicate in preoperative, HESTER, J. B., *et al.*, 595
——, efficacy of, ABOULEISH, E., *et al.*, (*C*) 394
——, efficacy of magnesium trisilicate in obstetrics, HOLDSWORTH, J. D., *et al.*, (*C*) 520
Antibiotics and Chemotherapy—Present Diagnosis and Treatment of Septicemia, GARROD, L. P., *et al.* editors, (*R*) 195
Antibiotics, chemotherapy in treatment of septicaemia, GARROD, L. P., *et al.* editors, (*R*) 195
——, treatment with, and incidence of pulmonary complications associated with intravenous doxapram hydrochloride following abdominal surgery, DOWNING, J. W., *et al.*, 473
——, use of, in acute renal failure following trauma, LEE, H. A., 697
Antibodies, incidence of formation of, during blood transfusion, DOENICKE, A., *et al.*, 681
Anticonvulsants, use of, in acute renal failure following trauma, LEE, H. A., 697
Anti-pollution system, evaluation and improvement of an, in current use in theatre, ASBURY, A. J., *et al.*, 439

A Nurse's Guide to Anaesthetics, Resuscitation, and Intensive Care, 6th edn, NORRIS, W., *et al.*, (*R*) 522
Anxiety, measurement of, in presurgical patients before and after premedication with lorazepam and papaveretum, WASSENAAR, W., *et al.*, 605
Aortic blood velocity, changes in, during anaesthesia for major surgery, TOMLIN, P. J., (*ARS*) 1170
Apgar scores, correlation between umbilical arterial blood biochemistry with, at birth and at one minute, MARX, G. F., *et al.*, 831
Applied Physiology of Respiratory Care, HEDLEY-WHITE, J., *et al.*, (*R*) 398
Arterial haemodynamics, study of regional, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
Arterial oxygenation, comparison of effects of three anaesthetic techniques on postoperative, in the elderly, WISHART, H. Y., *et al.*, 1259
Arterial oxygen tension, analysis of possible factors influencing, and alveolar–arterial difference in preoperative patients, GILLIES, I. D. S., *et al.*, 427
——, in elderly and injured elderly patients, PHILLIPS, G., *et al.*, (*ARS*) 514
Arterial P_{CO_2}, Beckman LB-2 infra-red analyser for correlation of alveolar P_{CO_2} and, in the human neonate and the rabbit, EVANS, J. M., *et al.*, 761
Arterial pressure, use of very low, during middle ear surgery, KERR, A. R., 447
Artificial lung, value of heating element for reducing temperature variations in, SMITH, G. E., (*C*) 952
Asphyxia, treatment of, in the neonate, HEY, H., 25
Aspirin, efficacy and tolerance of, compared with Flunixin for postoperative analgesia, ZEDERFELDT, B., *et al.*, 467
Atropine, effects of etomidate on respiration after premedication with diazepam and, MORGAN, M., *et al.*, 233
——, effect of, on aortic blood velocity during major surgery, TOMLIN, P. J., (*ARS*) 1170
——, haemodynamic responses to antagonism of tubocurarine blockade with mixture of, and neostigmine in children, SALEM, M. R., *et al.*, 901
——, measurements of placental transmission of, during Caesarean section, KIVALO, I., *et al.*, 1017
——, use of, for tracheal intubation in conscious patients, DUNCAN, J. A. T., 619
Atropine–neostigmine mixture, comparison of glycopyrrolate–neostigmine mixture and, for antagonism of neuromuscular blockade, MIRAKHUR, R. K., *et al.*, 825
Autonomic nervous system, blockade of, and effects of inspiratory flow waveform and time in IPPV in dogs, BAKER, A. B., *et al.*, 1223
Autoradiography, macro-, study of distribution and excretion of ^{14}C-pentobarbitone in rats pretreated with phenobarbitone, SHIN, T., *et al.*, 847
Awareness, during tracheal intubation, CORMACK, R. S., (*C*) 1175
——, lack of, during nitrous oxide anaesthesia, AGARWAL, G., *et al.*, 835
Ayre's T-piece, modification of, for prevention of pollution, VALENTIN, N., (*C*) 953

Bain anaesthetic system, comparison of Lack and, in spontaneous respiration, NOTT, M., *et al.*, (*ARS*) 512
——, spontaneous ventilation with, CONWAY, C. M., *et al.*, 1245
Barbiturates, effect of thiopentone on enflurane-induced cortical seizures in cats, FURGANG, F. A., *et al.*, 127
Baroreceptors, control of regional haemodynamics by, during halothane in the dog, BAGSHAW, R. J., *et al.*, 535
Beckman LB-2 infra-red analyser, assessment of, for correlation of alveolar P_{CO_2} and arterial P_{CO_2} in the human neonate and the rabbit, EVANS, J. M., *et al.*, 761
Between Life and Death, GRANT-WHYTE, H., (*R*) 842
Biliary obstruction, plasma concentrations of pancuronium during surgery for total, SOMOGYI, A. A., *et al.*, 1103
Bilirubin, effect of repeated exposure to enflurane or halothane on total serum, ALLEN, P. J., *et al.*, 1035
Biochemistry, correlation between Apgar scores of umbilical arterial blood, at birth and at one minute, MARX, G. F., *et al.*, 831
Biotransformation of Local Anesthetics, Adjuvants and Adjunct Agents. (International Anesthesiology Clinics, Vol. 13, No. 4 (1975).) SANTO, G. D., (*R*) 91
Bird Mark 2 ventilator, use of, for automatic ventilation during bronchoscopy, BENNETTS, F. E., 1061
Bleeding, incidence of, during middle ear surgery using pentolinium tartrate, KERR, A. R., 447
Blood, changes in myocardial perfusion and contents of arterial, during extracorporeal circulation, REGENSBURGER, D., (*R*) 521
——, effects of sodium nitroprusside on oxygen capacity and P_{50} of, *in vivo* and *in vitro*, KRAPEZ, J. R., *et al.*, (*ARS*) 513
——, effects of various anaesthetic agents on leucocyte locomotion towards chemical attractants, MOUDGIL, G. C., *et al.*, 97
——, estimations of enflurane concentrations in, by gas–liquid chromatography, TONER, W., *et al.*, 871
——, hydrolysis of suxamethonium in, WILSON, J., *et al.*, (*C*) 90
——, solubility of halothane in, SARAIVA, R. A., *et al.*, 115
Blood flow, evaluation of electrical impedance plethysmography for the non-invasive measurement of, ARENSON, HELENA M., *et al.*, (*ARS*) 185
——, measurement of regional arterial, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
——, new method of continuous measurement of distribution of, between the two lungs in dogs, SYKES, M. K., *et al.*, 285
——, ventilation and gas exchange, WEST, J. B., (*R*) 1071
Blood-gas values, comparison of maternal–foetal, during Caesarean section using left or right tilt, BULEY, R. J. R., *et al.*, 1009
Blood transfusions, complications of massive, DOENICKE, A., *et al.*, 681
——, hazards in use of massive, in the acutely injured patient, WALTERS, F. J. M., *et al.*, 707
——, indications for use of, and of plasma substitutes, DOENICKE, A., *et al.*, 681
——, techniques to eliminate risks associated with, from donors, DOENICKE, A., *et al.*, 681
Blood volume, changes in, and replacement of, following acute anaphylactic cardiovascular collapse during anaesthesia, FISHER, M., 1023
——, replacement of, for control of hypotension in anaesthetic management of phaeochromocytoma, DESMONTS, J. M., *et al.*, 991
Body weight, effect of, on Pa_{O_2} and $(PA_{O_2} - Pa_{O_2})$ in preoperative patients, GILLIES, I. D. S., *et al.*, 427
Book reviews
Anaesthesia and Pharmacology, SPIERDIJK, J., *et al.* editors, 521
Anaesthesia and Recovery Room Techniques, WACHSTEIN, J., 397
Anesthesia and the Kidney, BASTRON, R. D., 842
Anaesthesiology and Resuscitation, Vol. 101. *Changes in myocardial perfusion and contents of arterial blood during extracorporeal circulation with blood*, REGENSBURGER, D., 521

Book reviews
Anaesthesiology and Resuscitation, Vol. 97: "Die Alkoholvergiftung"—"Alcoholic Poisoning", FREY, R., 93
Anaesthesiology and Resuscitation, Vol. 99: "Inhalations-anaesthesie mit Ethrane"—"Inhalational Anaesthesia with Ethrane", BRUCKNER, J. B., 93
Anaesthetics for Medical Students, OSTLERE, G., *et al.*, 94
An Anatomical Disputation Concerning the Movement of the Heart and Blood in Living Creatures, HARVEY, W., 1071
Antibiotics and Chemotherapy—Present Diagnosis and Treatment of Septicemia, GARROD, L. P., *et al.* editors, 195
A Nurse's Guide to Anaesthetics, Resuscitation, and Intensive Care, 6th edn, NORRIS, W., *et al.*, 522
Applied Physiology of Respiratory Care, HEDLEY-WHITE, J., *et al.*, 398
Between Life and Death, GRANT-WHYTE, H., 842
Biotransformation of Local Anesthetics, Adjuvants and Adjunct Agents (International Anesthesiology Clinics, Vol. 13, No. 4 (1975).) SANTO, G. D., 91
Cerebral Circulation and Metabolism, LANGFITT, T. W., *et al.* editors, 93
Clinical Anaesthesia—Anaesthesia for the Surgery of Trauma, GISSECKE, A. H. editor, 1071
Clinical and Resuscitative Data, DUNNILL, R. P. H., *et al.*, 1072
Development of Upper Respiratory Anatomy and Function: Implications for Sudden Infant Death Syndrome, BOSMA, J. F., *et al.* editors, 195
Intensive Care Instrumentation, HILL, D. W., *et al.*, 92
Klinische Anästhesiologie und Intensivtherapie, Vol. 10: Notfallmedizen, AHNEFELD, F. W., *et al.*, 91
Life-threatening Emergencies in the Dental Practice, SCHIJATSCHKY, M. M., 196
Molecular Mechanisms of Anesthesia (Progress in Anesthesiology, Vol. 1), FINK, B. R. editor, 397
Multiple Choice Questions in Human Physiology (2nd edn), RODDIE, I. C., *et al.*, 1072
Muscle Relaxants. Monographs in Anesthesiology, Vol. 3, KATZ, R. L. editor, 92
Neurosurgical Anaesthesia (2nd edn), HUNTER, A. R., 1176
Obstetric Anaesthesia and Analgesia, MOIR, D. D., 842
Paediatric Anaesthesia Case Studies, ADAMS, J. G., 397
Paediatric Intensive Care, ROBERTS, K. D., *et al.*, 91
Pain—Clinical and Experimental Perspectives, WEISENBERG, M. editor, 843
Parenteral Nutrition, AHNEFELD, F. W., *et al.* editors, 91
Physics Applied to Anaesthesia, HILL, D. W., 844
Physics for Anaesthetists, DUFFIN, J., *et al.*, 94
Practical Regional Analgesia 1976 (Monographs in Anaesthesiology, Vol. 5), LEE, J. F., *et al.* editors, 397
Principles and Practice of Respiratory Therapy, 2nd edn, YOUNG, J. A., *et al.* editors, 94
Principles of Anesthesiology. 2nd edn, COLLINS, V. J., 843
Self Assessment of Current Knowledge in Anesthesiology, TRICKEY, D. L., 195
The Acupuncture Treatment of Pain, CHAITOW, L., 521
The Anesthesiologist's Handbook (2nd edn)., CATRON, D. G., 844
The Chemical Capture of Animals. A Guide to the Chemical Restraint of Wild and Captive Animals, HARTHOORN, A. M., 1072
Understanding E.E.G., SCOTT, D., 1176
Ventilation/Blood Flow and Gas Exchange (3rd edn), WEST, J. B., 1071

Boyle's apparatus, use of, in conjunction with compressed air anaesthesia, GARG, O. P., *et al.*, 71
Brachial block, plasma concentrations of various local anaesthetic agents following, WILDSMITH, J. A. W., *et al.*, 461
Brachial plexus perivascular space, identification of, MIRANDA, D. R., (*C*) 721
Bradycardia, comparison of frequency of, during antagonism of pancuronium-, tubocurarine- or alcuronium-induced neuromuscular blockade, HEINONEN, J., *et al.*, 1109
British Journal of Anaesthesia, need for expert guidance before submitting manuscripts to, SPENCE, A. A., (*E*) 955
Bronchitis, effect of, on Pa_{O_2} and $(PA_{O_2} - Pa_{O_2})$ in pre-operative patients, GILLIES, I. D. S., *et al.*, 427
Bronchoactivity, comparison of several anaesthetic agents and analgesics on, using plethysmography, DOUGLAS, R. B., *et al.*, (*ARS*) 1173
Bronchoscopy, anaesthesia for fibreoptic, using catheter inflation ventilation, MACNAUGHTON, F. I., (*C*) 1069
——, use of Bird Mark 2 ventilator for automatic ventilation during, BENNETTS, F. E., 1061
Bupivacaine, compared with lignocaine and etidocaine for extradural block in labour, LITTLEWOOD, D. G., *et al.*, 75
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, plasma concentrations of, compared with lignocaine, prilocaine and etidocaine following brachial block, WILDSMITH, J. A. W., *et al.*, 461
——, respiratory effects of, for extradural analgesia following lower abdominal surgery, DRUMMOND, G. B., *et al.*, 999
——, spread of extradural analgesia following caudal injection of, in children, SCHULTE-STEINBERG, O., *et al.*, 1027
——, toxicity and infusion rate of, compared with etidocaine in rhesus monkeys, MALAGODI, H. M., *et al.*, 121
Buprenorphine, a new synthetic analgesic, compared with morphine, DOWNING, J. W., *et al.*, 251
——, comparison of pethidine, pentazocine and, for postoperative analgesia, HOVELL, B. C., 913

χ^2 **Test**, criticism of use of, in analysis of results of effects of doxapram on postoperative pulmonary complications, CONWAY, C. M., (*C*) 1175
——, a reply to criticism, DOWNING, J. W., (*C*) 1175
Caesarean section, anaesthesia for, LATTO, I. P., *et al.*, 371
——, case report of collapse following intravenous ergometrine during, VALENTINE, B. H., *et al.*, 81
——, comparison of right and left lateral tilt during, BULEY, R. J. R., *et al.*, 1009
——, effects of etidocaine on mother and baby during, LUND, P. C., *et al.*, 457
——, general anaesthesia for, DOWNING, J. W., (*C*) 392
——, incidence of pulmonary complications following intravenous doxapram hydrochloride during, DOWNING, J. W., *et al.*, 473
——, measurements of placental transmission of atropine during, KIVALO, I., *et al.*, 1017
——, uterine arterial segment response to multiple concentrations of lignocaine during, GIBBS, C. P., *et al.*, 409
Caffeine, muscle contracture responses to, *in vitro* alone and with halothane, NELSON, T. E., *et al.*, 169
Calcium, concentrations of magnesium and, in malignant hyperpyrexia-susceptible human muscle, BENNETT, D., *et al.*, 979

Calcium, indications for prophylactic administration of, during blood transfusion, DOENICKE, A., *et al.*, 681
Cannulation, incidence of thrombosis following radial, PALM, T., 819
Carbon dioxide, case report of anaesthetic management during thoracotomy in a patient with chronic retention of, LAMPLUGH, G., *et al.*, 505
——, effect of, and ethyl alcohol on cardiac arrest temperature in baboons, DUTHIE, A. M., *et al.*, 551
——, measurement of output of alveolar concentration of, and alveolar ventilation in the neonate, EVANS, J. M., *et al.*, 453
——, respiratory response to, during administration of sodium bicarbonate, NISHINO, T., *et al.*, 331
——, sensitivity, effects of lorazepam compared with morphine on, CORMACK, R. S., *et al.*, 351
——, ventilatory response to, in sickle-cell disease, MILLER, G. J., *et al.*, (*C*) 391
——, ventilatory response to, in sickle-cell disease, reply, ELEGBELEYE, O. O., *et al.*, (*C*) 391
Cardiac arrest, case report of intraoperative, following anaesthesia-induced rhabdomyolysis, SCHAER, H., *et al.*, 495
——, emergency treatment of, in the neonate, HEY, H., 25
Cardiac arrest temperature, effect of ethyl alcohol and carbon dioxide in baboons on, DUTHIE, A. M., *et al.*, 551
Cardiac arrhythmia, incidence of, during dental anaesthesia, ROLLASON, W. N., (*C*) 637
——, incidence of, during dental anaesthesia, a reply, THOMAS, V. J. E., *et al.*, (*C*) 637
Cardiac output, estimation of, by analysis of thoracic electrical impedance waveform, MAPLESON, W. W., *et al.*, (*ARS*) 184
——, measurement of changes in, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
Cardiac surgery, management of, in the neonate, GLOVER, W. J., 59
Cardiopulmonary bypass, anaesthetic technique for excision of tracheal cylindroma obviating use of, LIPPMANN, M., *et al.*, 383
——, effects of sodium nitroprusside on oxygen consumption during, EVANS, P. J. D., *et al.*, 799
——, management of, in the neonate, GLOVER, W. J., 59
——, monitoring of arterial oxygen tension following, SEED, R. F., *et al.*, (*ARS*) 183
——, thermal balance during, with hypothermia, DAVIS, F. M., *et al.*, 1127
Cardiovascular collapse, changes in blood volume following acute anaphylactic, related to anaesthesia, FISHER, M., 1023
——, following pancuronium, thiopentone and suxamethonium, DARWISH, A. K., *et al.*, (*C*) 192
Cardiovascular drugs, use of, in acute renal failure following trauma, LEE, H. A., 697
Cardiovascular stimulation, following administration of pancuronium bromide in the dog, SEED, R. F., *et al.*, 401
Cardiovascular system, antagonistic effects of morphine with naloxone in dogs on, PATSCHKE, D., *et al.*, 525
——, arterial pressure studies during carotid angiography, PHILLIPS, G., *et al.*, 163
——, comparison of effects of buprenorphine and morphine on, in obstetric analgesia, DOWNING, J. W., *et al.*, 251
——, comparison of effects of pancuronium and gallamine on, in hypercapnic and hypocapnic dogs, ERIKSEN, S., *et al.*, 1199
——, comparison of toxicity of etidocaine and bupivacaine at different infusion rates on, MALAGODI, M. H., *et al.*, 121
——, effect of carbon dioxide and ethyl alcohol on, in baboons, DUTHIE, A. M., *et al.*, 551
Cardiovascular system, effects of inspiratory waveform and time in IPPV on, in dogs, BAKER, A. B., *et al.*, 1223
——, effects of labetalol on, during infusion of ketamine, DUNDEE, J. W., *et al.*, (*ARS*) 1171
——, effects of morphine on central, SAMUEL, I. O., *et al.*, 927
——, effects of morphine on peripheral, SAMUEL, I. O., *et al.*, 935
——, effects of old and new formulations of fazadinium on, BUCKLEY, P., *et al.*, (*C*) 191
——, effect of thiopentone on, in dogs, CHAMBERLAIN, J. H., *et al.*, 865
——, effects on, of extradural blockade induced by lignocaine and modification by addition of adrenaline, SCOTT, D. B., *et al.*, 916
——, effects on, of positive airway pressure in dogs, SCOTT, A., *et al.*, (*ARS*) 513
——, haemodynamic responses during enflurane anaesthesia in the dog, HORAN, B. F., *et al.*, 1189
——, haemodynamic responses during isoflurane anaesthesia in the dog, HORAN, B. F., *et al.*, 1179
——, indirect measurement of arterial pressure for feedback monitoring of halothane administration, SUPPAN, P., 141
——, responses of, to tubocurarine blockade by atropine–neostigmine mixture in children, SALEM, M. R., *et al.*, 901
Carotid sinus, pressure changes in, during halothane anaesthesia in the dog, BAGSHAW, R. J., *et al.*, 535
Catheter, inability to remove metal stylet from central venous, GOODING, J. M., *et al.*, (*C*) 396
Cation, concentrations of, in malignant hyperpyrexia-susceptible human muscle, BENNETT, D., *et al.*, 979
Cell cycle, comparison of effects of halothane and nitrous oxide on, in duodenal and jejunal crypts in mice, KURAMOTO, T., *et al.*, 1075
Central nervous system, effect of opiates on, NORMAN, J., (*E*) 523
——, toxicity effects of etidocaine and bupivacaine on, in rhesus monkeys, MALAGODI, M. H., *et al.*, 121
Cerebral Circulation and Metabolism, LANGFITT, T. W., *et al.* editors, (*R*) 93
Cerebral Function Monitor, for assessment of long-term recovery following short duration anaesthesia, DUBOIS, M., *et al.*, (*ARS*) 186
Cerebrospinal fluid, comparison of effects of several induction agents on pressure of, BALI, I. M., *et al.*, (*ARS*) 1169
Charcoals, aspects of adsorption and emission of halothane of various, in atmospheric pollution, ENDERBY, D. H., *et al.*, 567
——, use of, for halothane removal in closed circuit anaesthesia, BUSHMAN, J. A., *et al.*, 575
Chemoreceptors, effect of doxapram on peripheral, SCOTT, R. M., *et al.*, 227
Chemotaxis, halothane and thiopentone have little effect on human neutrophil, DUNCAN, P. G., *et al.*, 345
——, interference with, and predisposition to infection of anaesthetized hosts, NUNN, J. F., (*E*) 283
Chest injuries, priorities in immediate management of, following major accidents, CAMPBELL, D., 673
Chlormethiazole, use of, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Chloroform, lack of mutagenic effect of, on culture cells using the azaguanine test system, STURROCK, J., 207
——, simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
2-Chloro-1,1,2-trifluorethyldifluoromethylether, *see* enflurane, 881
Chlorpromazine, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11

Cholinesterase, blocking effect of suxamethonium–neostigmine interaction on normal and atypical, BARAKA, A., 479
——, effect on action of suxamethonium following intravenous serum in, deficiency, SCHUH, F. T., 269
——, inhibition of serum, by urea and use in typing abnormal genes, HANEL, H. K., *et al.*, 1251
Cinchocaine, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
Circulation, effect of halothane compared with ether on pulmonary, in the innervated perfused cat lung, LOH, L., *et al.*, 309
——, effect of sodium nitroprusside on cerebral, FITCH, W., (*E*) 399
Circulatory arrest, emergency treatment of, in the neonate, HEY, H., 25
Citrate, dangers from intoxication with, during massive blood transfusions, DOENICKE, A., *et al.*, 681
Clinical and Resuscitative Data, DUNNILL, R. P. H., *et al.*, (*R*) 1072
Cocaine, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
Communication, need for improvement in, between site of major disaster and accident department, MOLES, T. M., 643
——, need for improvement in technique of, to ensure comprehensibility to non-specialist readers of medical journals, SPENCE, A. A., (*E*) 955
Compressed air, use of, in a continuous flow anaesthetic machine, GARG, O. P., *et al.*, 71
Congenital cystic disease, treatment of, in the neonate, LISTER, J., 43
Contaminant threshold values, effectiveness of active scavenging in relationship to, THOMPSON, J. M., *et al.*, (*ARS*) 1171
Contamination, detection of operating room, by olfactory thresholds, HALSEY, M. J., *et al.*, (*ARS*) 510
——, risk of, due to halothane leakage from anaesthetic circuits, ROBINSON, J. S., *et al.*, 745
Continuous distending pressure, in treatment of Respiratory Distress Syndrome, SCOPES, J. W., 35
Coronary artery bypass, effects of β-adrenergic blockade during, WALTERS, F. J. M., *et al.*, (*ARS*) 1170
Cortisol, effects of morphine or ketamine anaesthesia on plasma concentrations of testosterone, luteinizing hormone and, OYAMA, T., *et al.*, 983
Cyanide, blood concentrations of, following potassium cyanide and sodium nitroprusside in dogs *in vivo* and *in vitro*, VESEY, C. J., *et al.*, (*C*) 396
——, liberation of, and inhibition of mitochondrial respiration by sodium nitroprusside in the rat liver, NAKAMURA, S., *et al.*, 1239
——, mechanism of release of, from nitroprusside *in vivo*, SMITH, R. P., *et al.*, (*C*) 395
——, plasma concentrations of, following treatment with nitroprusside in the dog, SIMPSON, P., *et al.*, (*ARS*) 186
Cyclopropane, determination of MAC values for, in the rabbit, MACKENZIE, J. E., 319
——, measurement of Ostwald solubility coefficient of, using gas chromatography, HALLIDAY, M. M., *et al.*, 413
——, simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
Cylindroma, management of anaesthesia without cardio-pulmonary bypass for excision of tracheal, LIPPMANN, M., *et al.*, 383
Cystoscopy, assessment of pentazocine and diazepam for, SMITH, T. G. C., *et al.*, (*ARS*) 509

Dantrolene, oral, for prophylaxis of induced porcine malignant hyperthermia, HARRISON, G. G., 315
Deadspace, alveolar, during artificial ventilation, LEWIS, D. G., *et al.*, (*ARS*) 1174
Death, between life and, GRANT-WHYTE, H., (*R*) 842
——, legal aspects in Australia of, associated with anaesthesia, HOLLAND, R., (*C*) 840
——, legal aspects in Sweden of, associated with anaesthesia, MOSTERT, J. W., (*C*) 840
——, need for change in legal processes following anaesthetic, SCOTT, D. B., (*E*) 95
——, unexplained, during anaesthesia, DARWISH, A. K., *et al.*, (*C*) 192
Dental anaesthesia, incidence of cardiac arrhythmias during, ROLLASON, W. N., (*C*) 637
Dental practice, life-threatening emergencies in, SCHIJATSCHKY, M. M., (*R*) 196
Development of Upper Respiratory Anatomy and Function: Implications for Sudden Infant Death Syndrome, BOSMA, J. F., *et al.* editors, (*R*) 195
Dextran, indications for use of, in transfusion, DOENICKE, A., *et al.*, 681
Dialysis, indications for, in acute renal failure following trauma, LEE, H. A., 697
Diamorphine, as an analgesic during labour, SCOTT, D. B., 11
Diaphragmatic hernia, prognosis of, in the neonate, LISTER, J., 43
Diarrhoea, incidence of, in drip feeding in intensive care, ALLISON, S. P., 689
Diazepam, assessment of pentazocine and, for cystoscopy, SMITH, T. G. C., *et al.*, (*ARS*) 509
——, comparison of effects of lorazepam and, as pre-medicants, GALLOON, S., *et al.*, 1265
——, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, comparison of intravenous hydroxyzine and, as surgical premedicants, WENDER, R. H., *et al.*, 907
——, comparison of oral droperidol plus, and droperidol alone for premedication in children, FOZARD, J. R., *et al.*, 1147
——, comparison of postsynaptic effects of thiopentone, pentobarbitone, propanidid, Althesin, ketamine and, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
——, effects of etomidate on respiration after premedication with atropine and, MORGAN, M., *et al.*, 233.
——, efficacy of, as an analgesic in labour with and without pethidine, DAVIES, J. M., *et al.*, 601
——, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11
——, use of, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Diethyl ether, effect of, compared with halothane on pulmonary circulation in the innervated perfused cat lung, LOH, L., *et al.*, 309
——, effect of, on hypoxic pulmonary vasoconstriction in the dog, SYKES, M. K., *et al.*, 293
——, simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
Dihydrocodeine, compared with anidoxime as analgesic, GRAINGER, D. J., *et al.*, 257
Dimethyl tubocurarine, potency and duration of action of, compared with tubocurarine, SCHUH, F. T., (*C*) 637
——, potency and duration of action of, a reply, HUGHES, R., *et al.*, (*C*) 638
Disasters, planning for major, MOLES, T. M., 643
——, value of accident flying squads in major, NORMAN, J., (*E*) 641
Diuretics, use of, in acute renal failure following trauma, LEE, H. A., 697
——, use of, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3

Doxapram, comparison of effects of, alone and with morphine in the rabbit and mouse, GREGORETTI, S. M., *et al.*, 323
——, evaluation of, for arousal from general anaesthesia in outpatients, ROBERTSON, G. S., *et al.*, 133
——, interaction between morphine and, GASSER, J. C., (*C*) 952
——, ventilatory response to effect of, on peripheral chemoreceptors, SCOTT, R. M., *et al.*, 227
Doxapram hydrochloride, pulmonary complications following intravenous, with and without antibiotic therapy after lower abdominal surgery, DOWNING, J. W., *et al.*, 473
Droperidol, α-adrenergic blocking properties of, on isolated blood vessels of the dog, MULDOON, S. M., *et al.*, 211
——, comparison of clinical reactions to pentobarbitone and, as premedicants for laparoscopic sterilization using ketamine and suxamethonium anaesthesia, FIGALLO, E. M., *et al.*, 1159
——, comparison of oral, alone and with diazepam for premedication in children, FOZARD, J. R., *et al.*, 1147
——, use of nitrous oxide, fentanyl and, in Ebstein's anomaly, BENGTSSON, I. M., *et al.*, 501

Ebstein's anomaly, anaesthetic problems with, GILSTON, A., (*C*) 954
——, anaesthetic problems with, a reply, BENGTSSON, I., *et al.*, (*C*) 954
——, case report of anaesthetic problems of a patient with, BENGTSSON, I. M., *et al.*, 501
Eclampsia, management of severe, HIBBARD, B. M., *et al.*, 3
Editorials
Anaesthesia and infection, NUNN, J. F., 283
Anaesthesia in Africa, SPENCE, A. A., 733
Death associated with anaesthesia, SCOTT, D. B., 95
Learning and teaching in anaesthesia, NORMAN, J., 197
New wine in old bottles, PRYS-ROBERTS, C., 845
Opiates, receptors and endorphins, NORMAN, J., 523
Sodium nitroprusside and the cerebral circulation, FITCH, W., 399
The perinatal period, BUSH, G. H., *et al.*, 1
Towards better communication, SPENCE, A. A., 955
Trauma and immediate care, NORMAN, J., 641
World Congress of Intensive Care, SPENCE, A. A., 1073
E.e.g., understanding of, SCOTT, D., (*R*) 1176
Electrical impedance, analysis of thoracic, for estimation of cardiac output, MAPLESON, W. W., *et al.*, (*ARS*) 184
——, evaluation of, plethysmography for non-invasive measurement of blood flow, ARENSON, HELENA M., *et al.*, (*ARS*) 185
Electrical stimulation, efficacy of, in chronic low-back pain, RUTKOWSKI, B., *et al.*, 629
——, use of low-frequency weak extradural, for management of intractable pain, SHIMOJI, K., *et al.*, 1081
Electromyographic response, facilitation of, in thenar musculature by stimulation of the ulnar nerve, LEE, C., *et al.*, 555
Electromyography, study of neuromuscular effects of intra-arterial lignocaine using, SUZUKI, H., *et al.*, 1117
——, use of surface, for investigation of muscle activity in children following administration of suxamethonium, FOZARD, J. R., *et al.*, 1057
Electro-oculograph, use of, for assessing recovery following anaesthesia, LABORIT, G., *et al.*, 805
Emphysema, case report of anaesthetic management of infantile lobar, KWIK, R. S. H., 633
——, emergency treatment of neonatal lobar, LISTER, J., 43
Endorphins, opiate activity of, and brain receptors for, NORMAN, J., (*E*) 523
Endotracheal intubation, awareness during, CORMACK, R. S., (*C*) 1175
——, awareness during, DUNNETT, I. A. R., 491
——, need for, in the neonate before emergency surgery, LISTER, J., 43
——, new blade for blind, LIBAN, J. B., *et al.*, 1279
——, use of, during excision of tracheal cylindroma, LIPPMANN, M., *et al.*, 383
Endotracheal tube, contraindications for use of Pollard, during microlaryngoscopy, CHILD, D. A., *et al.*, 179
——, modification of Pollard, to obviate hazard in use of, POLLARD, B. J., (*C*) 1069
Enflurane, awareness and dreaming during anaesthesia supplemented by, during Caesarean section, DOWNING, J. W., (*C*) 392
——, changes in haemodynamic responses following administration of, and hypovolaemia in the dog and modification by propranolol, HORAN, B. F., *et al.*, 1189
——, 2-chloro-1,1,2-trifluorethyldifluoromethylether, 881
——, clinical impressions of, BLACK, G. W., *et al.*, 875
——, comparison of effects of repeated exposure to halothane or, on liver function in women undergoing radium therapy for cervical cancer, ALLEN, P. J., *et al.*, 1035
——, comparison of hypoxic ventilatory response of dogs to, halothane and isoflurane, HIRSHMAN, C. A., *et al.*, 957
——, effect of thiopentone on cortical seizures in cats induced by, FURGANG, F. A., *et al.*, 127
——, estimation of blood concentrations of, by gas–liquid chromatography, TONER, W., *et al.*, 871
——, hesitancy of British pharmaceutical industry to introduce, because of risk of side-effects, PRYS-ROBERTS, C., (*E*) 845
——, metabolism and physiological effects of, CORALL, I. M., *et al.*, 881
——, metabolism of, in man, CORALL, M., *et al.*, (*ARS*) 188
——, no evidence of mutagenic effect of, on cultured hamster cells, STURROCK, J. E., 777
——, simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
Entonox, *see* nitrous oxide and oxygen, 11
Equipment, available, and design of ambulances, SNOOK, R., 651
——, for use at scene of major disasters, MOLES, T. M., 643
Ergometrine, case report of collapse following intravenous, VALENTINE, B. H., *et al.*, 81
Erratum, "Reduction of hypoxic pulmonary vasoconstriction in the dog during administration of nitrous oxide", *Br. J. Anaesth.*, **49**, 301 (1977), 642
Ether, determination of MAC values for, in the rabbit, MACKENZIE, J. E., 319
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
Ethrane, inhalation anaesthesia with, BRUCKNER, J. B., (*R*) 93
——, *see* enflurane, 881
R-(+)-Ethyl-1 (pentylethyl) 1H-imidazole-5-carboxylate sulphate, *see* etomidate, 233
Ethyl alcohol, effect of, and carbon dioxide on cardiac arrest temperature in baboons, DUTHIE, A. M., *et al.*, 551
Etidocaine, compared with lignocaine and bupivacaine for extradural block in labour, LITTLEWOOD, D. G., *et al.*, 75
——, effects on mother and baby on use of, for Caesarean section, LUND, P. C., *et al.*, 457
——, plasma concentrations of, accumulated during continuous extradural analgesia, TUCKER, G. T., *et al.*, 237
——, plasma concentrations of, compared with lignocaine, prilocaine and bupivacaine following brachial block, WILDSMITH, J. A. W., *et al.*, 461

Etidocaine, toxicity and infusion rate of, compared with bupivacaine in rhesus monkeys, MALAGODI, M. H., *et al.*, 121
Etomidate, R-(+)-ethyl-1 (pentylethyl) 1H-imidazole-5-carboxylate sulphate, 233
——, respiratory effects of, MORGAN, M., *et al.*, 233
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
Exomphalos, management of, in the neonate, LISTER, J., 43
Extracorporeal circulation, use of, in anaesthetic management of children with alveolar proteinosis, LIPPMANN, M., *et al.*, 173
Extradural anaesthesia, a new space indicator for, BAHL, C. P., (*C*) 392
——, effects of etidocaine on mother and baby in Caesarean section, LUND, P. C., *et al.*, 457
——, technique for "one-shot" injection for, JEAL, D. E., (*C*) 954
Extradural analgesia, spread of, following caudal injection in children, SCHULTE-STEINBERG, O., *et al.*, 1027
Extradural blockade, comparison of lignocaine, etidocaine, and bupivacaine for, in labour, LITTLEWOOD, D. G., *et al.*, 75
——, during labour, a reply, SCOTT, D. B., (*C*) 841
——, effect of adrenaline on cardiovascular effects of lignocaine-induced, SCOTT, D. B., *et al.*, 917
——, efficacy of, in obstetrics, BROWN, S. E., *et al.*, 243
——, identification of brachial plexus perivascular space for, MIRANDA, D. R., (*C*) 721
——, importance of use of test dose for, during analgesia in labour, BOYS, J. E., (*C*) 841
——, lifting device for administration of, in unmovable patients, MIRANDA, D. R., (*C*) 518
——, plasma concentrations of lignocaine and etidocaine accumulated during continuous, TUCKER, G. T., *et al.*, 237
——, respiratory effects of, following lower abdominal surgery, DRUMMOND, G. B., *et al.*, 999
——, the technique of choice in forceps delivery, CRAWFORD, J. S., 19
——, use of, in obstetric analgesia, SCOTT, D. B., 11
Extradural service, use of, in obstetrics in a district hospital, BROWN, S. E., *et al.*, 243
Extradural space, management of intractable pain using low-frequency stimulation in spinal, SHIMOJI, K., *et al.*, 1081
Eye movement, measurements of, for assessing recovery from anaesthesia, LABORIT, G., *et al.*, 805

Fazadinium, conditions for tracheal intubation following administration of, compared with pancuronium, CORALL, I. M., *et al.*, 615
——, neuromuscular blocking and cardiovascular effects of old and new formulations of, BUCKLEY, P., *et al.*, (*C*) 191
Fentanyl, new method for estimation of pain threshold using ear lobe analgesimetry after administration of, HULL, C. J., *et al.*, (*ARS*) 1170
——, use of naloxone as antagonist to respiratory depression caused by, DRUMMOND, G. B., *et al.*, 151
——, use of nitrous oxide, droperidol and, in Ebstein's anomaly, BENGTSSON, I. M., *et al.*, 501
Fibreoptic bronchoscopy, continuous airway pressure measurements during, SMITH, R. B., *et al.*, (*C*) 193
Fibreoptics, anaesthesia for bronchoscopy by, MACNAUGHTON, F. I., (*C*) 1069
Flame ionization, effect of polarity on response of, to halothane, SALAMONSEN, R. F., *et al.*, 387
Flame ionization detector, measurement of halothane concentrations using gas chromatograph equipped with, STROUT, C. D., *et al.*, (*C*) 722
Flowmeter, linear calibration of the Gapmeter Lab Kit, BARNES, P., *et al.*, 277
Flunitrazepam, comparison of effects of Althesin and, as an induction agent in balanced anaesthesia, MATTILA, M. A. K., *et al.*, 1041
Flunixin, efficacy and tolerance of, in postoperative pain, ZEDERFELDT, B., *et al.*, 467
——, 2(2′-methyl-3′ trifluoromethylanilino)-nicotinic acid, 467
Fluroxene, a simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
Frusemide, as a therapeutic test in acute renal failure in pre-eclamptic and eclamptic patients, HIBBARD, B. M., *et al.*, 3

Gallamine, comparison of myocardial effects of pancuronium and, in hypercapnic and hypocapnic dogs, ERIKSEN, S., *et al.*, 1199
——, enhancement of tubocurarine- and, -induced neuromuscular blockade following administration of neostigmine, HUGHES, R., *et al.*, (*ARS*) 1172
——, incidence of hypersensitivity to, FISHER, M., (*C*) 87
Ganglion blocking agents, use of pentolinium tartrate in middle ear surgery, KERR, A. R., 447
Ganglionic blockade, use of pentolinium to control autonomic hyperreflexia during surgery in quadraplegic or paraplegic patients, BASTA, J. W., *et al.*, 1087
Gapmeter Lab Kit, assessment of, BARNES, P., *et al.*, 277
Gas chromatography, measurement of halothane concentrations using, STROUT, C. D., *et al.*, (*C*) 722
——, measurement of Ostwald solubility coefficients for cyclopropane, halothane and trichloroethene using, HALLIDAY, M. M., *et al.*, 413
——, use of Pye Series 104 for analysis of halothane in oxygen, SALAMONSEN, R. F., *et al.*, 387
Gases, assessment of Beckman LB-2 infra-red analyser for correlation of alveolar P_{CO_2} and arterial P_{CO_2} in the human neonate and the rabbit, EVANS, J. M., *et al.*, 761
Gas–liquid chromatography, estimation of blood enflurane concentrations by, TONER, W., *et al.*, 871
Gastroschisis, management of, in the neonate, LISTER, J., 43
Gelatin, indications for use of, in transfusion, DOENICKE, A., *et al.*, 681
General anaesthesia, supplementation of, with narcotic analgesics, KEERI-SZANTO, M., (*C*) 517
——, supplementation of, with narcotic analgesics, a reply, HOLMES, C. McK., (*C*) 518
——, use of nitrous oxide–oxygen for, of the injured patient, WALTERS, F. J. M., *et al.*, 707
Geriatrics, comparison of effects of three anaesthetic techniques on postoperative oxygenation in, WISHART, H. Y., *et al.*, 1259
Glycopyrrolate–neostigmine mixture, comparison of atropine–neostigmine and, for antagonism of neuromuscular blockade, MIRAKHUR, R. K., *et al.*, 825
Goldman vaporizer, assessment of use of, in closed circuit anaesthesia, BUSHMAN, J. A., *et al.*, 575
Gynaecology, efficacy of nitrazepam premedication in, KANGAS, J., *et al.*, 1153
——, incidence of muscle pain following administration of suxamethonium during tubal ligation, DATTA, S., *et al.*, 625
——, use of ketamine as the sole anaesthetic agent for laparoscopic sterilization, FIGALLO, E. M., *et al.*, 1159

Haematocrit, following intravenous serum cholinesterase, SCHUH, F. T., 269

Haemoglobin, concentration of, following intravenous serum cholinesterase, SCHUH, F. T., 269
——, variations in concentrations of, after exposure to nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Haemopoiesis, effect of exposure to low concentration nitrous oxide on, in rats, CLEATON-JONES, P., *et al.*, 223
Haemorrhage, comparison of brain surface oxygen tension measurements during hypotension induced by, and trimetaphan-induced, MAEKAWA, T., *et al.*, (*ARS*) 515
——, effect of, on aortic blood velocity during major surgery, TOMLIN, P. J., (*ARS*) 1170
Halothane, analysis of blood concentrations of, during Caesarean section, LATTO, I. P., *et al.*, 371
——, baroreceptor control of regional haemodynamics during, in the dog, BAGSHAW, R. J., *et al.*, 535
——, case report of cardiac arrest following rhabdomyolysis induced by suxamethonium and, SCHAER, H., *et al.*, 495
——, changes in haemodynamic responses following administration of, and hypovolaemia in the dog and modification by propranolol, HORAN, B. F., *et al.*, 1179
——, changes in haemodynamic responses following administration of, and hypovolaemia in the dog and modification by propranolol, HORAN, B. F., *et al.*, 1189
——, comparison of effects of nitrous oxide and, on cell cycle in duodenal and jejunal crypts in mice, KURAMOTO, T., *et al.*, 1075
——, comparison of effects of repeated exposure to enflurane or, on liver function in women undergoing radium therapy for cervical cancer, ALLEN, P. J., *et al.*, 1035
——, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, comparison of hypoxic ventilatory response of dogs to, enflurane and isoflurane, HIRSHMAN, C. A., *et al.*, 957
——, comparison of pollution concentrations of, in theatre with and without scavenging system, THOMPSON, J. M., *et al.*, (*ARS*) 1171
——, determination of MAC values for, in the rabbit, MACKENZIE, J. E., 319
——, diffusion of, through the walls of plastic and rubber tubes, ENDERBY, D. H., *et al.*, 561
——, effect of, compared with diethyl ether on pulmonary circulation in the innervated perfused cat lung, LOH, L., *et al.*, 309
——, effect of, on aortic blood velocity during major surgery, TOMLIN, P. J., (*ARS*) 1170
——, effect of, on chemotactic stimulation, DUNCAN, P. G., *et al.*, 345
——, effect of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, effect of polarity on response of flame ionization detector to, SALAMONSEN, R. F., *et al.*, 387
——, effect of various charcoals for adsorption and emission of, ENDERBY, D. H., *et al.*, 567
——, inadvertent contamination of anaesthetic circuits with, ROBINSON, J. S., *et al.*, 745
——, influence of inspired oxygen concentrations on oxygenation under, DRUMMOND, G. B., *et al.*, (*ARS*) 183
——, lack of mutagenic effect of, with and without nitrous oxide on culture cells using the azaguanine test system, STURROCK, J., 207
——, measurement of concentrations of, using gas chromatography with flame ionization detector, STROUT C. D., *et al.*, (*C*) 722
——, measurement of Ostwald solubility coefficient of, using gas chromatography, HALLIDAY, M. M., *et al.*, 413
——, measurement of uptake of, in a closed system, MOSTERT, J. W., (*C*) 89
——, muscle contracture responses to, in conjunction with caffeine *in vitro*, NELSON, T. E., *et al.*, 169
Halothane, no effect of trace concentrations of, on psychomotor performance, SMITH, G., *et al.*, 65
——, pharmacokinetics of, in dogs, MAPLESON, W. W., (*C*) 88
——, porcine malignant hyperthermia induced by, prevented by oral dantrolene, HARRISON, G. G., 315
——, simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
——, solubility in human blood, SARAIVA, R. A., *et al.*, 115
——, use of charcoal for removal of, in closed circuit anaesthesia, BUSHMAN, J. A., *et al.*, 575
——, use of, in dental anaesthesia, ROLLASON, W. N., (*C*) 637
——, use of, in middle ear surgery in conjunction with pentolinium tartrate, KERR, A. R., 447
Halothane anaesthesia, feed-back monitoring in, SUPPAN, P., 141
Head injuries, importance of diagnosis of, following major accidents, CAMPBELL, D., 673
Head injury, significance of intraventricular pressure waves in the prognosis of, COLD, G., (*C*) 393
Headache, incidence of, following nitrazepam premedication before gynaecological surgery, KANGAS, J., *et al.*, 1153
Heart, stimulating effects of pancuronium bromide on, in the dog, SEED, R. F., *et al.*, 401
Hepatic function, influence of methoxyflurane–nitrous oxide analgesia on, during childbirth, DALHGREN, B.-E., 1271
Hepatitis, risk of, caused by halothane leakage from anaesthetic circuits, ROBINSON, J. S., *et al.*, 745
——, risk of, following blood transfusion, DOENICKE, A., *et al.*, 681
Hepatitis B, risk of infection with, to anaesthetists, CARSTENS, J., *et al.*, 887
Hospital care, importance of immediate, of the injured, CAMPBELL, D., 673
Huntington's chorea, case histories of successful anaesthesia in, FARINA, J., *et al.*, 1167
Hydrallazine, use of, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Hydrochloric acid, effects of aspirated, on lung permeability in rabbits, JONES, J. G., *et al.*, (*ARS*) 189
——, use of, in treatment of metabolic alkalosis, WORTHLEY, L. I. G., 811
Hydroxyzine, comparison of intravenous diazepam and, as surgical premedicants, WENDRE, R. H., *et al.*, 907
Hyoscine, effect of etomidate on respiration after premedication with papaveretum and, MORGAN, M., *et al.*, 233
Hypercapnia, comparison of myocardial effects of pancuronium and gallamine in hypocapnia and, in dogs, ERIKSEN, S., *et al.*, 1199
Hyperkalaemia, risk of, in acute renal failure following trauma, LEE, H. A., 697
Hyperosmolarity, importance of early diagnosis of, following tube feeding, ALLISON, S. P., 689
Hyperpyrexia, comparison of pancuronium and methylprednisolone for anaesthesia in patients susceptible to malignant, CAIN, P. A., *et al.*, 941
——, inheritance factor in susceptibility to malignant, ELLIS, F. R., *et al.*, (*ARS*) 514
——, muscle concentrations of calcium and magnesium in malignant, -susceptible humans, BENNETT, D., *et al.*, 979
——, risk of malignant, caused by halothane leakage from anaesthetic circuits, ROBINSON, J. S., *et al.*, 745
——, screening for malignant, NELSON, T. E., *et al.*, 169
Hyperreflexia, control of autonomic, during surgery in quadraplegic or paraplegic patients using pentolinium tartrate, BASTA, J. W., *et al.*, 1087

Hypertension, prevention of, during infusion of ketamine by administration of labetalol, DUNDEE, J. W., *et al.*, (*ARS*) 1171
Hyperthermia, associations of infusion of α-adrenergic agonists with fatal porcine malignant, HALL, G. M., *et al.*, 855
——, influence of pregnancy on susceptibility to porcine malignant, LUCKE, J. N., (*C*) 1070
——, infusion of α-adrenergic blocking agents in Pietrain pigs associated with fatal, HALL, G. M., *et al.*, (*ARS*) 509
——, oral dantrolene for prophylaxis of halothane and suxamethonium-induced porcine malignant, HARRISON G. G., 315
——, plasma cholinesterase and malignant, WHITTAKER, MARY, *et al.*, (*C*) 393
Hypnotics, use of, in acute renal failure following trauma, LEE, H. A., 697
Hypoalgesia, resulting from low-frequency, weak extradural stimulation, SHIMOJI, K., *et al.*, 1081
Hypocapnia, comparison of myocardial effects of pancuronium and gallamine in hypercapnia and, in dogs, ERIKSEN, S., *et al.*, 1199
Hypotension, comparison of incidence of, using right or left lateral tilt during Caesarean section, BULEY, R. J. R., *et al.*, 1009
——, significance of control of, during surgery of patients with phaeochromocytoma, DESMONTS, J. M., *et al.*, 991
——, use of profound, during middle ear surgery, KERR, A. R., 447
Hypothermia, thermal balance during cardiopulmonary bypass with, DAVIS, F. M., *et al.*, 1127
——, use of surface, and bypass cooling in cardiac surgery in neonates and young infants, GLOVER, W. J., 59
Hypoventilation, with cold dry oxygen decreases peripheral temperature in the dog, BROCK, LORD, *et al.*, 755
Hypovolaemia, modification by propranolol of haemodynamic responses to, during enflurane anaesthesia in the dog, HORAN, B. F., *et al.*, 1189
——, modification by propranolol of haemodynamic responses to, during isoflurane anaesthesia in the dog, HORAN, B. F., *et al.*, 1179
Hypoxaemia, use of oxygen therapy following thoracotomy for reduction of, DRUMMOND, G. B., *et al.*, 1093
Hypoxia, ventilatory response to, under anaesthesia with halothane, enflurane or isoflurane in dogs, HIRSHMAN, C. A., *et al.*, 957

Iliac blood flow, measurement of changes in, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
Immediate care, need for research into world-wide current systems of, following major disasters, NORMAN, J., (*E*) 641
Immunosuppressants, use of, in acute renal failure following trauma, LEE, H. A., 697
Induction agents, comparison of effects of flunitrazepam and Althesin as, for balanced anaesthesia, MATTILA, M. A. K., *et al.*, 1041
——, comparison of effects of several, on cerebrospinal fluid pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, comparison of various, for ENT surgery in children, SAARNIVAARA, L., 363
——, evaluation of speed of onset of anaesthesia following various intravenous, in mice, GLEN, J. B., 545
Infection, need for further studies on susceptibility to, of anaesthetized hosts, NUNN, J. F., (*E*) 283
Infra-red analyser, assessment of Beckman LB-2, for correlation of alveolar P_{CO_2} and arterial P_{CO_2} in the human neonate and the rabbit, EVANS, J. M., *et al.*, 761
Inhalation agents, a stimulation study of metabolism of various, FEINGOLD, A., *et al.*, 155
——, baroreceptor control of regional haemodynamics during halothane anaesthesia in the dog, BAGSHAW, R. J., *et al.*, 535
——, clinical impressions of enflurane, BLACK, G. W., *et al.*, 875
——, determination of MAC values in the rabbit for various, MACKENZIE, J. E., 319
——, effects of diethyl ether on hypoxic pulmonary vasoconstriction in the dog, SYKES, M. K., *et al.*, 293
——, effects of halothane and diethyl ether on pulmonary circulation in innervated perfused cat lung, LOH, L., *et al.*, 309
——, effects of halothane and thiopentone on chemotactic stimulation, DUNCAN, P. G., *et al.*, 345
——, effects of nitrous oxide on hypoxic pulmonary vasoconstriction in the dog, SYKES, M. K., *et al.*, 301
——, effects of β-receptor blockade on isoflurane anaesthesia, HORAN, B. F., *et al.*, (*ARS*) 187
——, effects of thiopentone on enflurane-induced cortical seizures in cats, FURGANG, F. A., *et al.*, 127
——, effects of various, on leucocyte locomotion, MOUDGIL, C. C., *et al.*, 97
——, failure to demonstrate effect of trace concentrations of, on performance, SMITH, G., *et al.*, 65
——, gas–liquid chromatographic estimation of blood enflurane, TONER, W., *et al.*, 871
——, metabolism and physiological effects of enflurane, CORALL, I. M., *et al.*, 881
——, metabolism of enflurane in man, CORALL, M., *et al.*, (*ARS*) 188
——, need for further studies on susceptibility to infection caused by various, NUNN, J. F., (*E*) 283
——, no evidence of mutagenic effect of enflurane on cultured hamster cells, STURROCK, J. E., 777
——, solubility of halothane in human blood, SARAIVA, R. A., *et al.*, 115
——, use, effects and properties of Ethrane, BRUCKNER, J. B., (*R*) 93
——, use of linear and non-linear models for simulation of metabolism of, FEINGOLD, A., *et al.*, 155
Inhalation analgesia, use of, during labour, SCOTT, D. B., 11
Inspiratory flow waveform, effects of varying, and time during IPPV in dogs, BAKER, A. B., *et al.*, 1207, 1221, 1223
Intensive Care Instrumentation, HILL, D. W., *et al.*, (*R*) 92
Intensive care, metabolic aspects of, ALLISON, S. P., 689
——, need for specialist training for, SPENCE, A. A., (*E*) 1073
——, nurse's guide to, anaesthetics and resuscitation, NORRIS, W., *et al.*, (*R*) 522
——, paediatric, ROBERTS, K. D., *et al.*, (*R*) 91
——, World Congress of, SPENCE, A. A., (*E*) 1073
Intensive care units, value of mobile, in emergency situations, STEWART, R. D., 659
Intestinal crypts, comparison of effects of halothane and nitrous oxide on cell cycle in, in mice, KURAMOTO, T., *et al.*, 1075
Intestinal obstruction, management of, in the neonate, LISTER, J., 43
Intracranial pressure, changes in, in neurosurgery during hypotension induced by sodium nitroprusside or trimetaphan, TURNER, J. M., *et al.*, 419
Intralipid, use of, as a solvent for diazepam resulting in no pain during injection, GJESSING, J., *et al.*, (*C*) 954
Intravenous agents, respiratory effects of etomidate, MORGAN, M., *et al.*, 233

Intravenous agents, technique for evaluation of speed of onset of intravenous anaesthesia in mice, GLEN, J. B., 545
Intravenous anaesthetic agents, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, interactions between neuromuscular blocking agents and, in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, need for further studies on susceptibility to infection caused by various, NUNN, J. F., (*E*) 283
——, postsynaptic effects of various, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
Intravenous anaesthetics, incidence of hypersensitivity to various, FISHER, M., (*C*) 87
Intraventricular pressure waves, significance of, in prognosis of head injury, COLD, G., (*C*) 393
——, significance of, in prognosis of head injury. Correction, TURNER, J. M., *et al.*, (*C*) 394
IPPV, cardiovascular effects of inspiratory waveform and time during, in dogs, BAKER, A. B., *et al.*, 1223
——, introduction and methods of varying inspiratory flow waveform and time during, in dogs, BAKER, A. B., *et al.*, 1207
——, physiological variables of inspiratory waveform and time during, in dogs, BAKER, A. B., *et al.*, 1221
Isoflurane, a simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
——, changes in haemodynamic responses following administration of, and hypovolaemia in the dog and modification by propranolol, HORAN, B. F., *et al.*, 1179
——, comparison of hypoxic ventilatory response of dogs to, halothane and enflurane, HIRSHMAN, C. A., *et al.*, 957
——, interaction of anaesthesia with, and β-receptor blockade and blood loss in the dog, HORAN, B. F., *et al.*, (*ARS*) 187
Isoprenaline, comparison of effects of, and phenylephrine on heat production in Pietrain pigs, HALL, G. M., *et al.*, (*ARS*) 509

Ketamine, antagonism of, by physostigmine, BALMER, H. G. R., *et al.*, (*ARS*) 510
——, attenuation of cardiostimulatory effects of, by labetalol, DUNDEE, J. W., *et al.*, (*ARS*) 1171
——, comparison of awareness during endotracheal intubation using thiopentone or, for induction, DUNNETT, I. A. R., 491
——, comparison of effects of propanidid, Althesin, methohexitone and, on interaction between suxamethonium and pancuronium in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, comparison of hormonal effects of morphine and, OYAMA, T., *et al.*, 983
——, comparison of postsynaptic effects of thiopentone, pentobarbitone, propanidid, Althesin, diazepam and, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
——, effect on awareness and dreaming during, supplemented by enflurane in Caesarean section, DOWNING, J. W., (*C*) 392
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
——, use of, as the sole anaesthetic agent for laparoscopic sterilization, FIGALLO, E. M., *et al.*, 1159
——, use of, for ENT surgery in children, SAARNIVAARA, L., 363
Klinische Anästhesiologie und Intensivtherapie, Vol. 10: Notfallmedizen, AHNEFLED, F. W., *et al.*, (*R*) 91
Kwashiorkor serum, binding of thiopentone to, BUCHANAN, N., *et al.*, 247

Labetalol, attenuation of cardiostimulatory effects of ketamine by, DUNDEE, J. W., *et al.*, (*ARS*) 1171
Labour, analgesia in, BOYS, J. E., (*C*) 841
——, analgesia in, a reply, SCOTT, D. B., (*C*) 841
——, use of analgesics during, SCOTT, D. B., 11
Lack anaesthetic system, comparison of Bain and, in spontaneous respiration, NOTT, M., *et al.*, (*ARS*) 512
Laparoscopic tubal ligation, incidence of muscle pain following administration of suxamethonium during, DATTA, S., *et al.*, 625
Laryngeal incompetence, during experimental "relative analgesia" for simulated dental treatment, RUBIN, J., *et al.*, 1005
Laryngoscopy, as a stimulus for spontaneous inspiration in the neonate, HEY, H., 25
Lateral tilt, comparison of effects of right and left, during Caesarean section, BULEY, R. J. R., *et al.*, 1009
Leucocytes, changes in peripheral blood, following intravenous anaesthesia and surgery, WATKINS, J., *et al.*, (*C*) 953
——, effects of anaesthetic agents on locomotion of, MOUDGIL, G. C., *et al.*, 91
——, variations in total and differential counts of, following exposure to nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Leucopenia, absence of, after long-term exposure to low concentration nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Levalorphan, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11
Life-threatening Emergencies in Dental Practice, SCHIJATSCHKY, M. M., (*R*) 196
Lignocaine, compared with etidocaine and bupivacaine for extradural block in labour, LITTLEWOOD, D. G., *et al.*, 75
——, comparison of cardiovascular effects of extradural blockade with, alone and with adrenaline, SCOTT, D. B., *et al.*, 917
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, plasma concentrations of, accumulated during continuous extradural analgesia, TUCKER, G. T., *et al.*, 237
——, plasma concentrations of, compared with prilocaine, bupivacaine and etidocaine following brachial block, WILDSMITH, J. A. W., *et al.*, 461
——, spread of extradural analgesia following caudal injection of, in children, SCHULTE-STEINBERG, O., *et al.*, 1027
——, study of neuromuscular effects of intra-arterial, using electromyography, SUZUKI, H., *et al.*, 1117
——, use of, for tracheal intubation in conscious patients, DUNCAN, J. A. T., 619
——, uterine arterial segment response to multiple concentrations of, during Caesarean section, GIBBS, C. P., *et al.*, 409
Liver, inhibition of mitochondrial respiration by sodium nitroprusside and cyanide liberation in the rat, NAKAMURA, S., *et al.*, 1239
Liver function, comparison of effects of repeated exposure to halothane or enflurane on, in women undergoing radium therapy for cervical cancer, ALLEN, P. J., *et al.*, 1035
Local anaesthetics, accumulation of, during continuous extradural analgesia, TUCKER, G. T., *et al.*, 237

Local anaesthetics, biotransformation of adjuvants and adjunct agents, SANTO, G. D., (*R*) 91
——, comparative properties of various, in extradural block in labour, LITTLEWOOD, D. G., *et al.*, 75
——, comparison of spread of extradural analgesics following caudal injection of several, in children, SCHULTE-STEINBERG, O., *et al.*, 1027
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, importance of use of test dose of, before extradural blockade during labour, BOYS, J. E., (*C*) 841
——, need for further studies on susceptibility to infection caused by various, NUNN, J. F., (*E*) 283
——, plasma concentrations of various, following brachial block, WILDSMITH, J. A. W., *et al.*, 461
——, toxicity and infusion rate of lignocaine and bupivacaine in rhesus monkeys, MALAGODI, M. H., *et al.*, 121
——, use of lignocaine and atropine for tracheal intubation in conscious patients, DUNCAN, J. A. T., 619
——, uterine arterial segment response to multiple concentrations of lignocaine during Caesarean section, GIBBS, C. P., *et al.*, 409
Lorazepam, comparative study of oral, intramuscular and intravenous, for premedication, DUNDEE, J. W., *et al.*, 1047
——, comparison of effects of diazepam and, as premedicants, GALLOON, S., *et al.*, 1265
——, effects of, on level of anxiety in presurgical patients compared with papaveretum, WASSENAAR, W., *et al.*, 605
——, respiratory effects and amnesia following premedication with, compared with morphine, CORMACK, R. S., *et al.*, 351
——, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11
Lung permeability, effects of aspirated liquids on, in rabbits, JONES, J. G., *et al.*, (*ARS*) 189
Lungs, alveolar deadspace during artificial ventilation, LEWIS, D. G., *et al.*, (*ARS*) 1174
——, continuous measurement of distribution of blood flow in dogs between the two, SYKES, M. K., *et al.*, 285
——, effect of halothane compared with ether on pulmonary circulation in the innervated perfused cat, LOH, L., *et al.*, 309
——, incidence of pulmonary complications following intravenous doxapram hydrochloride, DOWNING, J. W., *et al.*, 473
Luteinizing hormone, effects of morphine or ketamine anaesthesia on plasma concentrations of testosterone, cortisol and, OYAMA, T., *et al.*, 983

MAC values, determination of, for various anaesthetic agents in the rabbit, MACKENZIE, J. E., 319
Magnesium, concentrations of calcium and, in malignant hyperpyrexia-susceptible human muscle, BENNETT, D., *et al.*, 979
Magnesium sulphate, use of, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Magnesium trisilicate, compared with sodium citrate for prophylaxis of acid aspiration syndrome, HESTER, J. B., *et al.*, 595
——, efficacy of, in obstetrics, HOLDSWORTH, J. D., *et al.*, (*C*) 520
Mannitol, effect of, in acute renal failure in pre-eclamptic and eclamptic patients, HIBBARD, B. M., *et al.*, 3
Mapleson D system, controlled ventilation with, SEELEY, H. F., *et al.*, 107
Mapleson "E" circuit, adaptation of, for controlled ventilation, SNOWDON, S. L., (*ARS*) 512
Maternal deaths, associated with general anaesthesia, CRAWFORD, J. S., 19
MCHC, variations in values of, after exposure to nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Medical aid, access to site, priorities at site and equipment required for immediate, following major disasters, MOLES, T. M., 643
Mepivacaine, spread of extradural analgesia following caudal injection of, in children, SCHULTE-STEINBERG, O., *et al.*, 1027
Meptazinol, comparison of efficacy of pentazocine, pethidine and, for postoperative pain, PAYMASTER, N. J., 1139
Mesenteric blood flow, measurement of changes in, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
Metabolic disorders, care of neonate in severe, BUSH, G. H., *et al.*, (*E*) 1
Metabolism, altered, and management of, in intensive care, ALLISON, S. P., 689
Methohexitone, anaphylactoid reactions to, WYATT, R., (*C*) 88
——, antagonized by pressure in intravenous anaesthesia in the rat, WARDLEY-SMITH, B., *et al.*, (*ARS*) 187
——, comparison of effects of ketamine, propanidid, Althesin and, on interaction between suxamethonium and pancuronium in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, effect on awareness and dreaming during, supplemented by enflurane in Caesarean section, DOWNING, J. W., (*C*) 392
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
Methoxyflurane, a simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
——, as an anaglesic during labour, SCOTT, D. B., 11
——, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
Methoxyflurane–nitrous oxide, influence of, as an anagelsic during childbirth on renal function, DAHLGREN, B.-E., 1271
O-(4-Methoxyphenyl-carboxyl)-3-diethylamino-propriophenone oxime, *see* anidoxime, 257
Methylprednisolone, comparison of anaesthetic effects of pancuronium and, in patients susceptible to malignant hyperpyrexia, CAIN, P. A., *et al.*, 941
2(2′-Methyl-3′-trifluoromethylanilino)-nicotinic acid, *see* Flunixin, 467
Microlaryngoscopy, oxygen-jet ventilation during, BARAKA, A., *et al.*, (*C*) 194
Middle ear, use of profound hypotension during surgery on, KERR, A. R., 447
Mitochondria, inhibition by sodium nitroprusside of respiration by, and cyanide liberation in the rat liver, NAKAMURA, S., *et al.*, 1239
Model systems, choice of simple or complex, dependent on object of study, MAPLESON, W. W., (*C*) 88
——, use of two-compartment or multi-compartment system for accurate deductions ? KOLMER, H. H. B., (*C*) 89
Molecular Mechanisms of Anesthesia (*Progress in Anesthesiology*, Vol. 1), FINK, B. R. editor, (*R*) 397
Morphine, antagonism of, with naloxone in dogs, PATSCHKE, D., *et al.*, 525
——, as an analgesic during labour, SCOTT, D. B., 11
——, circulatory and respiratory effects of, SAMUEL, I. O., *et al.*, 927

Morphine, compared with buprenorphine in analgesia, DOWNING, J. W., *et al.*, 251
——, comparison of effects of, alone and with doxapram in the rabbit and mouse, GREGORETTI, S. M., *et al.*, 323
——, comparison of hormonal effects of ketamine and, OYAMA, T., *et al.*, 983
——, effect of, on aortic blood velocity during major surgery, TOMLIN, P. J., (*ARS*) 1170
——, interaction between doxapram and, GASSER, J. C., (*C*) 952
——, peripheral vascular effects of, SAMUEL, I. O., *et al.*, 935
——, respiratory effects and amnesia following premedication with, compared with lorazepam, CORMACK, R. S., *et al.*, 351
Multiple Choice Questions in Human Physiology (2nd edn), RODDIE, I. C., *et al.*, (R) 1072
Muscle, calcium and magnesium concentrations in human malignant hyperpyrexia-susceptible, BENNETT, D., *et al.*, 979
——, neuromuscular effects of intra-arterial lignocaine on, SUZUKI, H., *et al.*, 1117
Muscle pain, incidence of, following administration of suxamethonium during tubal ligation in pregnant and non-pregnant patients, DATTA, S., *et al.*, 625
Muscle Relaxants, Monographs in Anesthesiology, Vol. 3, KATZ, R. L., (*R*) 92
Muscle relaxants, problems of environmental awareness during very light anaesthesia in combination with, WHITBY, J. D., *et al.*, (*C*) 282
Mutagenesis, no evidence of, in cultured hamster cells after exposure to enflurane, STURROCK, J. E., 777
Myelomeningocele, treatment of, in the neonate, LISTER, J., 43
Myocardial function, effect of thiopentone on, in dogs, CHAMBERLAIN, J. H., *et al.*, 865

Nalorphine, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11
Naloxone, cardiovascular effects of, after treatment with morphine in dogs, PATSCHKE, D., *et al.*, 525
——, use of, as antagonist to respiratory depression caused by fentanyl, DRUMMOND, G. B., *et al.*, 151
——, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11
Narcotic analgesics, use of various, during labour, SCOTT, D. B., 11
Nausea, comparison of incidence of, following administration of nefopam or pethidine for postoperative pain, TIGERSTEDT, I., *et al.*, 1133
——, incidence of, in drip feeding in intensive care, ALLISON, S. P., 689
NEEP, effects of, and PEEP on renal function in dogs, GAMMANPILA, S., *et al.*, 199
Nefopam, comparison of effects of pethidine and, in postoperative pain, TIGERSTEDT, I., *et al.*, 1133
Neonate, aspects of management of, undergoing surgery, VIVORI, E., *et al.*, 51
——, management of cardiac surgery in, GLOVER, W. J., 59
——, surgical emergencies in the, LISTER, J., 43
——, urinary excretion and metabolism of pethidine and norpethidine in the, following maternal administration of pethidine, HOGG, M. I. J., *et al.*, 891
Neostigmine, effect of, on aortic blood velocity during major surgery, TOMLIN, P. J., (*ARS*) 1170
——, effect of, on suxamethonium-induced neuromuscular blockade, BARAKA, A., 479
——, efficacy of, combined with artificial respiration following a snake bite, NAPHADE, R. W., *et al.*, 1065
——, enhancement of neuromuscular blockade following administration of, HUGHES, R., *et al.*, (*ARS*) 1172
Neostigmine, haemodynamic responses to antagonism of tubocurarine blockade with mixture of, and atropine in children, SALEM, M. R., *et al.*, 901
Neostigmine–atropine mixture, comparison of neostigmine–glycopyrrolate mixture and, for antagonism of neuromuscular blockade, MIRAKHUR, R. K., *et al.*, 825
Neostigmine–glycopyrrolate mixture, comparison of neostigmine–atropine mixture and, for antagonism of neuromuscular blockade, MIRAKHUR, R. K., *et al.*, 825
Nerve, neuromuscular effects of intra-arterial lignocaine on, SUZUKI, H., *et al.*, 1117
Neuromuscular blockade, absence of "recurarization" after prolonged, LEE, C., *et al.*, 485
——, comparative efficacy of old and new formulations of fazadinium for, BUCKLEY, P., *et al.*, (*C*) 191
——, comparison of effects of dimethyl tubocurarine and tubocurarine for, SCHUH, F. T., (*C*) 637
——, comparison of frequency of bradycardia during antagonism of neuromuscular blockade induced by pancuronium, alcuronium or tubocurarine, HEINONEN, J., *et al.*, 1109
——, comparison of glycopyrrolate- and atropine-neostigmine mixtures as anatagonists for, MIRAKHUR, R. K., *et al.*, 825
——, effect of age on the safety factor in, in the isolated diaphragm of the rat, KELLY, S. S., *et al.*, 217
——, effect of suxamethonium–neostigmine interaction in normal or atypical cholinesterase, BARAKA, A., 479
——, efficacy of suxamethonium for, following intravenous serum cholinesterase, SCHUH, F. T., 269
——, effects of tubocurarine on fade during, LEE, C., *et al.*, 555
——, enhancement of, following administration of neostigmine, HUGHES, R., *et al.*, (*ARS*) 1172
——, haemodynamic responses to antagonism of tubocurarine-induced, with atropine–neostigmine mixture in children, SALEM, M. R., *et al.*, 901
——, potency and duration of action of dimethyly tubocurarine for, HUGHES, R., *et al.*, (*C*) 638
——, prolongation of, associated with varied pharmacokinetics of pancuronium in total biliary obstruction, SOMOGYI, A. A., *et al.*, 1103
——, use of neostigmine as antagonist for, induced by fazadinium or pancuronium, CORALL, I. M., *et al.*, 615
——, use of tubocurarine, pancuronium and suxamethonium in the neonate, VIVORI, E., *et al.*, 51
Neuromuscular blocking agents, interactions between intravenous anaesthetic agents and, in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
Neuromuscular transmission, effect of age on the safety factor in, in the isolated diaphragm of the rat, KELLY, S. S., *et al.*, 217
——, effects of train-of-four and tetanic stimulation on, LEE, C., *et al.*, 555
Neurosurgery, effects on intracranial pressure caused by hypotension induced by sodium nitroprusside or trimetaphan during, TURNER, J. M., *et al.*, 419
——, general anaesthesia for, NEWFIELD, PHILIPPA, *et al.*, (*C*) 193
Neurosurgical Anaesthesia, HUNTER, A. R., (*R*) 1176
Nitrazepam, efficacy of, for premedication before minor gynaecological surgery, KANGAS, L., *et al.*, 1153
Nitrogen sparing, different feeding regimes and, following abdominal surgery, ROWLANDS, B. J., *et al.*, 781
Nitroprusside, blood cyanide concentrations following administration of, *in vivo* and *in vitro* in dogs, VESEY, C. J., *et al.*, (*C*) 396
——, mechanism of release of cyanide from, *in vivo*, SMITH, R. P., *et al.*, (*C*) 395

Nitroprusside, need for further study on effects of, on cerebral circulation, FITCH, W., (*E*) 399
Nitrous oxide, comparison of effects of halothane and, on cell cycle in duodenal and jejunal crypts in mice, KURAMOTO, T., *et al.*, 1075
——, effect of intermittent exposure to low concentrations of, on haemopoiesis in rats, CLEATON-JONES, P., *et al.*, 223
——, effect of, on hypoxic pulmonary vasoconstriction in the dog, SYKES, M. K., *et al.*, 301
——, in oxygen the anaesthetic of choice in neonatal surgery, VIVORI, E., *et al.*, 51
——, lack of mutagenic effect of, and halothane on culture cells using the azaguanine test system, STURROCK, J., 207
——, no effect of trace concentrations of, on psychomotor performance, SMITH, G., *et al.*, 65
——, *see* erratum, 642
——, use of, combined with oxygen as an inhalation analgesic during labour, SCOTT, D. B., 11
——, use of droperidol, fentanyl and, in Ebstein's anomaly, BENGTSSON, I. M., *et al.*, 501
——, use of, for resulting lack of awareness during anaesthesia, AGARWAL, G., *et al.*, 835
——, use of, in oxygen for study of laryngeal incompetence in dental treatment, RUBIN, J., *et al.*, 1005
——, use of, with halothane or narcotic for successful anaesthesia in Huntington's chorea, FARINA, J., *et al.*, 1167
Noradrenaline, changes in dose–response of dog isolated blood vessels to, following droperidol, MULDOON, S. M., *et al.*, 211
——, effect of, alone or in combination with phentolamine or propranolol on heat production in Pietrain pigs, HALL, G. M., *et al.*, (*ARS*) 509
——, fatal porcine malignant hyperthermia associated with infusion of, alone or with phentolamine or propranolol, HALL, G. M., *et al.*, 855
——, for control of hypotension in anaesthetic management of phaeochromocytoma, DESMONTS, J. M., *et al.*, 991
Normoventilation, peripheral temperature changes resulting from, with warm humidified or dry cold oxygen in the dog, BROCK, LORD, *et al.*, 755
Norpethidine, urinary excretion and metabolism of pethidine and, in the neonate following maternal administration of pethidine, HOGG, M. I. J., *et al.*, 891
Nutrition, comparison of various regimes in postoperative patients, ROWLANDS, B. J., *et al.*, 781
——, importance of adequate, during intensive care, ALLISON, S. P., 689
——, importance of, in management of acute renal failure following trauma, LEE, H. A., 697
——, parenteral, AHNEFELD, F. W., *et al.* editors, (*R*) 91

Obstetric Anaesthesia and Analgesia, MOIR, D. D., (*R*) 842
Obstetrics, efficacy of diazepam with and without pethidine in, DAVIES, J. M., *et al.*, 601
——, importance of use of test dose before extradural blockade in, BOYS, J. E., (*C*) 841
——, incidence of pulmonary complications following intravenous doxapram hydrochloride during, DOWNING, J. W., *et al.*, 473
——, indications for extradural blockade in, BROWN, S. E., *et al.*, 243
——, influence of methoxyflurane–nitrous oxide analgesia on renal function during, DAHLGREN, B.-E., 1271
——, risk of complications from anaesthesia and analgesia in, CRAWFORD, J. S., 19
——, urinary excretion and metabolism of pethidine and norpethidine by the neonate following administration to the mother, HOGG, M. I. J., *et al.*, 891
Oesophageal atresia, need for urgent diagnosis of, in the neonate, LISTER, J., 43
Olfactory thresholds, detection of operating room contamination by use of, HALSEY, M. J., *et al.*, (*ARS*) 510
Opiates, recent advances in understanding mode of action of, NORMAN, J., (*E*) 523
Ostwald solubility coefficients, measurement of, for analysis of cyclopropane, halothane and trichloroethene using gas chromatography, HALLIDAY, M. M., *et al.*, 413
Otolaryngological surgery, comparison of various induction agents for, in children, SAARNIVAARA, L., 363
Oxygen, effects of sodium nitroprusside on consumption of, during cardiopulmonary bypass, EVANS, P. J. D., *et al.*, 799
——, hypoventilation with dry cold, causes decrease in peripheral temperature in the dog, BROCK, LORD, *et al.*, 755
——, influence of inspired, concentrations on arterial oxygenation during halothane anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 183
——, tension following cardiopulmonary bypass, SEED, R. F., *et al.*, (*ARS*) 183
——, use of, in treatment of Respiratory Distress Syndrome, SCOPES, J. W., 35
Oxygen capacity, effect of sodium nitroprusside on blood, *in vivo* and *in vitro*, KRAPEZ, J. R., *et al.*, (*ARS*) 513
Oxygen concentration, linear calculation of, in air, LACK, J. A., (*C*) 640
Oxygen cylinder, potential danger of fault in spindle valve, BLOGG, C. E., *et al.*, (*C*) 87
Oxygen tension, comparison of measurements of brain surface, during hypotension induced by trimetaphan and haemorrhage, MAEKAWA, T., *et al.*, (*ARS*) 515
Oxygen therapy, efficacy of, following thoracotomy, DRUMMOND, G. B., *et al.*, 1093
——, use of, after abdominal surgery, DRUMMOND, G. B., *et al.*, 789
Oxygen uptake, measurement of, during anaesthesia, LAWLER, P. G., *et al.*, (*ARS*) 511
Oxygenation, influence of inspired oxygen concentrations of the efficiency of, during halothane anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 183

Packed cell volume variations in, after exposure to nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Paediatric Anaesthesia Case Studies, ADAMS, J. G., (*R*) 397
Paediatric Intensive Care, ROBERTS, K. D., *et al.*, (*R*) 91
Paediatrics, anaesthetic case studies, ADAMS, J. G., (*R*) 397
——, anaesthetic gas evacuator for use in, CESTONE, K. J., *et al.*, (*C*) 281
——, comparison of various induction agents for otolaryngological surgery in, SAARNIVAARA, L., 363
——, correlation between biochemical data Apgar scores at birth and at one minute, MARX, G. F., *et al.*, 831
——, haemodynamic responses to antagonism of tubocurarine blockade by atropine–neostigmine mixture in, SALEM, M. R., *et al.*, 901
——, spread of extradural analgesia following caudal injection in, SCHULTE-STEINBERG, O., *et al.*, 1027
Pain—Clinical and Experimental Perspectives, WEISENBERG, M. editor, (*R*) 843
Pain, acupuncture treatment of, CHAITOW, L., (*R*) 521
——, comparison of efficacy of meptazinol, pentazocine and pethidine for postoperative, PAYMASTER, N. J., 1139
——, comparison of Flunixin with aspirin as analgesics for postoperative, ZEDERFELDT, B., *et al.*, 467
——, comparison of nefopam and pethidine for postoperative, TIGERSTEDT, I., *et al.*, 1133

Pain, effects of electrical stimulation in chronic low-back, RUTKOWSKI, B., *et al.*, 629
——, incidence of, following administration of suxamethonium in children, FOZARD, J. R., *et al.*, 1057
——, incidence of, following lorazepam compared with morphine, CORMACK, R. S., *et al.*, 351
——, influence of personality and other postoperative factors on, sensitivity, BOYLE, P., *et al.*, 259
——, lack of incidence of, during injection of diazepam using Intralipid as solvent, GJESSING, J., *et al.*, (*C*) 954
——, management of intractable, using low-frequency, weak extradural stimulation, SHIMOJI, K., *et al.*, 1081
——, relief of, in obstetrics using buprenorphine compared with morphine, DOWNING, J. W., *et al.*, 251
Pain threshold, new method for estimation of, using ear lobe analgesimetry, HULL, C. J., *et al.*, (*ARS*) 1170
Pancuronium, comparison of anaesthetic effects of methylprednisolone and, in patients susceptible to malignant hyperpyrexia, CAIN, P. A., *et al.*, 941
——, comparison of effects of suxamethonium and, on interactions between various intravenous anaesthetic agents in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, comparison of frequency of bradycardia during antagonism of neuromuscular blockade induced by alcuronium, tubocurarine or, HEINONEN, J., *et al.*, 1109
——, comparison of myocardial effects of gallamine and, in hypercapnic and hypocapnic dogs, ERIKSEN, S., *et al.*, 1199
——, conditions for tracheal intubation following administration of, compared with fazadinium, CORALL, I. M., *et al.*, 615
——, pharmocodynamics of, VAN BEEM, H. B. H., *et al.*, (*ARS*) 1172
——, pharmacokinetics of incremental doses of, MCLEOD, K., *et al.*, (*ARS*) 185
——, plasma concentrations of, during surgery in patients with total biliary obstruction, SOMOGYI, A. A., *et al.*, 1103
——, use of, for myoneural blockade during anaesthesia in patients with Huntington's chorea, FARINA, J., *et al.*, 1167
——, use of, as neuromuscular blocker in the neonate, VIVORI, E., *et al.*, 51
Pancuronium bromide, myocardial effects of, in the dog, SEED, R. F., *et al.*, 401
Papaveretum, effect of etomidate on respiration after premedication with hyoscine and, MORGAN, M., *et al.*, 233
—— effects of, on level of anxiety in presurgical patients compared with lorazepam, WASSENAAR, W., *et al.*, 605
Paraesthesia, technique for avoidance of, in brachial plexus nerve blockade, MIRANDA, D. R., (*C*) 721
Paramedical personnel, urgent need for specialized training of, for emergency care, STEWART, R. D., 659
Paraplegia, control of autonomic hyperreflexia using pentolinium during surgery in patients with, BASTA, J. W., *et al.*, 1087
Parenteral Nutrition, AHNEFELD, F. W., *et al.* editors, (*R*) 91
PEEP, effects of, and NEEP on renal function in dogs, GAMMANPILA, S., *et al.*, 199
Pentazocine, assessment of diazepam and, for cystoscopy, SMITH, T. G. C., *et al.*, (*ARS*) 509
——, comparison of efficacy of meptazinol, pethidine and, for postoperative pain, PAYMASTER, N. J., 1139
——, comparison of pethidine, buprenorphine and, for postoperative analgesia, HOVELL, B. C., 913
Pentobarbitone, comparison of clinical reactions to droperidol and, as premedicants for laparoscopic sterilization using ketamine and suxamethonium anaesthesia, FIGALLO, E. M., *et al.*, 1159
Pentobarbitone, comparison of postsynaptic effects of thiopentone, propanidid, Althesin, diazepam, ketamine and, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
——, effect of inhaled gases on peripheral body temperature under anaesthetic with, in the dog, BROCK, LORD, *et al.*, 755
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
^{14}C-Pentobarbitone, effect of phenobarbitone pretreatment of, in the rat, SHIN, T., *et al.*, 847
Pentolinium tartrate, advantages of single dose, during middle ear surgery in conjunction with halothane anaesthesia, KERR, A. R., 447
——, control of autonomic hyperreflexia during surgery in quadraplegic or paraplegic patients using, BASTA, J. W., *et al.*, 1087
Performance, no effect of trace concentrations of nitrous oxide and halothane on, SMITH, G., *et al.*, 65
Perinatal period, recognition of the role of the anaesthetist's skill in hazards during, BUSH, G. H., *et al.*, (*E*) 1
Perivascular space, identification of brachial plexus, MIRANDA, D. R., (*C*) 721
Personality, interrelation of postoperative factors and, BOYLE, P., *et al.*, 259
Pethidine, as an analgesic during labour, SCOTT, D. B., 11
——, comparison of buprenorphine, pentazocine and, for postoperative analgesia, HOVELL, B. C., 913
——, comparison of effects of nefopam and, in postoperative pain, TIGERSTEDT, I., *et al.*, 1133
——, comparison of efficacy of meptazinol, pentazocine and, for postoperative pain, PAYMASTER, N. J., 1139
——, effects of, in conjunction with diazepam in labour, DAVIES, J. M., *et al.*, 601
——, urinary excretion and metabolism of norpethidine and, by the neonate following administration of, to the mother, HOGG, M. I. J., *et al.*, 891
Phaeochromocytoma, anaesthetic management during surgery in patients with, DESMONTS, J. M., *et al.*, 991
Pharmacodynamics, of pancuronium, VAN BEEM, H. B. H., *et al.*, (*ARS*) 1172
Pharmacology, and anaesthesia, SPIERDIJK, J., *et al.* editors, (*R*) 521
Phenylephrine, comparison of effects of, and isoprenaline on heat production in Pietrain pigs, HALL, G. M., *et al.*, (*ARS*) 509
Phenobarbitone, effect of pretreatment with, on distribution and excretion of ^{14}C-pentobarbitone in the rat, SHIN, T., *et al.*, 847
Phenothiazines, use of, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Phentolamine, association of porcine malignant hyperthermia with infusion of, together with noradrenaline, HALL, G. M., *et al.*, 855
——, effect of, combined with noradrenaline on heat production in Pietrain pigs, HALL, G. M., *et al.*, (*ARS*) 509
Physics Applied to Anaesthesia, HILL, D. W., (*R*) 844
Physics for Anaesthetists, DUFFIN, J., *et al.*, (*R*) 94
Physiology, applied, of respiratory care, HEDLEY-WHITE, J., *et al.*, (*R*) 398
——, effects of inspiratory waveform and time in IPPV on, in dogs, BAKER, A. B., *et al.*, 1221
——, multiple choice questions in human, RODDIE, I. C., *et al.*, (*R*) 1072
Physostigmine, antagonism of ketamine by, BALMER, H. G. R., *et al.*, (*ARS*) 510
Pipe-line accident, caused by incompatible diameters of high-pressure tubing and spigots, HUNTER, A. R., (*C*) 281

Planning, priorities in, at major disasters, MOLES, T. M., 643
Plasma, accumulated lignocaine and etidocaine concentrations in, during continuous extradural analgesia, TUCKER, G. T., *et al.*, 237
——, concentrations of various local anaesthetic agents following brachial block, WILDSMITH, J. A. W., *et al.*, 461
Plasma cholinesterase, and malignant hyperthermia, WHITTAKER, MARY, *et al.*, (*C*) 393
Plasma proteins, comparison of thiopentone binding to, in normal and kwashiorkor serum, BUCHANAN, N., *et al.*, 247
——, indications for use of, for transfusion, DOENICKE, A., *et al.*, 681
Plasma substitutes, anaphylactoid reactions to, DOENICKE, A., *et al.*, 681
——, indications for use of, DOENICKE, A., *et al.*, 681
Platelets, variations in count of, following exposure to nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Plethysmography, comparative investigation of broncho-activity of several anaesthetic agents and analgesics using, DOUGLAS, R. B., *et al.*, (*ARS*) 1173
Pneumonectomy, management of anaesthesia during, in an infant, MUKAI, S., *et al.*, 379
Pneumotachographs, calibration of, GREER, J. R., (*C*) 721
——, calibration of, a reply, HULL, C. J., *et al.*, (*C*) 721
Pneumotachography, accurate measurement of tidal and minute volumes by, HULL, C. J., *et al.*, (*ARS*) 188
Pneumothorax, management of thoracotomy in presence of persistent, with chronic carbon dioxide retention, LAMPLUGH, G., *et al.*, 505
Polarity, effect of, on response of flame ionization detector to halothane, SALAMONSEN, R. F., *et al.*, 387
Pollard endotracheal tube, modification to obviate hazard in use of, POLLARD, B. J., (*C*) 1069
——, not satisfactory for use in microlaryngoscopy, CHILD, D. A., *et al.*, 179
Pollution, absence of mutagenesis in presence of halothane and chloroform, STURROCK, J., 207
——, comparison of halothane concentrations in theatre with and without scavenging system using gas chromatography, THOMPSON, J. M., *et al.*, (*ARS*) 1171
——, comparison of various charcoals for adsorption of halothane atmospheric, ENDERBY, D. H., *et al.*, 567
——, effects of halothane diffusion through tubing on, in theatre, ENDERBY, D. H., *et al.*, 561
——, effects of low concentration of nitrous oxide on haemopoiesis in rats, CLEATON-JONES, P., *et al.*, 223
——, evaluation and improvement of an existing anti-, system, ASBURY, A. J., *et al.*, 439
——, prevention of, by modification of Ayre's T-piece, VALENTIN, N., (*C*) 953
Postoperative care, of the acutely injured patient, WALTERS, F. J. M., *et al.*, 707
Postoperative factors, interrelation of personality and, BOYLE, P., *et al.*, 259
Potassium, effect of anaesthesia and respiration on plasma, in renal failure, BAULD, H. W., *et al.*, (*C*) 839
Practical Regional Analgesia 1976 (Monographs in Anaesthesiology, Vol. 5), LEE, J. A., *et al.* editors, (*R*) 397
Practolol, use of intravenous, as prophylaxis for cardiac arrhythmia in dental anaesthesia, ROLLASON, W. N., (*C*) 637
Pre-eclampsia, management of severe, HIBBARD, B. M., *et al.*, 3
Pregnancy, influence of, on susceptibility to porcine malignant hyperthermia, LUCKE, J. N., (*C*) 1070
Premedication, comparative study of oral, intramuscular and intravenous lorazepam for, DUNDEE, J. W., *et al.*, 1047
Premedication, comparison of adverse clinical effects resulting from, with droperidol or pentobarbitone for laparoscopic sterilization under ketamine anaesthesia, FIGALLO, E. M., *et al.*, 1159
——, comparison of droperidol alone and with diazepam for, in children, FOZARD, J. R., 1147
——, comparison of effects of lorazepam and diazepam for, GALLOON, S., *et al.*, 1265
——, comparison of intravenous diazepam and hydroxyzine for surgical, WENDER, R. H., *et al.*, 907
——, efficacy of nitrazepam for, before minor gynaecological surgery, KANGAS, L., *et al.*, 1153
——, measurements of placental transmission during Caesarean section following, with atropine, KIVALO, I., *et al.*, 1017
Pressure, cardiovascular effects of positive airway, in dogs, SCOTT, A., *et al.*, (*ARS*) 513
——, changes in arterial, during carotid angiography, PHILLIPS, G., *et al.*, 163
——, comparison of effects of several induction agents on cerebrospinal fluid, BALI, I. M., *et al.*, (*ARS*) 1169
——, effects of, on requirements for various anaesthetic agents, WARDLEY-SMITH, B., *et al.*, (*ARS*) 187
——, effects of positive and negative expiratory, on renal function in dogs, GAMMANPILA, S., *et al.*, 199
——, evaluation of peripheral arterial, following radial cannulation, PALM, T., 819
——, measurement of changes in systemic, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
——, use of indirect measurement of arterial, in halothane administration, SUPPAN, P., 141
Prilocaine, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, plasma concentrations of, compared with lignocaine, bupivacaine and etidocaine following brachial block, WILDSMITH, J. A. W., *et al.*, 461
Principles and Practice of Respiratory Therapy, 2nd edn, YOUNG, J. A., *et al.* editors, (*R*) 94
Principles of Anesthesiology. 2nd edn, COLLINS, V. J., (*R*) 843
Proceedings of the Anaesthetic Research Society, London meeting, November 13, 1976, 183–189
——, Leeds meeting, March 5, 1977, 509–515
——, Birmingham meeting, July 8, 1977, 1169–1174
Promazine, use of, in conjunction with opiates for analgesia during labour, SCOTT, D. B., 11
Propanidid, antagonized by pressure in intravenous anaesthesia in the rat, WARDLEY-SMITH, B., *et al.*, (*ARS*) 187
——, comparison of effects of ketamine, Althesin, methohexitone and, on interaction between suxamethonium and pancuronium in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, comparison of postsynaptic effects of thiopentone, pentobarbitone, Althesin, diazepam, ketamine and, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
Propranolol, association of fatal porcine malignant hyperthermia with infusion of, together with noradrenaline, HALL, G. M., *et al.*, 855
——, comparison of haemodynamic effects of addition of, following enflurane or halothane anaesthesia and hypovolaemia in the dog, HORAN, B. F., *et al.*, 1189
——, comparison of haemodynamic effects of addition of, following isoflurane or halothane anaesthesia and hypovolaemia in the dog, HORAN, B. F., *et al.*, 1179
——, effect of, combined with noradrenaline on heat production in Pietrain pigs, HALL, G. M., *et al.*, (*ARS*) 509

Propranolol, use of, with hydrallazine in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Pulmonary aeration, techniques for, in resuscitation in the neonate, HEY, H., 25
Pulmonary vasoconstriction, comparison of effects of halothane and diethyl ether on hypoxic, in innervated perfused cat lung, LOH, L., *et al.*, 309
——, reduction of hypoxic, during diethyl ether anaesthesia in the dog, SYKES, M. K., *et al.*, 293
——, reduction of hypoxic, during nitrous oxide administration in the dog, SYKES, M. K., *et al.*, 301
——, *see* erratum, 642

Quadraplegia, control of autonomic hyperreflexia using pentolinium during surgery in patients with, BASTA, J. W., *et al.*, 1087

Raynaud's phenomenon, sensitivity to intravenous ergometrine during labour following, VALENTINE, B. H., *et al.*, 81
Receptors, existence of opiate, in the brain, NORMAN, J., (*E*) 523
β-Receptor blockade, effects of, on cardiovascular responses to isoflurane, HORAN, B. F., *et al.*, (*ARS*) 187
Recovery, assessment of long-term, following short duration anaesthesia, DUBOIS, M., *et al.*, (*ARS*) 186
——, techniques of, following anaesthesia, WACHSTEIN, J., (*R*) 397
——, use of electro-oculograph for assessment of, following anaesthesia, LABORIT, G., *et al.*, 805
Recovery time, effect of doxapram on, following general anaesthesia, ROBERTSON, G. S., *et al.*, 133
"Recurarization", absence of, after prolonged neuromuscular blockade, LEE, C., *et al.*, 485
Renal blood flow, measurement of changes in, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
Renal failure, effects of anaesthesia and respiration on plasma potassium in, BAULD, H. W., *et al.*, (*C*) 839
——, management of acute, following trauma, LEE, H. A., 697
——, preoperative measurements of serum cholinesterase in chronic, RYAN, D. W., 945
——, use of mannitol after diuresis initiated with frusemide as treatment for acute, in pre-eclampsia and eclampsia, HIBBARD, B. M., *et al.*, 3
Renal function, contraindication for use of enflurane anaesthesia in impaired, CORALL, I. M., *et al.*, 881
——, effect of positive and negative expiratory pressure on, GAMMANPILA, S., *et al.*, 199
——, influence of methoxyflurane–nitrous oxide analgesia on, during childbirth, DAHLGREN, B.-E., 1271
Respiration, cardiovascular effects of, during different airway pressures in dogs, SCOTT, A., *et al.*, (*ARS*) 514
——, comparison of Lack and Bain semi-closed circuits in spontaneous, NOTT, M., *et al.*, (*ARS*) 512
——, effects of doxapram and morphine on, in the rabbit and mouse, GREGORETTI, S. M., *et al.*, 323
——, effect of doxapram on, by stimulation of peripheral chemoreceptors, SCOTT, R. M., *et al.*, 227
——, effects of etomidate on, MORGAN, M., *et al.*, 233
——, effects of extradural analgesia on, following lower abdominal surgery, DRUMMOND, G. B., *et al.*, 999
——, effect of interaction between morphine and doxapram on, GASSER, J. C., (*C*) 952
——, effects of morphine on, SAMUEL, I. O., *et al.*, 927
——, effect of, on plasma potassium in renal failure, BAULD, H. W., *et al.*, (*C*) 839
——, effect of sodium bicarbonate on, in the presence of hyperoxia, NISHINO, T., *et al.*, 331
Respiration, effects on, following lorazepam compared with morphine, CORMACK, R. S., *et al.*, 351
Respiration therapy, principles and practice of, YOUNG, J. A., *et al.* editors, (*R*) 94
Respiratory care, applied physiology of, HEDLEY-WHITE, J., *et al.*, (*R*) 398
Respiratory disorders, care of the neonate during severe, BUSH, G. H., *et al.*, (*L*) 1
Respiratory Distress Syndrome, management, anticipation and prevention of, SCOPES, J. W., 35
——, risk of during, surgical emergency, LISTER, J., 43
Respiratory system, comparison of effects of buprenorphine and morphine on, in obstetric analgesia, DOWNING, J. W., *et al.*, 251
——, development of its anatomy and function in relation to sudden infant death syndrome, BOSMA, J. F., *et al.*, editors, (*R*) 195
Resuscitation, and anaesthesiology in alcoholic poisoning, FREY, R., (*R*) 93
——, and anaesthesiology, REGENSBURGER, D., (*R*) 521
——, benefit of continuous, during transport to hospital following accident, CAMPBELL, D., 673
——, data for, DUNNILL, R. P. H., *et al.*, (*R*) 1072
——, methods of, following acute anaphylactic cardiovascular collapse during anaesthesia, FISHER, M., 1023
——, nurse's guide to, anaesthetics and intensive care, NORRIS, W., *et al.*, (*R*) 522
——, role of senior anaesthetist for supervision of, following major disasters, MOLES, T. M., 643
——, techniques for, in the neonate, HEY, E., 25
——, use of neostigmine combined with artificial respiration following a snake bite, NAPHADE, R. W., *et al.*, 1065
Reticulocytes, variable count of, after exposure to nitrous oxide in rats, CLEATON-JONES, P., *et al.*, 223
Rhabdomyolysis, case report of acute, during anaesthesia, SCHAER, H., *et al.*, 495
Ringer's solution, effects of aspirated, on lung permeability in rabbits, JONES, J. G., *et al.*, (*ARS*) 189
Robertshaw tube, use of, for tracheal intubation during thoracotomy, SEED, R. F., *et al.*, (*C*) 639

Saline, effects of aspirated isotonic, on lung permeability in rabbits, JONES, J. G., *et al.*, (*ARS*) 189
Scanning electron microscopy, for investigation of optimum air humidification during tracheostomy in dogs, TSUDA, T., *et al.*, 965
Scavenging system, assessment of existing, MEHTA, S., *et al.*, 589
——, comparison of halothane concentrations in theatre with and without, using gas chromatography, THOMPSON, J. M., *et al.*, (*ARS*) 1171
Sch 14714, *see* Flunixin, 467
Sedatives, respiratory effects and amnesia following lorazepam compared with morphine, CORMACK, R. S., *et al.*, 351
Self Assessment of Current Knowledge in Anesthesiology, TRICKEY, D. L., (*R*) 195
Semi-closed systems, comparison of measurements of work of ventilating of three, BARNES, P. K., *et al.*, (*ARS*) 1173
Septicemia, diagnosis and treatment of, GARROD, L. P., *et al.* editors, (*R*) 195
Serum, binding of thiopentone to normal and kwashiorkor, BUCHANAN, N., *et al.*, 247
Serum cholinesterase, preoperative measurements of, in chronic renal failure, RYAN, D. W., 945
Sex, effect of, in middle ear surgery following use of pentolinium tartrate, KERR, A. R., 447

Sex, effect of, on efficacy of doxapram for arousal from general anaesthesia, ROBERTSON, G. S., *et al.*, 133
Shock, treatment of, in the acutely injured patient, WALTERS, F. J. M., *et al.*, 707
Shock lung, some factors elucidating cause of, during blood transfusion, DOENICKE, A., *et al.*, 681
Sickle-cell disease, ventilatory response to carbon dioxide in, MILLER, G. J., *et al.*, (*C*) 391
——, ventilatory response to carbon dioxide in, a reply, ELEGBELEYE, O. O., *et al.*, (*C*) 391
Side-effects, comparison of incidence of, following premedication with droperidol alone or with diazepam, FOZARD, J. H., 1147
——, comparison of incidence of, following premedication with droperidol or pentobarbitone, FIGALLO, E. M., *et al.*, 1159
S.I. units, disadvantages in use of, GILSTON, A., (*C*) 394
——, editorial comment on, 394
——, lack of need for use of, CRAWFORD, J. S., (*C*) 951
——, lack of need for use of, HAMILTON, A. G., (*C*) 951
Smoking, effect of, on Pa_{O_2} and ($Pa_{O_2} - Pa_{O_2}$) in pre-operative patients, GILLIES, I. D. S., *et al.*, 427
Smooth muscle, α-adrenergic blocking effect of droperidol in dog vascular, MULDOON, S. M., *et al.*, 211
Sodium bicarbonate, effects of intracardiac injection of, in circulatory arrest in the neonate, HEY, H., 25
——, respiratory effects of, NISHINO, T., *et al.*, 331
Sodium citrate, compared with magnesium trisilicate for prophylaxis of acid aspiration syndrome, HESTER, J. B., *et al.*, 595
——, efficacy of single dose, in obstetrics, ABOULEISH, E., *et al.*, (*C*) 394
Sodium nitroprusside, and regional haemodynamics in the dog, BAGSHAW, R. J., *et al.*, 735
——, effect of, on cerebral circulation, FITCH, W., (*E*) 399
——, effect of, on oxygen capacity and P_{50} of human blood *in vivo* and *in vitro*, KRAPEZ, J. R., *et al.*, (*ARS*) 513
——, effects of, on oxygen consumption during cardio-pulmonary bypass, EVANS, P. J. D., *et al.*, 799
——, inhibition by, of mitochondrial respiration and cyanide liberation in the rat liver, NAKAMURA, S., *et al.*, 1239
——, measurement of intracranial pressure changes in neurosurgical patients during hypotension induced by, TURNER, J. M., *et al.*, 419
——, metabolism and toxicity of, in the dog, SIMPSON, P., *et al.*, (*ARS*) 186
——, technique for combined use of trimetaphan and, DINMORE, R., (*C*) 1070
Spinal column, effects of electrical stimulation on herniated disc lesions, RUTKOWSKI, B., *et al.*, 629
Splanchnic blood flow, measurement of changes in, during sodium nitroprusside infusion in the dog, BAGSHAW, R. J., *et al.*, 735
Spondylitis, effects of electrical stimulation on, RUTKOWSKI, B., *et al.*, 629
Staphylococcal pneumonia, diagnosis of, in the neonate, LISTER, J., 43
Starch, indications for use of, in transfusion, DOENICKE, A., *et al.*, 681
Starvation, metabolic adaptation to, during intensive care, ALLISON, S. P., 689
Sudden infant death syndrome, implications for, BOSMA, J. F., *et al.* editors, (*R*) 195
Surgery, use of oxygen therapy after abdominal, DRUMMOND, G. B., *et al.*, 789
Surgical emergency, in the newborn, LISTER, J., 43
Suxamethonium, case report of cardiac arrest following rhabdomyolysis induced by halothane and, SCHAER, H., *et al.*, 495
——, clinical experience of, during renal transplant, RYAN, D. W., 945
Suxamethonium, comparison of effects of pancuronium and, on interactions between various intravenous anaesthetic agents in the isolated rat phrenic nerve–diaphragm and the frog rectus preparations, KRAUNAK, P., *et al.*, 765
——, effect of neostigmine on neuromuscular blockade induced by, BARAKA, A., 479
——, effect on action of, following intravenous serum cholinesterase administration, SCHUH, F. T., 269
——, hydrolysis of, in blood, WILSON, J., *et al.*, (*C*) 90
——, incidence of hypersensitivity to, FISHER, M., (*C*) 87 625
——, incidence of muscle pain following administration of, in tubal ligation, DATTA, S., *et al.*, 625
——, incidence of pain following administration of, in children, FOZARD, J. R., *et al.*, 1057
——, porcine malignant hyperthermia induced by, prevented by oral dantrolene, HARRISON, G. G., 315
——, use of, as neuromuscular blocker in the neonate, VIVORI, E., *et al.*, 51
——, with ketamine as sole anaesthetic agent for laparo-scopic sterilization, FIGALLO, E. M., *et al.*, 1159
Sweating, comparison of incidence of, following administration of nefopam or pethidine for post-operative pain, TIGERSTEDT, I., *et al.*, 1133
Symposium on the management of trauma, 643–720
Symposium on the perinatal period, 3–64

Tachycardia, comparison of incidence of, following administration of nefopam or pethidine for postopera-tive pain, TIGERSTEDT, I., *et al.*, 1133
Temperature, α-adrenergic stimulation involved in increase in, in malignant hyperthermia-susceptible pigs, HALL, G. M., *et al.*, 855
——, advantages of use of blood at body, for transfusions, DOENICKE, A., *et al.*, 681
——, effect of carbon dioxide and ethyl alcohol in baboons on cardiac arrest, DUTHIE, A. M., *et al.*, 551
——, effect of inhaled gases on peripheral, in the dog, BROCK, LORD, *et al.*, 755
——, study of body, core and skin, of anaesthetized man in the Tropics, ELLIS, F. R., *et al.*, 1123
——, value of heating element in artificial lung to obviate variations in, SMYTH, G. E., (*C*) 952
Testosterone, effects of morphine or ketamine anaesthesia on plasma concentrations of cortisol, luteinizing hormone and, OYAMA, T., *et al.*, 983
Tetanic stimulation, facilitation of electromyographic response in thenar musculature by, on ulnar nerve, LEE, C., *et al.*, 555
Thalamic reticular cells, frequency of discharge of, to afferent input during spontaneous fluctuations in "anaesthetic depth" in the rat, ANGEL, A., *et al.*, (*ARS*) 1169
The Acupuncture Treatment of Pain, CHAITOW, L., (*R*) 521
The Anesthesiologist's Handbook (2nd edn), CATRON, D. G., 844
The Chemical Capture of Animals. A Guide to the Chemical Restraint of Wild and Captive Animals, HARTHOORN, A. M., (*R*) 1072
Thermal balance, during cardiopulmonary bypass with hypothermia, DAVIS, F. M., *et al.*, 1127
Thiopentone, antagonized by pressure in intravenous anaesthesia in the rat, WARDLEY-SMITH, B., *et al.*, (*ARS*) 187
——, binding of, to normal and kwashiokor serum, BUCHANAN, N., *et al.*, 247
——, comparison of awareness during endotracheal intubation using ketamine or, for induction, DUNNETT, I. A. R., 491

Thiopentone, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, comparison of postsynaptic effects of pentobarbitone, propanidid, Althesin, diazepam, ketamine and, in the excised mouse diaphragm, TORDA, T. A., *et al.*, 771
——, effect of awareness and dreaming during, supplemented by enflurane in Caesarean section, DOWNING, J. W., (*C*) 392
——, effects of, on chemotactic stimulation, DUNCAN, P. G., *et al.*, 345
——, effects of, on enflurane-induced cortical seizures in cats, FURGANG, F. A., *et al.*, 127
——, effects of, on leucocyte locomotion, MOUDGIL, G. C., *et al.*, 97
——, effect of, on myocardial function in dogs, CHAMBERLAIN, J. G., *et al.*, 865
——, incidence of hypersensitivity to, FISHER, M., (*C*) 87
——, technique for evaluation of induction speed of intravenous, compared with other induction agents in mice, GLEN, J. B., 545
——, use of, for ENT surgery in children, SAARNIVAARA, L., 363
——, use of, for successful anaesthesia in Huntington's chorea, FARINA, J., *et al.*, 1167
Thoracotomy, case report of anaesthetic management during, in chronic carbon dioxide retention, LAMPLUGH, G., *et al.*, 505
——, efficacy of oxygen therapy following, DRUMMOND, G. B., *et al.*, 1093
Thrombosis, incidence of, following radial cannulation, PALM, T., 819
Thumb, arterial pressure in, following radial artery cannulation, PALM, T., 819
Tidal volume, use of spirometer for continuous measurement of expired, CHAKRABARTI, M. K., *et al.*, 83
Tracheal cylindroma, anaesthetic management of, MACHELL, E. S., (*C*) 951
——, anaesthetic management of, a reply, LIPPMANN, M., *et al.*, (*C*) 951
Tracheal intubation, comparison of use of cuffed and uncuffed naso-, in dental anaesthesia, THOMAS, V. J. E., (*C*) 637
——, conditions for, following administration of fazadinium and pancuronium, CORALL, I. M., *et al.*, 615
——, methods of, in conscious patients, DUNCAN, J. A. T., 619
——, use of cuffed tube naso-, in dental anaesthesia, ROLLASON, W. N., (*C*) 637
——, use of, in infantile lobar emphysema, KWIK, R. S. H., 633
——, use of Robertshaw tube during thoracotomy, SEED, R. F., *et al.*, (*C*) 636
——, unsuccessful attempts of insertion for, due to calcification of intra-spinous ligament and fusion of atlanto–occipital joint, SINGH, C. V., *et al.*, (*C*) 640
Tracheostomy, comparison of inhalation of dried and humidified air during, in dogs, TSUDA, T., *et al.*, 965
Training, need for, of all staff involved in major disasters, MOLES, T. M., 643
——, the ambulance man's need for further, in patient care before and during transport to hospital, SNOOK, R., 651
Training programme, account of Los Angeles County system, of paramedical personnel, STEWART, R. D., 659
Train-of-four stimulation, facilitation of electromyographic response in thenar musculature by, on ulnar nerve, LEE, C., *et al.*, 555
Trichloroethylene, a simulation study of metabolism of, FEINGOLD, A., *et al.*, 155
Transport, discussion of various methods of, for the injured patient, SNOOK, R., 651
——, risk of added trauma during, following injury or illness, SNOOK, R., 651
Trauma anaesthesia for the surgery of, GISSECKE, A. H. editor, (*R*) 1071
——, mangement of acute renal failure following, LEE, H. A., 697
——, management of, blood and blood substitutes, DOENICKE, A., *et al.*, 681
——, management of, hazards of anaesthesia in the injured patient, WALTERS, F. J. M., *et al.*, 707
——, management of, immediate hospital care of the injured, CAMPBELL, D., 673
——, management of, metabolic aspects of intensive care, ALLISON, S. P., 689
——, management of, planning for major disasters, MOLES, T. M., 643
——, management of, the training of paramedical personnel, STEWART, R. D., 659
——, management of, transport of the injured patient, SNOOK, R., 651
——, risk of added during transport to hospital, SNOOK, R., 651
——, symposium on management of, 643–720
——, value of immediate care following, caused by major injuries, NORMAN, J., (*E*) 641
Trichloroethylene, as an analgesic during labour, SCOTT, D. B., 11
——, comparison of effects of, with other induction agents on c.s.f. pressure, BALI, I. M., *et al.*, (*ARS*) 1169
——, effects of, on leucocyte locomotion, MOUDGIL, G.C., *et al.*, 97
——, measurement of Oswald solubility coefficient of, using gas chromatography, HALLIDAY, M. M., *et al.*, 413
Trimetaphan, comparison of brain surface oxygen tension measurements during hypotension induced by, and haemorrhage-induced, MAEKAWA, T., *et al.*, (*ARS*) 515
——, measurement of intracranial pressure changes in neurosurgical patients during hypotension induced by, TURNER, J. M., *et al.*, 419
——, technique for combined use of sodium nitroprusside and, DINMORE, P., (*C*) 1070
Tropics, measurements of body, core and skin temperatures of anaesthetized man in the, ELLIS, F. R., *et al.*, 1123
Tubocurarine, comparison of frequency of bradycardia during antagonism of neuromuscular blockade induced by pancuronium, alcuronium or, HEINONEN, J., *et al.*, 1109
——, effect of, on aortic blood velocity during major surgery, TOMLIN, P. J., (*ARS*) 1170
——, enhancement of gallamine- and, -induced neuromuscular blockade following administration of neostigmine, HUGHES, R., *et al.*, (*ARS*) 1172
——, fade, action of, on neuromuscular blockade, LEE, C., *et al.*, 555
——, haemodynamic responses to antagonism, of, block with atropine–neostigmine mixture in children SALEM, M. R., *et al.*, 901
——, potency and duration of action of, compared with dimethyl tubocurarine, SCHUH, F. T., (*C*) 637
——, use of, as neuromuscular blocker in the neonate, VIVORI, E., *et al.*, 51
d-**Tubocurarine**, incidence of hypersensitivity to, FISHER, M., (*C*) 87
——, neuromuscular sensitivity to, inneonate rats, KELLY, S. S., *et al.*, 217

Understanding E.E.G., SCOTT, D., (*R*) 1176
Urea, inhibition of serum cholinesterase by, HANEL, H.K., *et al.*, 1251
Uriodone, contraindication for use of, as contrast media in carotid angiography, PHILLIPS, G., *et al.*, 163

Vaporizer, assessment of use of Goldman, in closed circuit anaesthesia, BUSHMAN, J. A., *et al.*, 575
Vaporizer bypass units, efficiency of use of, for reducing contamination by halothane, ROBINSON, J. S., *et al.*, 745
Vasoconstriction, effect of inhaled gases on peripheral, in the dog, BROCK, LORD, *et al.*, 755
Vasodilatation, in dog in response to droperidol caused by α-adrenergic blockade, MULDOON, S. M., *et al.*, 211
Ventilation, adaptation of Mapleson "E" circuit for controlled, SNOWDON, S. L., (*ARS*) 512
——, advantages of use of Bain anaesthetic system for spontaneous, CONWAY, C. M., *et al.*, 1245
——, alveolar deadspace during artificial, LEWIS, D. G., *et al.*, (*ARS*) 1174
——, comparison of measurements of work of three semi-closed rebreathing systems, BARNES, P. K., *et al.*, (*ARS*) 1173
——, controlled, using Mapleson D system, SEELEY, H. F., *et al.*, 107
——, effective, during surgical emergency in the newborn, LISTER, J., 43
——, inspired oxygen and arterial oxygenation efficiency during halothane anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 183
——, method of controlled, using a circle-absorber breathing system, JEAL, D. E., 273
——, use of a co-axial circuit for small animal, GWILT, D. J., *et al.*, 341
——, use of an occlusion technique for determination of MAC values in the rabbit, MACKENZIE, J. E., 319
Ventilation, use of controlled, in infantile lobar emphysema, KWIK, R. S. H., 633
——, use of oxygen-jet during microlaryngoscopy, BARAKA, A., *et al.*, (*C*) 194
——, value of use of nasogastric tube for, following major accidents, CAMPBELL, D., 673
Ventilation/Blood Flow and Gas Exchange (3rd edn), WEST, J. B., (*R*) 1071
Ventilators, need for British Standard for automatic, DAVIS, P. D., *et al.*, (*C*) 519
——, use of Bird Mark 2 automatic, during bronchoscopy, BENNETTS, F. E., 1061
——, use of, in closed circuit anaesthesia, BUSHMAN, J. A., *et al.*, 575
——, use of mechanical, in babies with severe Respiratory Distress Syndrome, SCOPES, J. W., 35
Ventilatory response, to carbon dioxide in sickle-cell disease, MILLER, G. J., *et al.*, (*C*) 391

Water, effects of aspirated, on lung permeability in rabbits, JONES, J. G., *et al.*, (*ARS*) 189
World Congress of Intensive Care, SPENCE, A. A., (*E*) 1073

Xylocaine, uterine arterial segment response to multiple concentrations of, during Caesarean section, GIBBS, C. P., *et al.*, 409

Printed in Great Britain by John Wright and Sons Ltd. at The Stonebridge Press, Bristol BS4 5NU
© Macmillan Journals Ltd. 1977

INDEX

UMI

BRITISH JOURNAL OF ANAESTHESIA

INDEX

UMI

British Journal *of* Anaesthesia

Editor of General Issues

A. A. SPENCE
M.D., F.F.A.R.C.S.

Editor of Postgraduate Educational Issues

J. NORMAN
M.B., CH.B., PH.D., F.F.A.R.C.S.

VOLUME 49
1977

Published by
MACMILLAN JOURNALS LTD
4 Little Essex Street
LONDON WC2R 3LF

© Macmillan Journals Ltd, 1977

Printed in Great Britain by John Wright and Sons Ltd
The Stonebridge Press, Bath Road, Bristol BS4 5NU

INDEX

UMI

CONTENTS

JANUARY

EDITORIAL: The perinatal period 1
G. H. Bush and J. Norman

SYMPOSIUM ON THE PERINATAL PERIOD

The management of severe pre-eclampsia and eclampsia 3
B. M. Hibbard and M. Rosen

Analgesia in labour 11
D. B. Scott

Obstetrics, analgesia and anaesthesia 19
J. S. Crawford

Resuscitation at birth 25
E. Hey

Management of respiratory distress syndrome .. 35
J. W. Scopes

Surgical emergencies in the newborn 43
J. Lister

Modern aspects of the management of the newborn undergoing operation 51
E. Vivori and G. H. Bush

Management of cardiac surgery in the neonate .. 59
W. J. Glover

CLINICAL INVESTIGATION

Failure to demonstrate effect of trace concentrations of nitrous oxide and halothane on psychomotor performance 65
G. Smith and A. W. Shirley

Use of compressed air in a continuous flow anaesthetic machine 71
O. P. Garg, S. K. Pande, S. K. Shah, B. K. Jha, S. K. Gattani and V. N. Chary

Comparative anaesthetic properties of various local anaesthetic agents in extradural block for labour.. 75
D. G. Littlewood, D. B. Scott, J. Wilson and B. G. Covine

CASE REPORT

Collapse during operation following i.v. ergometrine *A case report* 81
B. H. Valentine, M. A. Martin and N. V. Phillips

APPARATUS

A spirometer for the continuous measurement of expired tidal volume 83
M. K. Chakrabarti, B. J. Selman and J. G. Whitwam

CORRESPONDENCE

Apparently empty oxygen cylinders 87

Hypersensitivity to intravenous anaesthetic agents 87

Methohexitone 88

Pharmacokinetic models: simple or complex? .. 88

The uptake of halothane 89

Reaction to Althesin 89

The hydrolysis of suxamethonium in blood .. 90

BOOK REVIEWS

Klinische Anästhesiologie und Intensivtherapie, Vol. 10: *Notfallmedizin*.. 91

Paediatric Intensive Care 91

Biotransformation of Local Anesthetics, Adjuvants and Adjunct Agents 91

Parenteral Nutrition 91

Muscle Relaxants 92

Intensive Care Instrumentation 92

Cerebral Circulation and Metabolism 93

Anaesthesiology and Resuscitation, Vol. 97 93

Anaesthesiology and Resuscitation, Vol. 99 93

Anaesthetics for Medical Students 94

Principles and Practice of Respiratory Therapy .. 94

Physics for Anaesthetists 94

FEBRUARY

EDITORIAL: Death associated with anaesthesia .. 95

EXPERIMENTAL

Inhibition, by anaesthetic agents, of human leucocyte locomotion towards chemical attractants 97
G. C. Moudgil, R. B. Allan, R. J. Russell and P. C. Wilkinson

Controlled ventilation with the Mapleson D system. *A theoretical and experimental study* .. 107
H. F. Seeley, P. K. Barnes and C. M. Conway

Halothane solubility in human blood 115
R. A. Saraiva, B. A. Willis, A. Steward, J. N. Lunn and W. W. Mapleson

Relation of etidocaine and bupivacaine toxicity to rate of infusion in rhesus monkeys 121
M. H. Malagodi, E. S. Munson and W. J. Embro

The effect of thiopentone on enflurane-induced cortical seizures 127
F. A. Furgang and J. J. Sohn

CLINICAL INVESTIGATION

Evaluation of doxapram for arousal from general anaesthesia in outpatients 133
G. S. Robertson, D. M. MacGregor and C. J. Jones

Feed-back monitoring in anaesthesia: the indirect measurement of arterial pressure and its use for the control of halothane administration.. .. 141
P. Suppan

Naloxone: dose-dependent antagonism of respiratory depression by fentanyl in anaesthetized patients 151
G. B. Drummond, I. T. Davie and D. B. Scott

The pharmacokinetics of metabolism of inhalation anaesthetics. *A simulation study* 155
A. Feingold and D. A. Holaday

Arterial pressure studies during carotid angiography 163
G. Phillips, G. M. Hitchings and T. V. Campkin

Screening for malignant hyperpyrexia 169
T. E. Nelson, K. L. Austin and M. A. Denborough

CASE REPORTS

Anaesthetic management for children with alveolar proteinosis using extracorporeal circulation .. 173
M. Lippmann, M. S. Mok and K. Wasserman

A hazard of the Pollard endotracheal tube.. .. 179
D. A. Child and M. M. Ali

ABSTRACTS

Proceedings of the Anaesthetic Research Society, London Meeting, November 13 1976 183

CORRESPONDENCE

Fazadinium—a new formulation 191
Unexplained death during anaesthesia 192
General anaesthesia for neurosurgery 193
Anaesthesia for fibreoptic bronchoscopy 193
Oxygen jet ventilation for microlaryngoscopic procedures 194

BOOK REVIEWS

Self Assessment of Current Knowledge in Anesthesiology 195
Antibiotics and Chemotherapy—Present Diagnosis and Treatment of Septicemia 195
Development of Upper Respiratory Anatomy and Function: Implications for Sudden Infant Death Syndrome 195
Life-threatening Emergencies in the Dental Practice 196

MARCH

EDITORIAL: Learning and teaching in anaesthesia 197
John Norman

EXPERIMENTAL

Effect of positive and negative expiratory pressure on renal function 199
S. Gammanpila, D. R. Bevan and R. Bhudu

Lack of mutagenic effect of halothane or chloroform on cultured cells using the azaguanine test system 207
J. Sturrock

Alpha adrenergic blocking properties of droperidol on isolated blood vessels of the dog 211
S. M. Muldoon, W. J. Janssens, T. J. Verbeuren and P. M. Vanhoutte

The effect of age on the safety factor in neuromuscular transmission in the isolated diaphragm of the rat 217
S. S. Kelly and D. V. Roberts

Effect of intermittent exposure to a low concentration of nitrous oxide on haemopoiesis in rats 223
P. Cleaton-Jones, J. C. Austin, D. Banks, E. Vieira and E. Kagan

CLINICAL INVESTIGATION

Evidence of a role for the peripheral chemoreceptors in the ventilatory response to doxapram in man 227
R. M. Scott, J. G. Whitwam and M. K. Chakrabarti

Respiratory effects of etomidate 233
M. Morgan, J. Lumley and J. G. Whitwam

Observed and predicted accumulation of local anaesthetic agents during continuous extradural analgesia 237
G. T. Tucker, S. Cooper, D. Littlewood, F. P. Buckley, B. G. Covino and D. B. Scott

An extradural service in a district general hospital 243
S. E. Brown and A. C. R. Vass

The binding of thiopentone to Kwashiorkor serum 247
N. Buchanan and L. A. Van Der Walt

Buprenorphine: a new, potent, long acting synthetic analgesic. Comparison with morphine 251
J. W. Downing, W. P. Leary and E. S. White

Anidoxime: a clinical trial of an oral analgesic agent 257
D. J. Grainger, T. H. Gawley and J. W. D. Dundee

The interrelation of personality and postoperative factors 259
P. Boyle and G. D. Parbrook

CASE REPORTS

Anaesthesia for major surgery in a patient with a transplanted heart.. 265
S. I. Samuels and S. F. Kanter

Serum cholinesterase: effect on the action of suxamethonium following administration to a patient with cholinesterase deficiency 269
F. T. Schuh

A method of controlled ventilation with a circle absorber breathing system 273
D. E. Jeal

An assessment of the Gapmeter Lab Kit 277
P. Barnes and H. Birdi

CORRESPONDENCE

Anaesthetic gas evacuator for paediatric use .. 281
Pipe-line accident 281
Awareness during anaesthesia 282

APRIL

EDITORIAL: Anaesthesia and infection 283
J. F. Nunn

EXPERIMENTAL

Evaluation of a new method for the continuous measurement of the distribution of blood flow between the two lungs 285
M. K. Sykes, A. E. G. Hill, L. Loh and A. R. Tait

Reduction of hypoxic pulmonary vasoconstriction during diethyl ether anaesthesia in the dog 293
M. K. Sykes, J. B. Hurtig, A. R. Tait and M. K. Chakrabarti

Reduction of hypoxic pulmonary vasoconstriction in the dog during administration of nitrous oxide 301
M. K. Sykes, J. B. Hurtig, A. R. Tait and M. K. Chakrabarti

The effects of halothane and ether on the pulmonary circulation in the innervated perfused cat lung 309
L. Loh, M. K. Sykes and M. K. Chakrabarti

The prophylaxis of malignant hyperthermia by oral dantrolene sodium in swine 315
G. G. Harrison

Determination of MAC for halothane, cyclopropane and ether in the rabbit 319
J. E. MacKenzie

Interactions between morphine and doxapram in the rabbit and mouse 323
S. M. Gregoretti and B. J. Pleuvry

Effect of the acute administration of sodium bicarbonate on respiration in the presence of hyperoxia 331
T. Nishino, N. Hata, Y. Sakakibara and Y. Honda

Small animal ventilation using a co-axial circuit 341
D. J. Gwilt and V. A. Goat

Neutrophil chemotaxis and anaesthesia 345
P. G. Duncan and B. F. Cullen

CLINICAL INVESTIGATION

Respiratory effects and amnesia after premedication with morphine or lorazepam 351
R. S. Cormack, J. S. Milledge and C. D. Hanning

Comparison of thiopentone, Althesin and ketamine in anaesthesia for otolaryngological surgery in children 363
L. Saarnivaara

Anaesthesia for Caesarean section. *Analysis of blood concentrations of halothane using* 0.2% *or* 0.65% *halothane with* 50% *nitrous oxide in oxygen* 371
I. P. Latto and B. A. Waldron

CASE REPORTS

Management of anaesthesia in an infant with an anomalous lung arising from the oesophagus .. 379
S. Mukai, H. Kikuchi, H. Akiyama and M. Morio

Tracheal cylindroma: anaesthetic management .. 383
M. Lippmann and M. S. Mok

APPARATUS

Effect of polarity on the response of the flame ionization detector to halothane 387
R. F. Salamonsen and W. J. Cole

CORRESPONDENCE

Ventilatory response to carbon dioxide in sickle-cell disease 391

General anaesthesia for Caesarean section .. 392

A new extradural space indicator 392

Plasma cholinesterase and malignant hyperthermia 393

Intraventricular pressure waves and their significance in the prognosis of head injury 393

Efficacy of antacid therapy 394

S.I. Units 394

Nitroprusside and cyanide 395

Inability to remove the metal stylet from a central venous catheter 396

BOOK REVIEWS

Molecular Mechanisms of Anaesthesia 397

Practical Regional Analgesia 1976 397

Paediatric Anaesthesia Case Studies 397

Applied Physiology of Respiratory Care 398

MAY

EDITORIAL: Sodium nitroprusside and the cerebral circulation 399
W. Fitch

EXPERIMENTAL

Myocardial stimulation by pancuronium bromide.. 401
R. F. Seed and J. H. Chamberlain

Response of arterial segments from gravid human uterus to multiple concentrations of lignocaine.. 409
C. P. Gibbs and S. C. Noel

Gas chromatographic determinations of Ostwald solubility coefficients for cyclopropane, halothane and trichloroethene (trichloroethylene) 413
M. M. Halliday, I. MacDonald and M. H. G. MacGregor

CLINICAL INVESTIGATION

Intracranial pressure changes in neurosurgical patients during hypotension induced with sodium nitroprusside or trimetaphan 419
J. M. Turner, D. Powell, R. M. Gibson and D. G. McDowall

Analysis of possible factors influencing Pa_{O_2} and $(PA_{O_2} - Pa_{O_2})$ in patients awaiting operation .. 427
I. D. S. Gillies, A. Petrie, M. Morgan and M. K. Sykes

The evaluation and improvement of an anti-pollution system 439
A. J. Asbury and A. J. Hancox

Anaesthesia with profound hypotension for middle ear surgery 447
A. R. Kerr

Measurement of carbon dioxide output, alveolar carbon dioxide concentration and alveolar ventilation in the neonate 453
J. M. Evans, M. I. J. Hogg and M. Rosen

Etidocaine for Caesarean section—effects on mother and baby 457
P. C. Lund, J. C. Cwik, R. T. Gannon and H. G. Vassallo

Plasma concentrations of local anaesthetics after interscalene brachial plexus block 461
J. A. W. Wildsmith, G. T. Tucker, S. Cooper, D. B. Scott and B. G. Covino

Efficacy and tolerance of Flunixin (Sch 14714) in the treatment of postoperative pain, with observations on the methodology of postoperative pain studies 467
B. Zederfeldt, I. Borg and K. Hæger

I.v. doxapram hydrochloride and pulmonary complications after lower abdominal surgery .. 473
J. W. Downing, D. E. Jeal, P. J. Allen and R. Buley

Suxamethonium–neostigmine interaction in patients with normal or atypical cholinesterases 479
A. Baraka

Absence of "recurarization" in patients with demonstrated prolonged neuromuscular block .. 485
C. Lee, M. S. Mok, A. Barnes and R. L. Katz

Awareness during endotracheal intubation. *A comparison of ketamine and thiopentone* 491
I. A. R. Dunnett

CASE REPORTS

Rhabdomyolysis induced by anaesthesia with intraoperative cardiac arrest 495
H. Schaer, B. Steinmann, S. Jerusalem and C. Maier

Ebstein's anomaly—anaesthetic problems. *A case report* 501
I. M. Bengtsson, R. Magno and I. Wickström

Anaesthetic management of thoracotomy in the presence of chronic carbon dioxide retention .. 505
G. Lamplugh, H. R. Matthews and J. C. Richardson

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Leeds Meeting, March 5, 1977 509

CORRESPONDENCE 517

Supplementation of general anaesthesia with narcotic analgesics 517
Access for extradural block in unmovable patients 518
The British Standard for automatic ventilators .. 519
Efficacy of antacid therapy 520
Use of air in a continuous flow anaesthetic machine 520

BOOK REVIEWS 521
Anaesthesia and Pharmacology 521
The Acupuncture Treatment of Pain 521
Anaesthesiology and Resuscitation Vol. 1 521
A Nurse's Guide to Anaesthetics, Resuscitation, and Intensive Care 522

JUNE

EDITORIAL: Opiates, receptors and endorphins .. 523
J. Norman

EXPERIMENTAL

Antagonism of morphine with naloxone in dogs: cardiovascular effects with special reference to the coronary circulation 525
D. Patschke, H. J. Eberlein, W. Hess, J. Tarnow and G. Zimmermann

Baroreceptor control of regional haemodynamics during halothane anaesthesia in the dog.. .. 535
R. J. Bagshaw and R. H. Cox

A technique for the laboratory evaluation of the speed of onset of i.v. anaesthesia 545
J. B. Glen

Cardiac arrest temperature: the effect of ethyl alcohol and carbon dioxide on baboons 551
A. M. Duthie and J. F. White

CLINICAL INVESTIGATION

Neuromuscular facilitation during train-of-four and tetanic stimulation in healthy volunteers: observations with half-refractory paired responses 555
C. Lee, A. Barnes, E. Yang and R. L. Katz

Investigations of some aspects of atmospheric pollution by anaesthetic gases. I: Diffusion of halothane across plastic and rubber tubes .. 561
D. H. Enderby, S. Askill and J. A. Bushman

Investigations of some aspects of atmospheric pollution by anaesthetic gases. II: Aspects of adsorption and emission of halothane by different charcoals 567
D. H. Enderby, J. A. Bushman and S. Askill

Closed-circuit anaesthesia. *A new approach* .. 575
J. A. Bushman, D. H. Enderby, M. H. Al-Abrak and S. Askill

A passive method of disposal of expired anaesthetic gases 589
S. Mehta, G. Behr, J. Chari and D. Kenyon

Pulmonary acid aspiration syndrome: should prophylaxis be routine? 595
J. B. Hester and M. L. Heath

Intramuscular diazepam in labour. *A double-blind trial in multiparae* 601
J. M. Davies and M. Rosen

The measurement of anxiety in the pre-surgical patient 605
W. Wassenaar, W. J. Lancee, S. Galloon and C. D. Gale

Metabolism of ^{14}C-labelled alphaxalone in man .. 609
L. Strunin, J. M. Strunin, K. M. Knights and M. E. Ward

Conditions for endotracheal intubation following fazadinium and pancuronium 615
I. M. Corall, M. E. Ward, J. Page and L. Strunin

Intubation of the trachea in the conscious patient 619
J. A. T. Duncan

Muscle pain following administration of suxamethonium to pregnant and non-pregnant patients undergoing laparoscopic tubal ligation.. 625
S. Datta, J. S. Crocker and M. H. Alper

Electrical stimulation in chronic low-back pain .. 629
B. Rutkowski, T. Niedzialkowska and J. Otto

CASE REPORT

Infantile lobar emphysema. *A case report* .. 633
R. S. H. Kwik

CORRESPONDENCE

Cardiac arrhythmias during outpatient dental anaesthesia 637

Potency and duration of action of dimethyl tubocurarine 637

Tracheal intubation with a Robertshaw tube via a tracheostomy 639

Difficulty in intubation 639

Calculation of oxygen concentration in air .. 640

JULY

EDITORIAL: Trauma and immediate care .. 641
J. Norman and M. Moles

SYMPOSIUM ON THE MANAGEMENT OF TRAUMA

Planning for major disasters 643
T. M. Moles

Transport of the injured patient. *Past, present and future* 651
R. Snook

The training of paramedical personnel 659
R. D. Stewart

Immediate hospital care of the injured 673
D. Campbell

Blood and blood substitutes 681
A. Doenicke, B. Grote and W. Lorenz

Metabolic aspects of intensive care 689
S. P. Allison

The management of acute renal failure following trauma 697
H. A. Lee

The hazards of anaesthesia in the injured patient.. 707
F. J. M. Walters and M. R. Nott

CORRESPONDENCE

Calibration of pneumotachographs.. 721

Identification of the brachial plexus perivascular space 721

Gas chromatographic measurement of halothane.. 722

AUGUST

EDITORIAL: Anaesthesia in Africa 733
A. A. Spence

EXPERIMENTAL

Sodium nitroprusside and regional arterial haemodynamics in the dog 735
R. J. Bagshaw, R. H. Cox and K. B. Campbell

Inadvertent contamination of anaesthetic circuits with halothane 745
J. S. Robinson, J. M. Thompson and R. S. Barratt

The importance of peripheral vasoconstriction in influencing body temperatures and the part played by certain environmental factors: the effect of inhaled gases 755
Lord Brock, J. M. Skinner and J. T. Manders

Correlation of alveolar P_{CO_2} estimated by infra-red analysis and arterial P_{CO_2} in the human neonate and the rabbit 761
J. M. Evans, M. I. J. Hogg and M. Rosen

In vitro study of interactions between i. v. anaesthetics and neuromuscular blocking agents .. 765
P. Kraunak, B. J. Pleuvry and J. M. H. Rees

Postsynapatic effect of i.v. anaesthetic agents at the neuromuscular junction 771
T. A. Torda and P. W. Gage

No mutagenic effect of enflurane on cultured cells.. 777
J. E. Sturrock

CLINICAL INVESTIGATION

Nitrogen sparing effect of different feeding regimes in patients after operation 781
B. J. Rowlands, A. E. B. Giddings, A. O. B. Johnston, J. T. Hindmarsh and R. G. Clark

Oxygen therapy after abdominal surgery 789
G. B. Drummond and D. J. Wright

Does sodium nitroprusside improve tissue oxygenation during cardiopulmonary bypass? 799
P. J. D. Evans, P. Ruygrok, E. R. Seelye and E. A. Harris

A study of eye movement for assessing recovery from anaesthesia 805
G. Laborit, R. Angiboust and J. P. Papin

The rational use of i.v. hydrochloric acid in the treatment of metabolic alkalosis 811
L. I. G. Worthley

Evaluation of peripheral arterial pressure on the thumb following radial artery cannulation .. 819
T. Palm

Glycopyrrolate–neostigmine mixture for the antagonism of neuromuscular block: comparison with atropine–neostigmine mixture 825
R. K. Mirakhur, J. W. Dundee and R. S. J. Clarke

Correlation of biochemical data with Apgar scores at birth and at one minute 831
G. F. Marx, S. Mahajan and M. N. Miclat

Awareness during anaesthesia. *A prospective study* 835
G. Agarwal and S. S. Sikh

CORRESPONDENCE

The effect of anaesthesia and respiration on plasma potassium in renal failure.. 839

Death associated with anaesthesia 840

Analgesia in labour 841

BOOK REVIEWS

Between Life and Death 842

Obstetric Anaesthesia and Analgesia.. 842

Anesthesia and the Kidney 842

Pain—Clinical and Experimental Perspectives .. 843

Principles of Anesthesiology 843

Physics Applied to Anaesthesia 844

The Anesthesiologist's Handbook 844

SEPTEMBER

EDITORIAL: New wine in old bottles 845
C. Prys-Roberts

EXPERIMENTAL

Macroautoradiographic study of the distribution and excretion of ^{14}C-pentobarbitone in rats pretreated with phenobarbitone 847
T. Shin, S. Nakamura and A. Shigematsu

Porcine malignant hyperthermia. V: Fatal hyperthermia in the Pietrain pig associated with the infusion of α-adrenergic agonists 855
G. M. Hall, J. N. Lucke and D. Lister

The effect of thiopentone on myocardial function .. 865
J. H. Chamberlain, R. G. F. L. Seed and D. C. W. Chung

Estimation of blood enflurane concentrations by gas–liquid chromatography 871
W. Toner, P. J. Howard, M. G. Scott, G. W. Black and J. W. Dundee

CLINICAL INVESTIGATION

Clinical impressions of enflurane 875
G. W. Black, H. M. L. Johnston and M. G. Scott

Enflurane (Ethrane) anaesthesia in man. *Metabolism and effects on biochemical and haematological variables* 881
I. M. Corall, K. M. Knights and L. Strunin

Hepatitis-B virus infection in anaesthetists .. 887
J. Carstens, G. M. Macnab and M. C. Kew

Urinary excretion and metabolism of pethidine and norpethidine in the newborn 891
M. I. J. Hogg, P. C. Wiener, M. Rosen and W. W. Mapleson

Haemodynamic responses to antagonism of tubocurarine block with atropine–neostigmine mixture in children 901
M. R. Salem, T. Toyama, A. Y. Wong, H. K. Jacobs and E. J. Bennett

Comparison of i.v. diazepam and hydroxyzine as surgical premedicants 907
R. H. Wender, J. T. Conner, J. W. Bellville, D. Schehl, F. Dorey and R. L. Katz

Comparison of buprenorphine, pethidine and pentazocine for the relief of pain after operation 913
B. C. Hovell

Modification of the circulatory effects of extradural block combined with general anaesthesia by the addition of adrenaline to lignocaine solutions .. 917
D. B. Scott, D. G. Littlewood, G. B. Drummond, P. F. Buckley and B. G. Covino

Some circulatory and respiratory effects of morphine in patients without pre-existing cardiac disease .. 927
I. O. Samuel, R. S. J. Clarke and J. W. Dundee

Peripheral vascular effects of morphine in patients without pre-existing cardiac disease 935
I. O. Samuel, V. K. N. Unni and J. W. Dundee

Anaesthesia for patients susceptible to malignant hyperpyrexia. A study of pancuronium and methylprednisolone 941
P. A. Cain and F. R. Ellis

Preoperative serum cholinesterase concentration in chronic renal failure. *Clinical experience of suxamethonium in 81 patients undergoing renal transplant* 945
D. W. Ryan

CORRESPONDENCE

S.I. units 951

Tracheal cylindroma: anaesthetic management .. 951

A heated artificial lung 952

Interaction between morphine and doxapram .. 952

Changes in peripheral blood leucocytes following i.v. anaesthesia and surgery 953

Ayre's T-piece and pollution 953

Ebstein's anomaly—anaesthetic problems 954

An unusual solvent 954

Extradural injections 954

OCTOBER

EDITORIAL: Towards better communication .. 955
Alastair A. Spence

EXPERIMENTAL

Depression of hypoxic ventilatory response by halothane, enflurane and isoflurane in dogs .. 957
C. A. Hirshman, R. E. McCullough, P. J. Cohen and J. V. Weil

Optimum humidification of air administered to a tracheostomy in dogs. *Scanning electron microscopy and surfactant studies* 965
T. Tsuda, H. Noguchi, Y. Takumi and O. Aochi

Calcium and magnesium contents of malignant hyperpyrexia-susceptible human muscle .. 979
D. Bennett, P. A. Cain, F. R. Ellis, C. F. Louis and M. Stanton

CLINICAL INVESTIGATION

Effects of morphine and ketamine anaesthesia and surgery on plasma concentrations of luteinizing hormone, testosterone and cortisol in man .. 983
T. Oyama, M. Toyota, Y. Shinozaki and T. Kudo

Anaesthetic management of patients with phaeochromocytoma. *A review of* 102 *cases* .. 991
J. M. Desmonts, J. le Houelleur, P. Remond and P. Duvaldestin

Respiratory effects of extradural analgesia after lower abdominal surgery 999
G. B. Drummond and D. G. Littlewood

Laryngeal incompetence during experimental "relative analgesia" using 50% nitrous oxide in oxygen. *A preliminary report* 1005
J. Rubin, J. G. Brock-Utne, M. Greenberg, J. Bortz and J. W. Downing

Right versus left lateral tilt for Caesarean section 1009
R. J. R. Buley. J. W. Downing, J. G. Brock-Utne and C. Cuerden

Placental transmission of atropine at full-term pregnancy.. 1017
I. Kivalo and S. Saarikoski

Blood volume replacement in acute anaphylactic cardiovascular collapse related to anaesthesia.. 1023
M. Fisher

Spread of extradural analgesia following caudal injection in children. *A statistical study* .. 1027
O. Schulte-Steinberg and V. W. Rahlfs

A prospective study of hepatocellular function after repeated exposures to halothane or enflurane in women undergoing radium therapy for cervical cancer 1035
P. J. Allen and J. W. Downing

Flunitrazepam compared with Althesin as an induction agent in balanced anaesthesia .. 1041
M. A. K. Mattila, P. Martikainen and K Säilä

Studies of drugs given before anaesthesia. XXVI: Lorazepam 1047
J. W. Dundee, J. K. Lilburn, S. G. Nair and K. A. George

Suxamethonium pains and electromyograph recordings in children 1057
J. R. Fozard, M. L. M. Manford and R. Harris

Automatic ventilation during bronchoscopy: Experience with a Bird Mark 2 Ventilator .. 1061
F. E. Bennetts

CASE REPORT

Use of neostigmine after snake bite 1065
R. W. Naphade and R. N. Shetti

CORRESPONDENCE

Fibreoptic bronchoscopy 1069

The Pollard endotracheal tube 1069

Malignant hyperthermia in a parturient Poland China sow 1070

Combined use of trimetaphan and sodium nitroprusside 1070

BOOK REVIEWS

An Anatomical Disputation Concerning the Movement of the Heart and Blood in Living Creatures 1071

Clinical Anaesthesia—Anaesthesia for the Surgery of Trauma 1071

Ventilation/Blood Flow and Gas Exchange .. 1071

The Chemical Capture of Animals. A Guide to the Chemical Restraint of Wild and Captive Animals 1072

Clinical and Resuscitative Data 1072

Multiple Choice Questions in Human Physiology .. 1072

NOVEMBER

EDITORIAL: World Congress of Intensive Care 1073
A. A. Spence

EXPERIMENTAL

Cell cycle in mouse intestinal crypts during halothane or nitrous oxide anaesthesia .. 1075
T. Kuramoto and M. Takahashi

CLINICAL INVESTIGATION

Low-frequency, weak extradural stimulation in the management of intractable pain 1081
K. Shimoji, M. Matsuki, H. Shimizu, T. Iwane, R. Takahashi, M. Maruyama and K. Masuko

Automatic hyperreflexia: intraoperative control with pentolinium tartrate 1087
J. W. Basta, K. Niejadlik and V. Pallares

Oxygen therapy after thoracotomy 1093
G. B. Drummond and A. C. Milne

Disposition kinetics of pancuronium bromide in patients with total biliary obstruction .. 1103
A. A. Somogyi, C. A. Shanks and E. J. Triggs

Bradycardia during antagonism of pancuronium-induced neuromuscular block 1109
J. Heinonen and O. Takkunen

Neuromuscular effects of i.a. infusion of lignocaine in man 1117
H. Suzuki, S. Yazaki, T. Kanayama, H. Nakagawa, S. Ogawa, K. Kuniyoshi and K. Tai

A study of body temperatures of anaesthetized man in the tropics 1123
F. R. Ellis and S. Zwana

Thermal balance during cardiopulmonary bypass with moderate hypothermia in man 1127
F. M. Davis, K. N. Parimelazhagan and E. A. Harris

Comparison of nefopam and pethidine in post-operative pain 1133
I. Tigerstedt, J. Sipponen, T. Tammisto and M. Turunen

Analgesia after operation. *A controlled comparison of meptazinol, pentazocine and pethidine* .. 1139
N. J. Paymaster

A controlled clinical trial of oral droperidol and droperidol plus diazepam for premedication in children 1147
J. R. Fozard and M. L. M. Manford

Nitrazepam premedication for minor surgery .. 1153
L. Kangas, J. Kanto and M. Mansikka

Ketamine as the sole anaesthetic agent for laparoscopic sterilization. *The effects of premedication on the frequency of adverse clinical reactions* 1159
E. M. Figallo, H. Casali, R. McKenzie, B. Tantisira, R. K. Wadhwa and F. H. Taylor

CASE REPORT

Anaesthesia and Huntington's chorea. *A report of two cases* 1167
J. Farina and L. A. Rauscher

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Birmingham Meeting, July 8, 1977 1169

CORRESPONDENCE

Awareness during endotracheal intubation .. 1175

χ^2 test 1175

BOOK REVIEWS

Neurosurgical Anaesthesia 1176

Understanding E.E.G. 1176

DECEMBER

ACKNOWLEDGEMENT 1177

EXPERIMENTAL

Haemodynamic responses to isoflurane anaesthesia and hypovolaemia in the dog, and their modification by propranolol 1179
B. F. Horan, C. Prys-Roberts, J. G. Roberts, M. J. Bennett and P. Foëx

Haemodynamic responses to enflurane anaesthesia and hypovolaemia in the dog, and their modification by propranolol 1189
B. F. Horan, C. Prys-Roberts, W. K. Hamilton and J. G. Roberts

Changes in myocardial performance induced by pancuronium and gallamine in hypercapnic and hypocapnic dogs 1199
S. Eriksen, P. Hommelgård and J. Videbæk

Effects of varying inspiratory flow waveform and time in intermittent positive pressure ventilation. I: Introduction and methods 1207
A. B. Baker, P. C. B. Babington, J. E. Colliss and R. W. Cowie

Effects of varying inspiratory flow waveform and time in intermittent positive pressure ventilation. II: Various physiological variables 1221
A. B. Baker, J. E. Colliss and R. W. Cowie

Effects of varying inspiratory flow waveform and time in intermittent positive pressure ventilation. III: Blockade of the autonomic nervous system 1235
A. B. Baker, R. W. Cowie and J. E. Colliss

Inhibition of mitochondrial respiration by sodium nitroprusside and the mechanism of cyanide liberation 1239
S. Nakamura, T. Shin, Y. Hirokata and A. Shigematsu

Spontaneous ventilation with the Bain anaesthetic system 1245
C. M. Conway, H. F. Seeley and P. K. Barnes

The inhibition of serum cholinesterase by urea. *Mechanism of action and application in the typing of abnormal genes* 1251
H. K. Hanel and J. Viby-Mogensen

CLINICAL INVESTIGATION

A comparison of the effect of three anaesthetic techniques on postoperative arterial oxygenation in the elderly 1259
H. Y. Wishart, T. I. R. Williams and G. Smith

Comparison of lorazepam and diazepam as premedicants 1265
S. Galloon, G. D. Gale and W. J. Lancee

Influence of methoxyflurane–nitrous oxide analgesia during childbirth on renal and hepatic function 1271
B.-E. Dahlgren

APPARATUS

A new blade for blind endotracheal intubation .. 1279
J. B. Liban and S. R. Liban

Index to Volume 49 1281